

Your

An Argus Specialist Publication

JULY 1985

90p

# COMMODORE

YOUR BEST INDEPENDENT COMMODORE MAGAZINE

*The Sky's  
the Limit!*

**Flight  
simulators –  
the plane  
truth**




**Business bonanza –  
printers, processors**

**Art attack – a  
great new graphics  
series**

**PRIZE DRAW –  
WIN YOUR WINGS  
WITH ANIROG**

**JOIN THE PROFESSIONALS  
WITH OUR  
SPECIAL OFFER**

# INCENTIVE CONFUZION



THE FUZION OF MIND AND MACHINE

+ COMMODORE 64 + COMMODORE 64 + COMMODORE 64 +

Price £6.95 Trade and Credit Card orders: Telephone (0734) 591678

INCENTIVE, 54 London Street, Reading RG1 4SQ

# Our COMMENT

PICTURE IT. ANOTHER SLEEPY AFTERNOON in the heart of suburbia. In a living room resplendent with rich furnishings and potted plants, a blade of sunlight cuts through a gap in the drawn curtains, directed at Adolescent Anthony as he sits before the TV screen. Commodore 64 at his knees, discarded software to his left and joystick firmly clasped in his right hand.

It's routine and Anthony's taste are changing. Green things from outer space are as stale as old cake crumbs, platforms and ladders have met the same fate as used tea bags, and most adventures offer as many thrills and spills as watching the milk curdle in Auntie Bessie's Royal Wedding souvenir milk jug. No pretty graphics swirl before Anthony's eyes, no swamped pop songs rock his ear drums. In their place, switches a mass of levers, knobs and switches—a realistic interpretation (depending on which simulator Anthony has loaded into his 64) of the instrument panel of a real, live airplane. In fact, it is so realistic that Anthony is quite oblivious to Bessie as he navigates the last remaining pirated copy of *Raid Over Moscow*... the one he which, in true bo-Carroll style, he'd hoped to extract vast sums of money from little Igor Bagalovich at the Embassy school.

The engine rumbles, the speed and Anthony's adrenalin rise in unison and the ultimate needle swings gradually to the right as the plane leaves the runway, shooting into the wild blue yonder over a patchwork of rapidly shrinking terrain.

Anthony's concentration is momentarily diverted as the shapely stewardess steps tentatively into the cockpit, 'tis man with a lobeless cap of tea. But, our intrepid pilot keeps his cool and the plane remains on course.

Not for long. As with all good air-disaster movies (are there any good air-disaster movies), the hi-jacker enters the scene. This one's a right smart alec. Not only is he trying to show the pilot who's boss, but he even wants to have a go at the controls himself. "Looks like a good wheeze. Anthony reminds me of my days in the RAF". "No old war stories now, dad? I must concentrate". "I had a quick go...". "When I've finished...". "Have look



here, son, what bought you that computer anyway?". What can our hero do in the face of such adversity? Nothing. Force prevails and, with control in the hands of His Bossiness, before you can say "Bombs away", the screen flashes and the plane crashes. The dream is broken.

This the editor flipped her lid?, I hear you ask. We know that prolonged exposure to typewriters has been known to be ruinous to one's health, but we hope the point dear readers she is producing a computer magazine and not a toswap between a flight manual and a book at bedtime.

Fear not, dear readers. Your Commodore has recently caught a spot of Bigger than this month (may be the rest of all those '81 day celebrations). And this is all a rather convoluted way of

brining our readers on board for a journey through an assortment of flight simulators available for the 64. These cover a very broad spectrum of planes from gliders and helicopters to 747 airliners and sports.

Having got all to a flying start with our reviews, we hope to take you one step further with our air-staring competition—a chance to win not only Amigo's Super Sketch but also one of 50 copies of the newest of the new flight simulators, Jump Jet, which promises to be an excellent follow-up to Amigo's already ultra-successful Flight Path 737. Jump Jet even contains speech, something which any self-respecting computer program should own nowadays. What more could an aspiring pilot ask for!

Over and out.





VOLUME 1 NUMBER 10  
JULY 1985

Group Editor: Wendy J. Palmer  
Editorial Assistant: Alison Hall  
Software Assistant: John

Downey  
Advertisement Manager: Mike  
Seymour  
Advertisement Copy Control:  
Lucy Chapman  
Publishing Director: Peter  
Wolman  
Chairman: Sir Donald  
Crispinson, Group Typing  
Design: ADA Design

Editorial & Advertisement Office  
No. 1 Golden Square,  
London W1R 1AB  
Telephone: 01-487 0626  
Telex: 857106

Your Commodore is a monthly  
magazine appearing on the first  
Friday of each month.

Distribution by: Argus Press  
Sales & Distribution Ltd, 11-15  
Paul Street, London EC2A 4PL  
Printed by: Aldenat Presswork  
& Son Ltd, Trow, Marshdon,  
Kent

Subscription rates apply  
upon application to Your  
Commodore Subscription  
Department, Indoor Ltd, Times  
House, 175 The Adelphi,  
London EC3R 9NS, 01-487  
1885

The contents of this publication  
including all articles, designs,  
plans, drawings and programs  
and all registered and other  
copyrighted property rights  
herein belong to Argus  
Specialist Publications Limited.  
All rights reserved by the Law  
of Copyright and other  
intellectual property rights and  
in respect of information  
copyright conventions are  
specifically reserved to Argus  
Specialist Publications Limited  
and any reproduction requires  
the prior written consent of the  
Company at 175 The Adelphi,  
Specialist Publications Limited.

## FEATURES

### HIGH FLYERS

14

Your Commodore gets off to a flying start this month as we nose dive into a heap of flight simulators for the 64. How do they compare with the real thing? Our reviews reveal all.



### BUSINESS BONANZA 43

Take our advice and look before you buy! In this month's bumper special, we bring you page after page of all that's best in the 64 business world.

### CHARACTER DESIGNER

52

A special offer you can't resist: the publish the complete documentation of the character designer used by Virgin to design the screens of their best-selling games, such as Falcon Patrol. We also offer the actual program to our readers at a price that really is 'virgin on the ridiculous'.



### CHEETAH SPEAKS OUT

58

Cheetah, sweet talk their way into the speech synth market, and produce the world's first talk-less CAT.



## COMPETITION

### COMPETITION 30

Welcome aboard for another high-flyer - this month's competition. We've decided to break with the current trend by not giving away any copies of *Airwail*. Instead we're offering one flying ace to the first lady's desire - a copy of *Super Skatch*. And, to the runner-up, we're giving away copious copies of the latest in a long line of flight simulators - *Amiga's Jump Jet*. Checks away!

## SERIES

### TOP DRAW 22

Our new series being graphics galore to your 64.

### THE BASIC FACTS 26

Let your Commodore take the pain out of mathematical problems.

### PROGRAMMING PROJECTS 74

Our sprites are on the move - can you stand the pace?

### MASTERING MACHINE CODE 81

Soring out your string arrays.

### THE WELL-TEMPERED 64 86

Be a really big noise with another dose of chip music.

### RELIABLE ROUTINES 89

Be sure! The computer reveals all.

## GAMES AND UTILITIES

### 64 CHARACTER SET 50

All the characters you've ever wanted for your 64.

### DOG FIGHT 59

Bombs away as you renounce the skies in this action game for the 64.

### HI-RES VIC 66

This excellent routine helps you to achieve hi-res printing on the VIC 20.

## REGULARS

### SOFTWARE CHART 6

A look at the games Collapsing up unfolds the month's best-sellers list.

### DATA STATEMENTS 9

Keeping you in touch with all that's new on the Commodore front.

### SENSE OF ADVENTURE 17

Russelstein continues his quest for the best and the worst in the world of adventure.

### IN ARCADIA 24

Any mega-Chessbusters hit the \$999,999 mark yet?

### INPUT/OUTPUT 33

Some of your mighty misdeeds, fresh from our mailbox.

### SOFTWARE SPOTLIGHT 34

We've certainly got a soft spot for good games - and a few hard words for the not-so-good ones!

### REFERENCE LIBRARY 40

The C16 hasn't been neglected in this month's book look.



# CONTENTS

# TOP 20 Gallup Software

Compiled by

## COMMODORE 64

TITLE	PUBLISHER
1 Soft Aid	Various
2 World Series Baseball	Imagine
3 Impossible Mission	CBS
4 Brian Jack's Superstar Chd.	Martech
5 Air Wolf	Brite
6 Pole Position	Atari
7 Basket Ball	UK Software
8 Checkmates	Artvision
9 Crenlins	Advision International
10 Bruce Lee	US Gold
11 Jaxxon	US Gold
12 Daley Thompson's Decathlon	Ocean
13 Raid on Bungeling Bay	Artola Software
14 Pitstop 2	CBS
15 Raid Over Moscow	US Gold
16 Football Manager	Addictive
17 Spy Hunter	US Gold
18 Hunchback at the Olympics	Ocean
19 Spooks	Mastrotomic
20 Breakdance	CBS

Retail sales for the month ended May 3rd 1985.



## VIC 20 Top Ten

TITLE	PUBLISHER
1 Backman	Mastrotomic
2 Rip the Game	Mastrotomic
3 Football Manager	Addictive Games
4 Hunchback	Ocean
5 Mickey the Bricky	Firebird
6 Vegas Jackpot	Mastrotomic
7 Bullet	Mastrotomic
8 Sub Hunter	Mastrotomic
9 Space Invincible	Mastrotomic
10 Psycho Shopper	Mastrotomic

Retail sales for the month ended May 3rd 1985.

Compiled by Gallup for the industry's weekly trade magazine, Computer and Software Retailing. For details contact John Kass, Computer and Software Retailing, 222 Regent Street, London W1K 3AB, 01-414 2171.



**ULTIMATE**  
PLAY THE GAME

## COMMODORE 64



"STAFF OF KARNATH" and "ULTIMATE" recommended  
retail price £9.95 inc VAT. Available from W.H. SMITHS, BOOKS, J. MESSYER,  
BOOKWORKERS and all good software retail outlets. Also available from  
ULTIMATE PLAY THE GAME, The Green, Ashby-de-la-Zouch, Leicestershire LE65 5JF  
(Post not included) Tel: 0530 411405





# DATA STATEMENTS



## When no news might be good news

I'VE CONCLUDED THAT THE RELIABILITY of news on these pages may be attributed to one of two things - either, all the software houses in the country have gone bust, and nobody's told us, or all the goodies are being held in store for the September show season.

The first show of any interest to Commodore users is the 1989 Commodore Computer Show to be held in Hammersmith on the 7th, 8th and 9th of June, 20.000 Commodore fans are expected to attend the show. Commodore are hoping to attract such a crowd with their 'three-machines-in-one' computer - the 128, on show in the British public for the first time. Other attractions will include a computer games arcade and a separate business section and (wait for it...) a 'winning' competition in which only those 11 have a shot - not 1, computer challenge competitors, prize draws and a Music

Maker orchestra.

Prize for the 'grip show' (that's more bigger than a 'meat show') of the year must go the Personal Computer World Show to be held at Olympia, London from 4-8 September. This caters for trade buyers, business and professional engineers as well as all home computer users and enthusiasts. Not satisfied with last year's one hall, the exhibitors will now spread their wares over two halls - home computing in the National Hall and business in Olympia 2. Commodore are already amongst those who have accepted the kind invitation to attend. The emphasis is on advice, especially to the business end of the market, which will be given through seminars and individual attention at the NCC Microsystems Centre, for example. What new offerings there will be on the home front, we shall have to wait and see.

## From Uncle Sam to Ramjam

THE RAMJAM CORPORATION, creators of the excellent 64 adventure, Valkyrie 17, are to serve a three year sentence under the auspices of Activision. They are following in the footsteps of American companies Electronic Arts, Broderbund and Activision included, but are the first British company to sign an exclusive licensing agreement with Activision.

Ramjam's next offering is entitled 'Three Days in Carpathia' and is supposed to be 'sophisticated, witty and very different', time will tell!

Ramjam spokesman, George Stone, is certainly happy with the new set-up. He sees it as an opportunity to stick to what he likes doing best - producing games - while the big boys get on with the job of making a profit.

Activision, Suite 105/106, Agatha House, Palace Street, London SW1E 1HG. Telephone: 01-628 9720.

## Health in House bound

GEORFREY HEATH HAS SIGNED UP ALL-players from Activision to Melbourne House, where he will be Managing Director and a member of the Board of Directors of the company.

Melbourne House have a staff of 50, including 20 full-time programmers, and already have a fine reputation for producing top quality software. They are hoping that Geoffrey Heath will bless their games with some of that magic which has already made Activision one of the foremost producers of software games. "We feel extremely positive about our position in this very competitive industry and ... are confident that Geoffrey's appointment will greatly benefit our company and its goals", says Alfred Milgrom, Publisher and co-founder of Melbourne House.

Melbourne House Publishers, Castle Yard House, Castle Yard, Richmond. Telephone: 01-460 6384.



## Get netted

MICRONET IS DOING ITS UTMOST to entice Commodore users away from CompuNet, having realised that many Commodore 64 programs are not being distributed in an efficient and simple way, they reckon they've come up with a solution.

Micronet 808 has commissioned Y3 Computing Ltd to design a new protocol to make uploading telesoftware easier and downloading more powerful for a wider range of commercial Commodore software. Micronet believes that the new uploader has a success rate of 90%.

Many of the programs uploaded to the new protocol can still be downloaded to the new protocol and, if you bought a cartridge before the change, those generous souls at Micronet will send out new terminal software free of charge. Micronet has given details of the new protocol to a number of manufacturers producing 64 hardware and expect modem manufacturers to adopt the standard.

In a further bid to attract Commodore users, Micronet has established a new communications package for the Commodore modem user. They have rewritten their Prestel terminal software for

CompuNet members to include a downloader written to the new communications protocol. Previously, CompuNet members could only obtain a Prestel terminal package that didn't download any Micronet telesoftware. But, many Commodore modem users weren't joining CompuNet so Micronet distributed a complete terminal package for the Commodore modem, thus allowing any Commodore modem user to join Micronet without joining CompuNet first.

Micronet 808, Telemup Ltd, 8 Herhal Hill, London EC7R 5EJ. Telephone: 01-276 5141.



## Sing-along-a-Micronet

MICRONET HAS A LOT TO ANSWER FOR! Following in the wake of his stage and film debut, he is now to be immortalised on cassette or disc.

Commodore hope to teach budding musicians to play a wide range of music with the latest addition to their Music Maker software. There are three choices of albums - pop hits (including Rod Stewart, The Animals or Alvin, for example), the Beatles and popular classics. The songs are accompanied by a music book, and an instruction booklet is provided with the software.

Although the software packages have been designed for use with the musical keyboard overlay provided with the Music Maker program, each package may be used individually. Compositions may be played in one of four modes: Concert, Rehearsal, Single Key and Performance. Tuning and tempo may be selected and held. Chord, Poly and Mono modes allow the program to be linked with MIDI synthesizer keyboards. And, if you really wish to converse face-to-face with the neighbours, you can interface the computer with a MIDI system.

The Music Maker 'Play Along Albums' cost £9.95 each and are available on cassette or disc.

Commodore Business Machines, 1 Hunters Road, Widdow, Corby, Northants NN17 1QB.



## Winners, all

## IMPOSSIBLE MISSION.




OUR MARCH IMPOSSIBLE MISSION competition was not impossible after all. We received over two thousand entries, most of them containing the correct answer - ACDB.

The first prize of Impossible Mission plus the complete CBS range (titles in all want to Jonathan Shipley of Huddersfield. The second prize of Impossible Mission plus three other titles was won by Daniel Clarke of Southampton and P.P. Green of Gainsborough. Two third prizes of Impossible Mission plus two other titles went to Ian Langford of Sudeley and S. Cherry of Hiker, and four fourth prizes of Impossible Mission plus one other title went to Nigel Cook of Ipswich, Andrew Hammond of Hockley, Christopher Packham of Tadcaster and Jeffrey Preece of Braintree.

Congratulations to all the above plus 30 other winners who will all receive one of CBS' great titles. These lucky readers are:

Andrew Baines, Blackburn; Jonathan Singh-Gulati, Watford; M.J. Hambley, Warrick; Anthony Rabin, Warrick; Mark Bullock, Hull; Lawrence, Simon Kenyon, Southwick; Graham Pebody, Selkington; Muhammad Gulzar, Manchester; Mark Platt, Mansfield; J.R. King, Poole; Brian-Jurkovic, Waltham-Cross; Eric Jackson, Gosport; Steven Fowler, E-Port; Mark Seal, Lincoln; Kimberley Gill, Manchester; Brian Coughlan, Co. Kirk; Daniel Evans, Wiltford; Richard Clow, Birmingham; Paul Carr, Bradford; Jerry McAleen, Reading; Roger Robinson, Bedford; Stephen Barham, Rayleigh; Alan Arnold, Kilburn; Andrew Beale, Ipswich; Ian Maderson, Malvern; Martin Carey, Ketterick; Peter Kim, Liphigton; R.I. Chisholm, Newgate-Down; Yves, Stephen; Alan, Kilgiver; Philip Wake, Ashdown; A. Manton, Ishington; Ian E. McLaren, Co. Down; Douglas Leitch, Carlisle; Paddy Humphreys, Southampton; Michael Mould, Spalding; Rachel Mankoff, Boreham; Lee Barrow, New Broomfield; Andrew Johnson, Balfour; J. Kingsbury, Barry; Susan Berry, Littleborough; Timothy J. Weaver, Reading; G. Hayward, Ilkley; Paul Byrne, Wallingborough; J.W. Smith, Goutham; Stephen Quinn, Apr. Mr. J. Carnell, Wylton; John Mills, Bursley; David Freeman, Wigan; Wayne Moore, Eastbourne; Kerry Blain, Peterborough.

## Software auction

SOME OF THE TOP SOFTWARE HOUSES will be auctioning their software at the CIC County Hall on Saturday June 15th.

No, this isn't because they've failed to sell their wares through more conventional means. The auction is to be held in aid of the Ethiopian famine appeal. Software houses such as Argus, U.S. Gold, Pitman and Gilsoft hope their efforts will make this the biggest ever computer auction and boost the £250,000 already raised by Soft Aid.

Computer Trade Weekly are looking for any old and unwanted software to be included in the auction. Please send your pre-war copies of Space Invaders to:

Computer Trade Weekly  
Specialist Retail Press Ltd.  
Business Technology Centre  
Boswell Drive  
Levenage  
Herts SG1 2DR.

## Soft sales

Soft Aid, the brainchild of Rod Cousins, co-managing director of Quiksoft, has already sold over 50,000 copies and is still selling well. The Commodore and Spectrum versions have raised a total of £250,000, at the time of going to press, for the Ethiopian famine appeal fund.

Credit must go not only to Mr. Cousins but also to printing and software houses and distribution companies who have donated their time, skills and services free of charge, and also to retailers who have sold the games at little or no profit.



## Stamp collection

Charitable souls also preside in the Four Commodore offices—in fact, in the offices of all the magazines published by Argus Specialist Publications.

Being such hugely popular people, we receive stacks of fan mail, postcard-grams, letters, misplaced shopping lists, etc., etc., every day. And, what is common to every envelope? Yes—a stamp. Well, instead of cluttering up the office bin with all these stamps we've been using them for a guide dog.

But, we're not quite as popular as we like to think we are. We need a total of over half a million stamps to sponsor the

dog.

Without any assistance, this is going to take us an incredibly long time. This is where you kind-hearted readers come in. Why prolong the loneliness of both dog and owner when your stamps can help speed up the process? If you receive a lot of mail, or even if you can spare stamps from your personal mail, please send them in to our ASP Guide Dog Appeal.

Please cut out the stamps, leaving approximately 1cm around each edge, put them in an envelope and send them to: Guide Dog Stamps, Your Commodore, No. 1 Golden Square, London W1R 3AL.

## A likely tale



C-O-M-M-O-D-O-R-E 64

**RIPHEUS**  
INTERACTIVE GAMES

ONCE UPON A TIME, IN THE BOWELS of the Four Commodore offices, there sat a bored young journalist, searching for some light relief from the drudgery of pumping news into her flabby new word processor (wiffling thinking—ooh! (This is a fairy story—bored young journalist, she replied a fox.) 'Twas not any-odd-fox, may, 'twas Orpheus' new game, *Lidon*.

Thereupon, she loaded the game. The screen was painted with a beautiful creature—a heroine who flitted around the secret forest of *Lidon*, through hundreds of detailed forest glades, in search of the seven magical flowers of *Pisnema*. On her intrepid journey, in the face of many dark and sinister forces, she was accompanied by the ethereal music of *Crilug*.

To surround that a team of independent graphics designers, several freelance programmers and musicians cut aside their magic powers in favour of spending 5 months in the crypts of *Crilugus*, developing the game.

But, although fairies may lurk at the bottom of your garden, computer games don't grow on trees. £8.95 is the price to pay for this fantastic journey.

And, should you have trouble buying a ticket, *Crilugus* may be contacted at The Studio, Unit 1, Church Fairs, Harley St. George, No. Sandy, Beds. SG7 9 3AP.



## Errata

In our review of Commercial Products' Numeric Keypads (June issue, 'Push Me, Pull Me', page 26), we borrowed the fact that this Numeric keypad does not have a RETURN key. But, a spokesman from Commercial Products swiftly told us that our reviewer had no right to complain—the keypad does have a RETURN key. It is marked as an asterisk in the right-hand bottom corner of the original picture.



DOMARK

presents

**YOU** 85...



**007**

# **A VIEW TO A KILL** **THE COMPUTER GAME**

From 7th June,  
**YOU** will become  
**James Bond**  
in his first arcade/adventure on  
Spectrum 48K, Commodore 64,  
Enterprise 64  
and watch out for  
Amstrad, MSX and others

ORDER YOUR COPY NOW!

CALL 01-947 5524



The Domark Ltd., 254 Vespene Road,  
London SW20 8PM  
Telex: 854475 G

NAME:

ADDRESS:

COUNTRY:

POSTCODE:

Please send me \_\_\_\_\_ copies of 'A View to a Kill - The Computer Game'  
at £70.99 (includes postage and packing).

I enclose a cheque/P.O. for £

My computer is:

You may order by Access  Visa  American Express  by post or  
telephone (01-947 5524).

Please debit my CREDIT CARD  Signature

Account No:

Expiry Date:

Take to the skies with John

Farrar as he zooms on a

selection of Commodore

flight simulators.

MY FIRST ENCOUNTER WITH A computerized flight simulator was a Pagan program on a friend's Z801. Considering the limitations of the computer I thought it was amazingly realistic. From that moment the hunt was on for a comparable program. It's been a long wait but it's been worth it for now there is a veritable barrage of flight simulators on the market.

The flight simulators are as varied as the types of aircraft in the skies so I have divided them into groups - based on military aircraft, airlines and so on. If plenty of action is more to your taste, there are lots of military versions. It's should you wish to be responsible for 100 passengers then try flying a 737. The light aircraft versions, especially the Sublogic program, provide an excellent introduction to flight and navigation in general. So, let's strap ourselves in tight and take-off into the wide blue yonder.

#### Military aircraft

The McDonnell Douglas F-15 jet fighter is a high performance aircraft capable of speeds in excess of 3,000 mph and a ceiling of 65,000 feet. To match this performance, its weapon and defensive systems are equally impressive.



There are two programs available for this aircraft one being **Fighter Pilot** from Digital Integration. This program provides a menu of options enabling the user to select landing practice, combat practice, combat, bad weather etc. All very useful and each good fun in their own right. The main combat task is to shoot down a

# HIGH FLYERS!



bomber which is hell-bent on destroying your airfield. If you succeed another appears on the scene and so on. There is an air-based guidance system to help locate the enemy. This is backed up by a detailed map which shows your position relative to the enemy aircraft and your airfield. If you survive long enough, as the bombers shoot back, the fuel situation will become critical, creating the need to land - assuming there is an airfield still in tact of course. Weapons and a landing system are available but it is not easy. The displays are well done and excellent use is made of sound and graphics throughout the program. This program has had deserved success since its launch some months ago. For a fuller review see the April issue.

The other program based on the F-15 is **Strike Eagle** from US Gold. In **Fighter Pilot** the weapons are limited to cannons but in **Strike Eagle** the full weapon has been incorporated including heat-seekers on displays in the cockpit view, bombs, cannons, rockets, decoy flares, electronic jamming - they are all here. You will need them - plus all your luck and skill, as there are 6 difficult missions to complete. The idea is that you destroy the primary targets on each mission but you will have to contend with enemy aircraft firing air-to-air missiles and SAM missiles also firing heat-seeking missiles.

Unlike **Fighter Pilot** there are no take-off or landing sequences. Assuming that you survive long enough, you are airborne throughout. To refuel and rearm it is only necessary to fly over your home base. Varying levels of difficulty can be selected, with the easiest, Arcade, providing a permanently horizontal horizon. The graphics and sound are excellent and the aircraft responds immediately to control movements. The excellent 36 page manual states that "The F-15 cockpit is a complex and stressful working environment". They are not kidding! I reviewed this program in detail in the May issue.

The final program in this category is **Spitfire 40** from Microsoft. There are just three scenarios to choose from: practice, combat practice and combat. You are a young Spitfire pilot in 1940, and must undergo thorough training before going into combat against the might of the Luftwaffe. So, once again, plenty of practice is required.



Three displays can be called up: the instrument panel, which is brilliantly done, the view from the cockpit window and finally a map of the South East of England. The scale of the latter can be altered, which is useful, as it is used to locate your airfield and the enemy aircraft. I was not too keen on having to toggle between the instrument and cockpit displays, as I found it broke the continuity of the program, particularly for landing approaches. However, if it was





necessary in order to provide such an excellent instrument display then I'll put up with it! I would have liked the aircraft shown on the map, to move, but the manual states that this is a means of providing a "pause" in the program, which it does, Oh well...

The program aims to simulate the flying characteristics of the Spinfire and the epic dogfights of those "Tenuous Foes" it easily achieves this with excellent use of the 3-D graphics although the sound can get a bit monotonous on a long sortie. One good idea is the ability to save your flying time and "talk". I would like to see more use of this facility. The accumulation of hours and skill raises your rank through the S.A.F. 88 hours and the rank of Group Captain allows you to enter a Mirazant competition, the "Tally Ho! chase".

### Airliner

**Flight Path 747** by Amiga has been around for some time now. The objective is to takeoff from the home airfield, fly over some mountains and land the other side. That's all there is to it! There are the usual levels of difficulty but the lowest is hard enough. The cockpit instruments are all the digitally type and are clear and concise.

From takeoff to the landing approach sequence, it is necessary to keep within the parameters for various controls. For example, the flaps cannot be raised below 300 feet and at less than 100 kts. The mountains are well drawn and the graphics and sound are adequate. I found lining up the aircraft with the runway, at the start of each flight, a little tedious. My real grip is with some aerial spelling in one message "ACCENT TO SLOW". Tsk! This is inexcusable. The cassette label states that this is an "Advanced flight trainer" which I think is going a bit far. Nevertheless, I found this program to be good fun and very addictive, which is, after all, what software should be.

Doctor Seb's 747 flight simulator was written with the assistance of a British Airways captain, this program allows you the freedom of the north eastern European air routes. Starting initially from

Heathrow, you can select your destination and, assuming you have developed the necessary skills, you can route the skies to your heart's content using navigation beacons.

The keyboard controls are sensible allocated (flaps, fuel gauges etc) and practice modes are available. When the joystick is moved left or right, the horizon tilts accordingly so the simple, 3D view through the window. Environmental conditions can be reset to alter cloud base and top, day or night flight, wind speed, and the starting point can be changed.

An added feature is a fantasy zone with weird shapes and effects located over the North Sea. The documentation fully detailed with the emphasis on navigation.



London jet controls become the main concern to users of DANCE's **747 Flight Simulator**. The engine gauges alone give the individual status of each engine with regard to speed, speed, gas temperature, pressure ratios and fuel flow. Flaps can be partially extended, aileron and elevator positions are shown and a warning panel flashes signals to the pilot of impending trouble, emphasised by an audio signal.

One disconcerting feature of this program is that although the artificial horizon on the instrument panel indicates that the jet is banking, the view through the cockpit window remains resolutely horizontal.

Navigation is performed with the aid of a simple direction-finder, leaving the pilot to worry about landing preparations.

The flight manual gives full instructions on the purpose of each gauge but a few words on flight principles would not go amiss.

### Varied

The aircraft in this section are as different as chalk and cheese. One simulator is for a helicopter and the other for a glider.

The helicopter simulator is **Super Huey** from US Gold. I understood that it is

also available from Audiogenic label but is less than the £11.99 for Super Huey. Helicopters are a familiar sight in the skies over my home, in NW Cornwall, with hardly a month going by when we don't hear that another dramatic rescue has been carried out. The fastest Race of a few years ago vividly springs to mind. Therefore, it was with eager anticipation that I loaded in Super Huey for the first time.

As with most of the flight simulators already mentioned, Super Huey is accompanied by a comprehensive flight manual. Once again, essential reading as rotary-wing aircraft are a different kind of flying - altogether! You will learn terms like cyclic mode and collective mode, which relate to the control of the rotor blades and the tail rotor. A joystick is a must for this program, preferably with the fire button on the top, as it is used to toggle between modes. There is the customary practice session to help you 'get off the ground'. The on-board computer guides you through the stages of takeoff, flying and landing. At this point I have to say that the graphics and sound effects are stunning. The cockpit display is incredibly detailed and, as the helicopter gains height, surrounding buildings and radar aerials dwindle in size. Pushing the stick forward provides forward momentum and soon trees and bushes are whizzing by the cabin screen. Climb to over 5000 feet and they disappear from sight. All the while, you are accompanied by the familiar sound of the engine and rotor blades. Great stuff!



This sets you up to tackle the other missions on the program. These are Rescue, Combat and Diplomacy. As they have to be loaded separately, it is necessary to record the tape counter readings in order to quickly locate each program. I have to say that, after the promise of the training flight, I found

these other missions to be a great disappointment. The manual, which explains the physics of helicopter flight in some detail, does very little to explain how to accomplish the missions. Neither are the on-board computer and radio systems particularly helpful. The graphics in Rescue are awful, bearing no resemblance to instant-run terrain at all. In Cascade, the fire button fires the rockets and cannons, but it also controls the aircraft! It is necessary to type three letters to access the various systems, R A D for Radar, for instance. Surely, just R would have done it. In addition, the program rarely reacts to keyboard presses as it should.

It is almost worth leaving the program for the training flight alone but I have to say that it is a great shame that the other missions were not better implemented. Perhaps there is a MFC2 version as the way I hope so.

**Glider Pilot** by CBI, provides the user with just one task - that of flying a triangular course of approximately 100 km. To provide variation to this objective, the program has five levels of weather conditions from which to choose, or you can program your own.



The manual explains the techniques of cross-country flight and soaring in sufficient detail for the uninitiated. The program takes some time to load and, having done so, the most awfully monotonous tune drones out. Perhaps it got better but I never listened beyond the first few notes!

Once the choice of weather conditions has been made, you find yourself at about 1,800 feet, close to the start line. Crossing this starts a clock running as you are competing against time. The graphic display of the analogue cockpit instruments falls far short of what one expects these days. The clouds,

where the thermals that provide lift for soaring are found, are very chunky in appearance; sprites should have been used for these. To give the impression of movement, an attempt has been made to provide 3D perspective ground details. A good touch is the provision of a detailed graph showing the vertical path of the glider through the air.

For those already with a declared interest in gliding then I would think that this program would have some appeal. For the rest, I would say that this program would seem to be confined to the shelf due to lack of additive qualities. An OLS you would certainly need to be among the former group.



## Light aircraft

**Solo Flight** by Microprose was one of the first flight simulators to appear for the PC. In the States, some 18 months ago. Since then it has had deserved success in the UK. The aircraft, in this simulation, is a single-engine 1930 vintage monoplane. But this model is fitted with up-to-date VOR navigational radio. The cockpit graphics are adequate, if a little uninspiring but everything is clear and concise except for the artificial horizon display which is too small. This simulator differs from all of the others in that you are flying an aircraft in front of you. The cockpit instruments and the view out can be seen, while in the distance is the aircraft that you are flying! After the others, this takes getting used to, but is, nonetheless, very enjoyable to fly.

The program loads quickly and then provides options of three areas, Kansas, Washington or Colorado. The former has flat terrain and the latter hilly terrain. There are skill levels with varying weather plus a Mail Run game. In this it is necessary to deliver bags of mail from one

airfield to another, against the clock and in increasingly bad weather. The aircraft is also liable to mechanical failure.

The manual covers all of the usual flying characteristics of the aircraft and also explains, in some detail, the techniques of VOR navigation and instrument flying. Three area maps are provided to help locate the many airfields but I felt that they could have been larger and more detailed. Nonetheless, this is a very enjoyable program, with enough options and built-in 'fun' to keep you amused for hours. I understand that a MFC2 version is to be launched soon so I would welcome the opportunity for a test flight. If Solo Flight (MFC) has been improved, it will be very, very good.

To say that I am a fan of the next program would be an understatement. I refer to **Flight Simulator II** by SubLogic. I would take up most of this magazine explaining the finer points of this program but let me give you just a taste.

The aircraft simulated is a Piper Cherokee Archer, which is a single-engine, fully aerobatic aircraft. The program comes with two manuals, each of 76 pages. One explains the workings of the program and fundamentals of flight and navigation, the other covers flight physics and control in greater detail. In addition, there are four extremely detailed navigation maps covering the areas of Chicago, Los Angeles, Seattle and New York/Boston. It is possible to position the aircraft at any of 80 airports in these areas, and fly between them!

The instrument display graphics are exceptionally detailed but the 3D (solid, not wire) perspective cockpit view is something else. One of my favourite 'bits' is to take off from Kennedy International and pass by the Empire State Building, the United Nations main block and out into the Sound for the Statue of Liberty. Incredible stuff. Sound is equally impressive.

Using the comprehensive 'editing' mode, it is possible to set up any parameters you require. Cloud at two levels, three levels of wind speed, speed and direction, plus surface wind, time of day and seasons of the year can be set. Any position and attitude of the aircraft can be pre-programmed and all this can be saved into another mode file if desired (there are nine pre-set modes though).

Finally, there is a World War I combat program included for some bombing and shooting practice from a biplane. Quality such as this does not come cheaply but, my goodness it's worth it.

Flight simulators require the concentration and coordination of arcade games, the strategy and skill of adventure games, with the player in a quasi real-life situation. I find them fascinating and absorbing as I'm sure you will. Happy landings!





Run the tape and follow the instructions but whatever you do, before you move anything, take a careful note of the present setting! The simple card printer that is supplied may be taped or stuck to the screwdriver... use it. Do not be tempted to "have a twiddle to see what happens", you could spend the next hour trying to find where you started from!

The adjustment for fast loaders is quite critical and you will probably find that only a small amount of movement will sweep you right through the working area.

The tape consists of the working program recorded at normal speed, followed by data that the program reads - recorded at high speed. Once "swapped in" on the high speed data, a number is incremented, showing a count from 1 -

adventure games. Not shown by name, but the host of a flowing black cloth coupled with the odd ruff lying around, have all six adventures looking over our shoulders and checking the condition of our neck!

Two more adventures, for the CBM 64 using the now familiar theme have recently been added to those on offer. The first of these is from Melbourne House (will trying to find a successor to The Hobbit...), called **Castle of Terror**; the second is from Duckworth (will trying...) with **Castle Dracula**.

These two, although having the same basic theme, are two very different games. That from Melbourne House gives the impression of the more polished programs, with excellent music and good graphics (a different one for each scene),

and acceptable - if not EXAMINE is nice but DRAWBLOOD is not understood, you must use the full word DRAWBLOOD! The sort of input is more restricted but is frustrating to start with.

Castle of Terror is rather reminiscent of some of the Scott Adams games, with several obvious twists and the feeling of puzzles within puzzles. It isn't a game I would recommend to the novice but certainly one for the dedicated puzzle solver with time on their hands. Loading time is less than four and a half minutes even if the instructions say less than three.5. Beware typing QUIT, it means just that - once invoked there is no turning back - try RISTART instead.

Just surprisingly, you may SAVE GAME, recording your present position in the game, to return to later (SAVE by itself gets



8088). Move all the letters and the cursor is moved and starts again as you come back on tape.

The system is crude but effective, providing you are not far off where you start. As was said above, make sure you know where you started from! Having got the correct alignment, re-set the adjustment screw, either with a drop of nail varnish remover (a softener and re-use the original paint) or a drop of paint (probably cellulose). Whichever you use, one try drop on the end of a toothpick (or similar) is quite sufficient... do not get any in the works!

## Out for the Count...

Count Dracula seems to have fascinated all those that have heard of him ever since Bram Stoker first put his name on paper. One of the all time classics is Scott Adams' **The Count** and he has turned up in numerous other scenarios, featured as

While that from Duckworth has no graphics or music.

Castle of Terror has the more convoluted, devious plot with many pitfalls for even the seasoned adventures. Buy the 'old man' a drink before the nearest time and not only have you spent your hard earned coin, which you apparently cannot replace but you have also missed your opportunity to get the clue he might otherwise have given you!

The music is really something for the first ten minutes, after that you may be forgiven if you turn the sound down. The graphics are good, with a few animated scenes shown in the good measure. There is no way to turn the graphics off to speed up the response time but the scenes are shown quickly, leaving a to line window below them, within which scroll all text responses. Sometimes more than six lines of text are scrolled through fairly quickly so you have to keep your eyes closed.

Complex sentences are recognized but only a few shortened forms of words

a "don't understand" message. The rather important function is not mentioned in the instructions and only becomes apparent when inspecting the vocabulary with the VOCCAR command.

Castle Dracula by Duckworth has no graphics or music but, as regular readers will be aware, I have always felt that, unless these essentially add to the game, I would rather have the speed of response and let my imagination loose on longer descriptions.

A fast loader is employed and loading time is about four and a quarter minutes. Response time to input commands is fast and text is scrolled until the next location description is called for. Colours are used very sensibly and the display is easy to read.

Location descriptions are not very long but there are about 100 of them to be prepared for early long sessions! There are a number of human responses that add to the fun.

Only the first three letters of the input

commands are scanned so the impatient are well catered for. Complex sentences are not understood, which at least means you know exactly where you stand, as a simple **MURR-NDR** (Murray is his likely to be misinterpreted. Movement is only in the cardinal directions and single key entry is accepted.

Instructions are minimal - just those on the back of the box, so although you know your purpose full the **Quest** anything extra you must sort out for yourself. You may **SAY** **CAMEL** pretty quickly too ... ) to continue later - you'll need to!

Overall impressions are that **Castle Dracula** is a well planned game at a fairly classic rate, a little then on the description for a text only game and rather an lot of date command

Support for the **Multi PIT** - that was a **W** trick!

This game has versions for the **IBM PC** and the **VIC-20** (one on each side). ... so at last we can mention the other major Commodore machine in **Sense of Adventure!** being looking you **Plus 4** and **C-64** ones, we may yet have something for you!

The **Quest** is text only and the choice of colours is not so well thought out as **Castle Dracula** above, some text is light red on light blue is not guaranteed to achieve good results on anything but a monitor but it is still readable.

The display layout obviously has many lessons to the use of the **VIC** screen with some words joined together where previously they were the last and first words on consecutive **VIC** lines!

dark **AND A KEY!** Try to **OPEN** **ALL** and be told "You haven't got a key!"

It has a few slightly more annoying faults such as clearing the screen before answering your commands - this means you have to **LOOK** if you have forgotten the visible exits it is quicker to type **GO** ... ) and it has no **SAY** **CAMEL** facility, in fact it appears to have no **SAY!** either - definitely a case of 'No or die'!

It is really a little unfair to go on, isn't it? For all its shortcomings, the **Quest of Merriwell** is the sort of adventure one could well not care to look on. Let's face it, you should not be attacking the plot, except when it is there anyway.

Ignore the anomalies and the game will teach the new-comer some of the arts of adventure gaming. Adventure games are becoming more and more involved so there is always a place for the more basic training ground.

## Another oddie

**Yellow's Lab** is another game from yesterday, been ages ago on the Spectrum, based loosely on a **Dungeons and Dragons** type of game, it has been re-issued for the **IBM PC** by **Atlantis Software** - at the remarkable price, for an adventure game, of **£2.95**.

It is text only and again from the normal parties, rules and general misapprehension that one expects from an adventure game - **Yellow!** offers the player choice of character type and a possible, if rather random, combat routine.

As this game is produced down to a low price, it does not have a fast loader, so you must wait about fifteen minutes for it to load - just time to make a cup of coffee and put out the cat. You must first choose your character class.

You have three choices: **Wizard**, **Wizard or Priest**, this determines how your character will tackle the puzzles met along the way - it is not possible to avoid them entirely.

Response is fairly fast and certain abbreviations are accepted but it is not always easy to determine their likelihood to a certain amount of care must be exercised in this direction.

There is a **SAY** **CAMEL** facility which you may well need! Sadly, I could not find a **QUIT** routine ... at one point this was a little frustrating as I got myself locked in a room without the key; the only way out was to switch off and re-load the game.

I expected something like that to happen when I moved that darn make but I didn't think the outcome would be quite so final (we can't all be perfect all of the time!)

At this sort of price it has got to be good value - you certainly will not collect it as an evening. Once having done so you may well want to try again at a different character type.



improve that cannot even disregard **THE GET THE BALL** - is not understood, you must revert to **GET BALL!** It is a good game to play but I doubt if it will have the holding power of some other games on the market.

## The worst yet!

I recently got a copy of a game that has been out for some time - **The Quest of Merriwell** (Merriwell Gaming). It must rate as one of the worst I've come across. **QUIT** is for a strange fixation ... it is not an expensive game and has the makings of a good beginner's adventure.

The **Quest** was written before the days of the loaders and takes just over seven minutes to load. I believe it was first produced for the **VIC-20** (plus the **W** extension guide) and so some of the limitations imposed by memory considerations must be taken into consideration ... read you, does anyone remember "Cracks of Doom" by

The new accepted single key movement commands are not recognized. The format **GO-N** or **GO NORTH** must be used to travel around. Also, surprisingly, you have to enter the complete word for it to be accepted ... **BLU**, **BLUCK**, **BLUCK!** will not be understood but **BLURBT!** will.

It shows a roughly habit of answering a command concerning an object that is not at that location ... by typing **GET PLANT** anywhere and you get "It won't come out of the ground!"

There are some classic anomalies ... you can buy items and hang around drinking - all the people "die" away ... press **STOP** and immediately all is as it was - the original location message appears and the taster is busy again.

There are other features too ... **KICK** **THE PLANT** and find that "It's snuggled up in the room", try to **GET PLANT** and "It won't come out of the ground!" There is also the beauty where "You are in a dangerous, you can see nothing ... it is too

## BUSINESS SOFTWARE

**PAYROLL** for Commodore 4032, 8000 series & 64

This must be the most comprehensive payroll for its price. Very easy to use. Hourly, weekly and monthly basic, 7 overtime/piecework rates, 4 pension adjustments incl. pension & SSP, 4 other tax, NI, all tax codes & bands. Deductions card printer. Printed payslips or plain paper. This payroll can be adjusted by the user when tax rates change. (see SSP on 4032).

**SPECIAL OFFERS FOR THE BUDGET £80.00 + VAT**

### INTEGRATED ACCOUNTS FOR 4032/96

Purchase ledger, sales ledger, invoicing, stock control, statements, daybook, aged debtors, address labels, (payroll as above), nominal ledger etc. etc.  
£179.00 incl. VAT (£159.00 incl VAT cash with order)

### INTEGRATED ACCOUNTS for Commodore 64

Purchase ledger, sales ledger, invoicing, stock control, statements, daybook, aged debtors, address labels, nominal ledger etc.  
£194.42 inc. VAT cash with order.

Full refund on any item returned within 21 days. Write or phone for details & complete list.

Electronic Aids (Twickenbury) Ltd.

62 High Street

EVESHAM

Worce, WR11 4HG

Telephone

0286 45379

or 0286 831700

## MAIL ORDER ADVERTISING

### British Code of Advertising Practice

Advertisements in this publication are required to conform to the British Code of Advertising Practice in respect of mail order advertisements where money is paid in advance, the code requires advertisers to fulfil orders within 28 days, unless a longer delivery period is stated, where goods are not sold, correspondence cannot be sent, the advertiser's liability must be explained. Please retain proof of postage receipt, as this may be needed.

### Mail Order Protection Scheme

If you order goods from Mail Order advertisements in this magazine and are not able to receive the goods, Express Remittance Protection Ltd will reimburse you for compensation from Advertisers unless you receive an invoice or bank slip. (limited)

- (1) You have not received the goods or had your money refunded, and
- (2) You write to the Publisher of this publication, substantiating the purchase not earlier than 15 days from the day you sent your order and not later than two months from that day.

Please do not wait until the last moment to inform us. When you write, we will tell you how to make your claim and what evidence of payment is required.

We guarantee used electronic readers made in accordance with the above procedure as soon as possible after the advertiser has been declared bankrupt or otherwise up to a limit of £2,000 per reader for any one advertiser as approved under £5,000,000 per advertiser request of all treatment advertisers. Claims may be paid for higher amounts, or when the above procedure has not been complied with, at the discretion of the advertiser but we do not guarantee to be successful in the event of an appeal to the Commission and to the quality of readers' attention.

This guarantee covers only advance payment goods advertisements in advertisements in this magazine and, for example, general mail-in responses to classified ads, received as a result of answering such advertisements. Classified advertisements are excluded.

# Get more out of your CBM 64 Micro with the New Marconi RB2 Tracker Ball

Marconi's new Tracker Ball is superior to either a mouse or joystick and is easier to use.

The RB2 design incorporates Marconi's vast experience in making Tracker Balls for Air Traffic Control and professional equipments which demand maximum performance and reliability. It is shift free and gives more precise positional control - the cursor position on screen relates directly to fingertip movement on the ball. The three push buttons normally control the delete, return and copy functions but you can also assign your own functions to the buttons.



It's perfect, whether your micro is your hobby, an educational tool or a source of low cost CAD/CAM applications. It's ideal for word processing and games too, and unlike a mouse needs no regular cleaning.

Available from most Computer Dealers or from Central Trade Exchange Ltd.

ONLY

**£59.50**

Inc. VAT

By Central Trade Exchange Ltd.,  
Rushmore Lodge, Ashton Road,  
Dunstable, Beds MK19 1ST  
Tel: 0525 63291  
Please send details of the new  
Marconi Tracker Ball.

**FREE!**

Utilities Program,  
Graphics Program on tape.



Name

Address

Tel

# HOME COMPUTING WEEKLY

Every  
Tuesday

45<sub>p</sub>

## Home Computing Weekly is the magazine for:



- News, fast and up to date — read HCW first
- Hardware reviews, new machines and products reviewed fast
- Peripherals assessed, all the extras you could want, with in-depth comments



- Software selections; new software scrutinised carefully and quickly
- Programming features for all machines. Learn BASIC and machine code from our How to.... series



- Programs for all the popular machines eachweek
- Lots of letters and hints and tips

In fact, everything you've ever wanted  
from a weekly magazine

# READ HCW FIRST!







# L.N.A.R.C.A.D.I.A

Spooks, snakes, rebukes and Ethiopia are just some of the reasons why Hippo has flipped over this month's selection of Arcade goodies.



Wargaming for the Commodore 64

OUT OF THE MAILBOX THIS MONTH comes a letter from Chris Rogers of Rhyll. He wrote to me about Ariston's Chessbusters, saying, "My own personal score is 1275,000 (no. no. 2004750) (20875). I want to try and reach the \$1,000,000 mark on Chessbusters - if the program will accept such a score!" Well, Chris, when I spoke to David Coore at the IUT '85 show, he said he had an account number to get 999,999. Whether this was the highest you can get, I don't know, but I'll find out by the way. David wouldn't tell me what the account number was. Blast!

So, Chris has achieved this month's feat on Chessbusters, second place going to David Edwards of Calde with a marvellous \$75,000 ("02410" no. no. 9811740). The game has been thrown down - any taken to just beat this or reach the fabled million? Let's hear from you, post-please!

David Edwards has this to say about Ippu's fab Impossible Mission: "It took me five days, on/off playing, to finish it. It's quite good at the end. The puzzles aren't change, you come across new ones, and they repeat! I think I've found about 30 different puzzles!". Thanks for the warning, David. By the way, you didn't tell me what your hi-score was, so the only one I have for Impossible Mission so far is 25081 (password = 20P4042U) from Dave Rogers of Rhyll (write at Christ, Nice one, Dave!) all those commands must have made you quite dizzy!

By the way, David, Choplifer produces Rain on Bumping Bay by about a year and a bit, and Lode Runner is nothing to do with it either.

Several people have written to me asking if I can suggest new games with good speech and graphics. Well, Impossible Mission is about as good as you'll get, at the moment, speechwise. As for graphics, CAD/CAM Warrior (Lastex), Indiana Jones in the Lost Kingdom (Mindscape), the excellent Staff of Karnath (Ultimate) and, out soon, The Rocky Horror Show (O&L). This list has the best music on any game I've seen. The game ain't bad either!

## Cold sweat

I really scared myself the other day. A copy of Theatre Europe, 1983's new wargame/translation of World War III, dropped through my door. I hurried it up, and started to play. I was gut bared with having to think about troop movements, and briefing it out on foot, so (being a shoot 'em up nut) I started throwing my makes around. Memories of Missile Command made me expect little blippo explosions and a nice safe little message "game over"... I didn't realise this was a simulation. I activated all the modules in the Nato armoury.

The screen showed a thousand tiny lights moving slowly across the screen,

while a thousand tiny lights moved from the Iran-Cambodia countries over to my side. The silence and the suspense made my mouth go dry....

Then the map disappeared suddenly, and I was transported.... a picture of a grey city skyline, the silence was shattered by the wall of the air-raid stream, over and over again. Then a tiny streak of light in the sky, followed by a flash of white brilliance, the rumble of blast, and the stomach churning sight of a mushroom cloud. Over and over again it happened as all the major cities of the world were rased to the ground. I turned off the computer and sat for a moment in silence. War is not funny. (See our fully fledged review next month).

## Donald quacks a rib

Donald Duck, on the other hand, is funny, and always will be. His new arcade game sees him trying to build a playground for Huey, Dewey and Louie to play in. He does this by earning money working at the airport, the fruit farm, and the toy shop.

The graphics on this game are delightful, truly cartoon quality, and the sound, especially Donald's voice, are first class.

## Feed the world

A further stroke against hunger in the Third World. Soft Aid, the software fund Aid tape, is in your shops. A note from Bob Calicut on the info card says "Don't copy this tape. Go out and Buy it!" I think that you all do just that and, as for anyone who copies this message compilation rather than spend a paltry five quid to save somebody's life.... well, I hope your conscience can take it!

Right, that's all we have space for, until next time. Keep those letters, queries and hi-scores piling in, and I'll see you next month. This is Hippo, signing off.







A.P. and D.J.

Stephenson explore  
the mathematical  
capabilities of  
programming in  
BASIC.

# T · H · E



# F · A · C · T · S

## PART 10

THE BASIC LANGUAGE TAMES mathematics. Highly complex equations can be programmed with ease and tested with real figures without the customary arithmetic disability. The mathematical demands of the Commodore machines are powerful and capable of handling complex equations but it is easy to fall into traps caused by such genes as division-by-zero, arith. traps and unsequenced rounding errors.

### Translating text book equations

A text book equation cannot be directly implemented in BASIC. For example,  $\ln x^2$  written in BASIC must be written as  $\ln(x^2)$  because there is no provision in BASIC for positioning a variable 'up in the air'. Multiplication is indicated by '\*'; the equation  $\ln x^2$  must be changed to  $\ln(x^2)$  else the computer will think that  $\ln x$  is the same as a single variable and an arith. trap will be created.

Arguments within functions must be enclosed in brackets, even though they may be optional in the text book version. For example, a mathematician would write  $\cos x$  or  $\sin x$  but we must translate these to  $\cos(x)$  and  $\sin(x)$ . In BASIC, a function is a special keyword, characterized by the enclosure of brackets around the variable. It is used to supply the language with a few of the commonly used mathematical operators other than addition,

subtraction, multiplication and division such as  $\cos(x)$ ,  $\tan(x)$ ,  $\arcsin(x)$ , etc.

### Degrees and radians

The circumference of a circle is divided into 360 parts. However, BASIC trigonometrical functions expect angles to be measured in radians. Thus,  $\sin(90)$  is asking for the sine of 90 radians. If you prefer to work in degrees, you can use the  $\pi$  key for converting radians into degrees. For example:

The trig functions  $\sin(x)^\circ + .2$ ,  $\cos(x)^\circ + .2$  and  $\tan(x)^\circ + .2$  will work if  $x$  is entered in degrees.

### Logarithmic functions

Some BASIC dialects offer two log. functions, one to base 10 (common logs) and the other to base  $e$  (natural or natural logs) but Commodore 64 BASIC only offers the latter.

LOG(x) returns the log to base  $e$ . The number  $e$  can never be expressed exactly, however many digits are used, but 2.71828 is accurate to 5 digits. It is a strange number which can be calculated to any order of accuracy by use of the series:

$$e = 1 + 1/1! + 1/2! + 1/3! + 1/4! + \dots$$

The more places you take in the calculation, the nearer you will get to the true value. (But don't go too far, if you calculate the

series to, say, 20 times the number of digits, you will soon exceed the calculating precision of the machine and any further additions would be meaningless numbers.

### The exponential function

EXP(x) returns a value,  $e^x$  where  $e$  is again 2.71828 etc. The function crops up in such areas as radio active decay, spring pendulums and population statistics. This is also an important member of a group known as hyperbolic functions.

### Inverse trig functions

ASN(x) is the only inverse trig function directly available since it is the one most commonly needed in practice. But, the range can be extended by using some standard conversion formulae. We have arranged the formulae as defined functions so they can be entered directly:

```
DEF FNASIN(X)=ATN(X)/%PI
(-.7071) the value of  $\pi$  less than 1
DEF FNACOS(X)=ATN(X)/%PI
(-.7071)*%PI/2 (for values of  $x$  less than 1)
```

We have named the functions AS and AC respectively.

### Hyperbolic functions

Normal trig functions are based on the circle. Hyperbolic functions are similar but are

based on the curves known as hyperbolas.

They are not directly available but can be obtained from standard conversion formulae. They are set out below in defined function form and are true for all values of  $x$ :

```
Hyperbolic sine:
DEF FNHS(X)=(EXP(X)-EXP(-X))/2
```

```
Hyperbolic cosine:
DEF FNHC(X)=(EXP(X)+EXP(-X))/2
```

```
Hyperbolic tangent:
DEF FNHT(X)=(EXP(X)-EXP(-X))/(EXP(X)+EXP(-X))
```

We have named the functions HS, HC and HT respectively.


### Use of brackets

When writing down algebraic expressions, we can rely on operator precedence, as the following:

- raising to powers
- negative quantity
- multiply
- / divide
- addition
- subtraction

```
Examples:
1+2*3=5
3-2*2=4
4-18/3*2
```

However, to avoid errors, it is safer to use brackets liberally so as not to rely too heavily on operator precedence.



## Subroutines or defined functions!

In general, the defined function is shorter and more economical than writing equations in the form of separate subroutines. In fact, the defined function is tailor-made for the job, allowing local protection for parameter variables. One reminder - the function must be defined with DEF FN before it is called with FN. In fact the definition need only be executed once, however many times it is called, it is not treated as an initialization task and placed near the top of the program.

## Handling simple equations

The majority of equations in technical books present little difficulty. As a simple example, we shall take a well-known equation from the field of electronics to illustrate some of the pitfalls. The formula, as it would appear in two books, gives the frequency of a series of resonant electrical circuits (if you haven't a clue what this is, do not fret - it serves merely as an example):

$$f = \frac{1}{2\pi\sqrt{LC}}$$

Any equation, not just this one, should be examined to see if there are certain values of the variable which could cause a crash. We begin by re-writing it in a form acceptable to BASIC:

```
RR=1/(2*PI*SQRT(L*C))
```

This will work OK but, if the equation is to be written a loop which repeats many times, the term in the denominator, 2\*PI, is best performed before the loop is entered. If we write, say, C=2\*PI instead here, the equation can now be written:

```
RR=1/(C*SQRT(L*C))
```

We may then decide to put it into defined function form:

```
DEF FNRR(L,C)=1/(C*SQRT(L*C))
```

The name of the function is RR and the formal parameters are L and C. Later, we might call the function with, say:

```
RR=FNRR(1,1.1)
```

where 1.1 and 1.2 are the actual parameters. We could also pass over direct constants:

```
RR=FNRR(2,1.2,3)
```

If RR was printed to 4 decimal places, we should get 2.99747.

Watch out for the following:

L or C as both can be zero in the denominator because the square root of zero is a real number but the machine would still output the error message "DIVISION BY ZERO" because 1/zero is infinity.

If one of them is negative, the result is unreal and would trigger the message "RUBIDAL QUANTITY".

But, if both are negative and non zero, the product of L and C remains real and acceptable by the machine.

## Scaling problems

The SI system (Système International) has been used in technical colleges and universities for many years. Whatever system is used, there will always be some units which are too large or too small for practical measurement. Electronics abound with staggeringly large and small units. For example, the SI unit called the Farad is so gregarious that the total capacitance of the planet earth, treated as a perfect conducting sphere, is only one quarter of a Farad! In practical electronics, even the microfarad (one millionth of a Farad) is a relatively large unit and capacitors of a few picofarads (one million millionth of a Farad) are not at all unusual.

Values like these present difficulties when trying to write user-friendly programs. For example, it would be most practical to input the value of capacitance in terms of microfarads than in farads. But, you can get into a right old tangle by re-writing equations using multiples or submultiples of the unit. The safest way is to convert all values received from user-friendly keyboard input immediately into standard SI units, leaving them in this form until all calculations are finished. For example, our previous formula

for series resonant frequency is only true, as it stands, if L is in Henries (SI unit of inductance) and C is in Farads. A suitable request for keyboard input might be:

```
100 INPUT "ENTER INDUCTANCE IN MILLIHENRIES":L1
110 INPUT "ENTER CAPACITANCE IN MICROFARADS":C1
120 L=L1*10^-3:C=C1*10^-6
```

Line 120 converts millihenries to Henries and microfarads to Farads, ready for direct implementation into the standard equation. Although we have recommended that units should remain in pure SI form throughout the length of the program, when the time comes to print out results, the units can be converted back again to more practical values. Thus, if the result of our equation for  $f$  is 40000 Hz, we might like to print out in the kHz (1000 Hz) so we could write:

```
130 FNPR=1000
140 PRINT "THE RESONANT FREQUENCY IS "R;" kHz"
```

If you follow these guidelines, you reduce the chance of a calculation being a million, or hundred of millions, out!

## Quadratic equations

Many readers might be familiar with the following solution for the two answers (roots):

If  $ax^2 + bx + C = 0$ , then

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

The presence of the square root in the equation implies that some values of the coefficients  $a$ ,  $b$  and  $c$  can yield unreal solutions because mathematicians have decreed that the square root of a negative number cannot exist. The condition for unreal solutions is when  $4ac$  is greater than  $b^2$ . The expression within the square root is often known as the discriminant because it 'discriminates' between real and unreal solutions. When writing equations which involve the solution of quadratics, it is wise to evaluate the discriminant part of the equation immediately because,

if the result is negative, there is little point in proceeding further.

But, unreal roots do occupy an important position in the theory of alternating currents in general and the behaviour of oscillatory circuits in particular. The 90 degree operator  $j$  allows the two unreal solutions of a quadratic to be expressed in the form:

$R \pm jX$  and  $R - jX$

Any quantities prefixed by  $j$  are the unreal parts of the solution. Solutions which contain a combination of real and unreal terms are known as complex solutions. In order to get the computer to accept complex solutions, you must test the discriminant  $a$  before (but, instead of rejection, convert it to the absolute value using the command ABS). In other words, change it to positive which is equivalent to reversing the terms within the discriminant.

To compensate for this trickery, the operator  $j$  must serve as a label indicating that such a trickery has been carried out. The equation needs to be slightly rearranged so that the real and unreal terms are separated:

$$\text{Solution 1:} \\ \frac{-b + \sqrt{\text{discriminant}}}{2a}$$

$$\text{Solution 2:} \\ \frac{-b - \sqrt{\text{discriminant}}}{2a}$$

The character  $j$  is just a string character which can appear only in the final printout of the solution. It can take no part in computer calculations.

## Polar and cartesian coordinates

A point in two-dimensional space can be expressed in terms of polar coordinates or cartesian coordinates. Instructions to travel 10 miles on a bearing of 45 degrees, are in terms of polar coordinates. Instructions to walk along a certain street for 100 yards, then take the first street on the right and walk a further 50 yards are given in terms of cartesian coordinates. A moment's reflection on these definitions should convince you that polar coordinates are

visible in an aircraft or in the middle of the desert but, in a typical city, the destination could only be reached by walking through the walls of buildings.

Polar coordinates measure the distance of a line from a fixed reference point and the angle of the line to a fixed reference line. The distance (length of the line) is called the modulus and the angle is called the argument. Polar axis coordinates can be expressed in the form  $Z$  ( $\rho$  the modulus) and  $\theta$  (the argument).

Rectangular coordinates define a point in terms of its  $X$  and  $Y$  coordinates. Figure 14.1 shows both forms.

Converting cartesian to polar:  
 $Z = \sqrt{X^2 + Y^2}$ ;  $\theta = \text{ATAN}(Y/X)$

Example: If  $X=5$  and  $Y=4$ , then  
 $Z=6.4$  and  $\theta = 38.15$  degrees.

Equivalent programmed functions:

```
100 DEF FNABS(X,Y)=SQRT(X^2+
Y^2)
110 DEF FNAngle=ATAN(Y/X)
```

To use the functions:

```
100 Z=FNABS(5,4)
110 A=FNAngle(X,Y)
```

To convert from polar to cartesian:

$$X = Z \cos(\text{angle})$$

$$Y = Z \sin(\text{angle})$$

Example: if  $Z = 6$  and  $\theta = 38.15$  degrees, then  $X = 5$  and  $Y = 4$

Equivalent programmed functions:

```
100 DEF FNXC(Z,AN)=Z*COS(
AN)
110 DEF FNYC(Z,AN)=Z*SIN(
AN)
```

The function name is XC, (X Coordinate)

```
110 DEF FNYC(Z,AN)=Z*SIN(
AN)
```

The function name is YC, (Y Coordinate)

To use the functions:

```
100 X=FNXC(Z,AN)
110 Y=FNYC(Z,AN)
```




Figure 14.1 Polar coordinates (Modulus and  $\theta$ ) and Cartesian coordinates ( $X$  and  $Y$  coordinates)

## Statistics

Statistics supply us with figures, derived from well proven probability laws, but leaves us to interpret them in a common sense manner. It is incorrect interpretation, often quite deliberate, which tends to stir the image of statistics but renders them a boon to politicians and advertisers.

If you present statistics with a sample of seemingly random figures, they will come up with some predictions but, based with caution, for example, the sample may be too small for reliable predictions to be made. Statistics is all to do with samples, the larger the sample, the higher the confidence factor that the sample results can be extended to the total population. (The term population refers to the total number of items, not necessarily people.)

## Collecting the data

Data, as far as statistics is concerned is a set of numbers.

What the numbers stand for is not always of importance to statistics. The set of numbers could be shoe sizes or the distance between the nose and ear of a sample of people. The collection of data is normally a field exercise, the end result being sheets of paper. The figures on the paper will be entered into a computer and one or more statistical formulae brought to bear on them. It is a common requirement to find the mean value and the standard deviation of a set of figures. To find the mean value, just add up the numbers and divide by how many numbers there are in the list. The standard deviation is another matter and demands more explanation than we have space for. The formula is usually expressed in the following form:

$$\text{Standard deviation} = \frac{\sum(X-\bar{X})^2}{N}$$

where  $\bar{X}$  = value of item  
 $X$  = mean value  
 $\sum$  = summation items  
 $N$  = the algebraic sum of

We include it because, of all the statistical operations available, it is the most useful and probably the most well known.

## Factorials

The factorial of integer  $X$ , written  $X!$ , is the product of all integers from 1 to  $X$ . For example,  $4! = 4 \times 3 \times 2 \times 1 = 24$ . Factorials have a nasty habit of turning to astronomical values with even moderate values of  $X$ . For example,  $10!$  evaluates to 3,628,800 so one problem to watch out for is overflow. The overflow is nearly reached with 30! because it has an approximate value, 2.6M. A strange feature of factorials, representing another possible hazard, is that 0! and 1! both = 1. Factorials feature prominently in the laws of probability and combinations, which concerns up association with football pools. Next month's article will be concerned with putting statistics to work on the computer.

TELEGRAM

# URGENT!



"The best simulation around ... A must for budding pilots" - P.C.M.

"I would choose Doctor Soft's 747 ... instrumentation clear and unbusy ... graphics are good ... smooth and realistic" - Software Today

**NO. 1 BBC FLIGHT SIMULATOR\*, 747, NOW AVAILABLE ON  
 COMMODORE 64 STOP SPECIAL 64K VERSION EXPLOITS  
 FULL COMMODORE GRAPHICS AND SOUND CAPABILITIES  
 STOP OVER 60 NAVIGATIONAL AIDS STOP OVER 12  
 AIRFIELDS STOP EXTENDED GROUND DETAIL COVERS UK -  
 N.W. EUROPE STOP COMPREHENSIVE PILOT WRITTEN  
 FLYING MANUAL & CHART STOP DAY/NIGHT & VARIABLE  
 WEATHER MODES STOP ILS VOR DME NAVIGATION STOP  
 INCLUDES FANTASY AIRCRAFT & VERY REALISTIC SOUNDS**

747 and other Doctor Soft programs are available from:

- B.B. SMITH • BOOTS • JOHN WENTZEL
- MOST LEADING DEALERS • BY DIRECT MAIL ORDER (SEE BELOW)

BBC

ELECTRON

COMMODORE

747 is no ordinary flight simulator. BBC covers know it as the program that topped the BBC charts month after month last year.

Now for 1983 The Doctor Team (including a B.A. Captain, Professional Pilot and later Programmers & Aerodynamicists) have produced this extended and enhanced Commodore 64 version.

## DIRECT MAIL ORDER

Prices include V.A.T., Postage & Packing Fee

please circle numbers of format required:

NAME	ADDRESS	POSTAL CODE	DATE
1	2	3	4

\* includes V.A.T. on all orders except those in the Channel Islands. \*Special introductory offer for new customers.

NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_

Get your own copy for: **DOCTOR SOFT, PO BOX 66, EAST PRESTON, WEST SUSSEX, Tel 0403 778844**



# COMP

Get on board for our high-flying July competition.

DA, DA, DA, DA, DA-DA, DA, DA... NO, your ears aren't deceiving you, these are the best few notes of the nation's flying game of all time - the Distributors Theme Music - a very noble lead-in to Jump Jet, Antilog's follow-up to their ultra-successful, Flight Path 732.

Jump Jet for the Commodore 64 is due for release at the end of May. It will retail for £9.95 on cassette and £11.95 on disc. Forty lucky prize-winners will be able to simulate missions in the living room if they're first out of the bag with the correct answers to our competition. And, winners-tuck-in-than-lucky-prize-winners will not only win a copy of Jump Jet but will be able to scribble to their heart's content with a copy of Antilog's Super Match (rated at £49.95 - see last month's issue for our ace review). More of how to become such a lucky person, later on.

Jump Jet is a combat and flight simulator, written by Vaughan Dow who, for many years, was a jump jet pilot. It starts by leaving you off at sea as you take off from the landing deck of a carrier. Using a variety of instruments on your dash board and your radar screen, you can locate the enemy aircraft. Then it's decision time - should you throw caution to the wind and pursue the enemy or make yourself a laughing stock by returning to the carrier with your tail between your legs. But, even if you successfully attack and destroy the enemy, there is only enough fuel for one journey so you must return to base after each mission.

This is Jump Jet in a nutshell. The skill levels reflect the ranks in the RAF - Flight Lieutenant, Squadron Leader, Wing Commander, Group Captain. One definite plus is the use of sound to relay messages - for example, 'Ready for take-off' (empty cockpit) or 'Low fuel' - especially handy for those who can't read.

For those who missed out on last month's issue (back issues available from this office - ed.) Super Match is a cloning tablet accompanied by some excellent software and, in our reviewer's opinion, is 'excellent value and great fun'. It retails for £49.95 on cassette and £55.95 on disc.



## How to enter

Study the pics of our very own Air-Commodore (for the uninitiated amongst you, that's the rank above group captain in the air force). Now, even if you are not bright enough to realise that the word Commodore refers to anything other than a computer or a Lionel Richie class, you can't fail to notice that there are several differences between our two pictures. But how many? You tell us, but circle the differences on the picture on the entry coupon and jet down the

amount. The number of differences should also be written on the back of the envelope in which you send your entry otherwise we will not be able to accept it.

You may enter as many times as you wish but each entry must be on an official coupon and sealed in a separate envelope. Please write clearly on the coupon as it will be used as a label if you win a prize.

Fill in your answers, name and address on the entry coupon and send it to Antilog Competition, Four Commodore, 1 Golden Square, London W1R 3AB. The closing date for the competition is 31st July.









**Agony uncle, John Donovan,**  
solves more problems and  
heartaches.

**INPUT**

I am having great difficulty in obtaining a printer for my Commodore system. I already have the 4307 tractor printer but wish to obtain a printer of better-quality output. It would also be nice if it could take both continuous and separate sheet stations. The present system comprises a Commodore 8032 micro, 8030 dual disc drive and 4022 Tractor printer (dot matrix).

I would be grateful if you could advise me on the type of printer to use (other than Commodore) and any interfacing required.

A. S. Joyce  
Southampton

**OUTPUT**

I suggest you use a printer interface such as the Panda variety marketed by Fast International. This does, if you really want letter-quality you will need a daisy wheel as printer, but these are expensive. You could try either the Inta SG-15 or the SG-16. Also, take a peak at our Business Bureau.

**INPUT**

I bought my 44 to help pass the time during my retirement and I now have a collection of software on cassette. I am also attending evening classes in BASIC programming. I have recently acquired a 750 disc drive and would like to transfer all my software onto disc to obviate the delay in loading the programs.

Can you recommend any commercial software which would enable me to do this?

Some time ago, I plugged in a games cartridge whilst the 44 was switched on. The cartridge is now corrupt and unusable. It is also possible to have a back-up copy of a cartridge program transferred to disc so I don't make such an expensive mistake again? Can the cartridge be re-programmed?  
B. Mansour  
Eastleigh

**OUTPUT**

No, it's possible to transfer software from cassette to disc but, unfortunately, some naughty people use this process for piracy and, therefore, I cannot disclose any details. The transference of cartridge software is also possible but, for the same reasons, I cannot give you any further information.

**INPUT****INPUT**

How do I save-to-disk a program which I'll save long with each part of the program having the same line numbers and with the last line of the program just handling the save part. I have tried several ways of doing this such as using 10 different tracks but nothing seems to work.

John S. Tomlinson  
London

**OUTPUT**

Change each load statement to LOAD "xxx" (ie. LOAD "that I" at the end of that if and... hey presto, your prayers are answered!

**INPUT**

I have a Commodore 64 and find today in programs. Unfortunately, a list of programs have single RETURN statements on a line and I find that my computer keeps throwing up the error RETURN WITHOUT GOSUB.

Can you please tell me how to correct these programs.

R. Hill  
Folkestone

**OUTPUT**

There is some confusion here. There is no error in placing a single RETURN on a line. The error message means that a line containing a GOSUB has been omitted earlier on.

**INPUT**

In response to Mark Jones' letter (Input/Output, May - 'Magick 1841'), anyone using a 1040 disc drive can now load most software four times faster using Trigoth's CT LOADER CARTRIDGE. It costs £28.00 inc. p&hp and features abbreviation/lookup and save commands, the ability to display the disc drive directory on the screen without erasing programs in memory, an on/off switch so there's no need to compile it in case of a conflict and a reset switch.

G. Kelly  
Trigoth

**OUTPUT****OUTPUT**

Anyone who agrees that the 1041 induces countless woes can contact Trigoth at 761-161 Rutland Street, Colombo, South Humberstone, DN10 1ND.

**INPUT**

I have been asked by a friend to take a Commodore disc drive and software back with me to New Zealand. I am concerned that British hardware and software may not work with Commodore machines over there. Although the power supply is the same, I know that TVs and use different frequencies and so British computers cannot be hooked up to a New Zealand television set as a monitor. Can you tell me whether the same is true of disc drives and software.  
Lyall Evans  
London

**OUTPUT**

If the power supplies are the same then you are OK with the disc drive. As far as software is concerned, most of our games from the States, so there should be no problem.

**INPUT**

In your January issue, you answered a query from Jim Harris in Portsmouth, about a PET. You replied that you cannot get auto-repeat on all of the keys. You are. There are 2 machine code routines for BASIC 1 and 2 (BASIC 4 has a separate key) published in Kevin West's book 'Programming the PET/CBM' (page 288).

By the way, apart from the information you gave in your reply, PCMS 2272 is a good way of disabling or turning off the keyboard within a program on any daily program filling the keyboard buffer with 'garbage' while processing rates plant.

Tom Ryan  
Manchester

**OUTPUT**

Well, I suggest that all readers with similar problems set their 'fubby fingers' loose over Mr. West's book - it's a good 'un!

Our reviewers pass

judgement on the latest

software gems found lurking

on the editor's desk.

**Rock'n'Roll**

\*\*\*\*\*

Artsoft

ESLW (cassette) / \$19.99 (disc)

C64A 64 — joystick essential

AT LAST — AN ORIGINAL GAME WHICH requires you to use your brain, and not just your trigger-finger. The task is to bait gnomes together for each of 100 floors of a new skyscraper. They do not have a

simple grid, but each floor has a complicated layout filling up to three screens. The gnomes move around as if swinging from the jib of a crane, and you need to jump about, then bait them down in the correct positions. At this point you find yourself out of (in your prime) so you need to write several books, and think again! The gnomes have to be baited in the right order to get back to the lift and the next floor, and while this alone is quite an exercise in logic, there are two options where you are set against the clock, and these are really challenging! You are paid for the number of baits successfully lassoed, and your score is the total pay.

The game has excellent 3D graphics with very smooth animation, and is accompanied by a good rock soundtrack.

If you like slaughtering everything in sight this game is not for you. If, however, you are intrigued by the idea of a sort of computerised Mexican, then it is quite exceptional and not to be missed!

PH

# software spotlight

**Grand Larceny**

\*\*\*\*\*

Multimedia House

£7.99

C64A 64 (joystick optional)

DAMNED CLIVE, THESE MILLIONaire House happens. Just as the Hobbit begins to become a fading memory, blow me, they come out with yet another, excellent adventure game which sets the pace for others to follow.

Grand Larceny is set on the layout of a hotel (the Grand) the object being, first of all, to get into the place and secondly, to get out again having recovered stolen plans before your time runs out. The screen is divided in three: the top part shows the adventurer and his immediate surroundings, the middle screen

contains a textual description of the location and describes any special objects to be found, and a command entry window occupies the bottom part of the screen. Your hero walks at variable speed with joystick or keyboard assistance while the locations scroll from left to right across the screen in the graphics window. Help hints open up as doors are opened, stairs are ascended and so on. Detailed descriptions can be called up at any time with the UDON command and all the exploration is accompanied by a repertoire of well produced sleazy music.

Verbal commands are listed in the cassette inlay and while this removes a lot of the fun of finding the right thing to say this is more than made up for by the variety of movement options and the limited interaction with the other characters in the hotel.

Sleazebag adventurers might find the game less of a



challenge than they are used to since a good deal of the memory is occupied by the graphics but as a game that offers something a bit different coupled with its own sense of humour it still presents a good package.

The only minor criticism is that there does not appear to be a save option, but since you are presented with a fairly tight time limit within which to accomplish your mission, this is more of a niggle than a nuisance.

BM



## Tycoon Tex

★★★★  
 Gremlin Graphics  
 16-Bit  
 C16 or Plus/4



TYCOON TEX, WE ARE TOLD, IS A rooster tootin' oil tycoon who, surprisingly, spends his time not with his-tilan but running along his pipeline and jumping over breaks in it! Somehow or other this adds a few more millions to his bank balance. He's under frequent attack, but he can shoot back, and gain valuable resources from destroying bombs, helicopters and other hazards. At the end of each section of pipe, points are awarded depending on the speed at which it was completed. Another section then begins, with a different setting and new enemies.

This game owes a good deal to Moon Buggy but it is quite brilliantly programmed, with first-rate scrolling graphics. There are 99 levels in all, with hazards which vary in difficulty from level to level. The title screen gives a high-score table and various options including a demo mode - the whole effect is very professional and impressive.

This is the first game of its type for the C16/Plus-4, and I recommend it highly. By its nature there is not a great deal of safety, but it is a real test of concentration and speed of reaction. So get out your six-gun and follow that pipeline!

PSS



## Pole Position

★★★★★  
 16-Bit Gold  
 16-Bit  
 Commodore 64 + joystick

JUST AS THE WELL-KNOWN formula One Grand Prix circuit hits the road again with its globe-trotting antics, so the runaway success of the arcade hits for the past year or so turns on to the screen. And if you're thinking of running with the pack or even starting in Pole Position, then I'll guarantee that you've made the right choice.

This is a great motor racing game and a superb piece of arcade. There are three races you can enter, each with a different difficulty level and, of course, a practice run so you can build up your skills. Before you cut race you have to go on a qualifying run and claim one of the eight positions on the starting grid. Beat the 73

second time limit and you make the grade to run with the elite; beat 50 seconds and you start from the front of the grid, in pole position. Racing is realistic with extremely clear graphics of both cars and the track. All the car's control functions are operated through the joystick: left and right to steer, forward to accelerate, the fire button to change gear and back to slow down.

Other drivers in the race are both an obstacle and a chance to score points when passed. Off track sign posts can also wreck the car although you do have an unlimited supply of cars to call on within the allotted time. Driving off the track will slow you down considerably and lose you time as will taking the corners too fast as it causes the car to skid. Keep up the rear view and prepare to take the chequered flag. Pole Position is a real winner. **Ed**

## Petals of Doom

★★★★  
 Gremlin Graphics  
 16-Bit  
 C16 or Plus/4

GARDEN PESTS ARE A menace, and the varieties found in outer space are the worst kind! Your task is to hunt down and destroy all sorts of alien bugs in 99 plantations of space-flowers. By enabling the five plants in each garden to reach maturity, you may proceed to the next level. There are many kinds of alien insects, each of which moves in a different pattern, and some

pose a worse threat than others. On the higher levels the procedure is repeated, but with more bugs to kill. The pests are destroyed by you firing at them, while things above ground with the aid of a power supply in your back pack. Once your batteries run low you are helpless until they are recharged. You may choose to have up to six lives.

As with other games from Gremlin, the graphics are superb and the use of sound is also good. The game suffers, however, from lack of variety and, although it is fun to play, I suspect that I would tire of it quite quickly. Otherwise it might have merited a fourth star.

PSS



### Softaid

★★★★  
Band Aid Trust  
\$4.99  
CBM 64 (Jovetvki)

THERE CAN BE FEW PEOPLE UNABARE of the success Band Aid has had in raising money for the people of Ethiopia. Softaid is the computer industry's answer to Bob Geldof, and is a collection of ten top games from some of Britain's foremost software houses.

# Software Spotlight

Softaid comes in the usual cassette box with a larger than average inlay card to carry all the games instructions - there is not nearly enough information, but then again there are the games to cover and you can't get War and Peace onto a postage stamp.

At the start of each side Band Aid have recorded their single. Try not to load this into the 64 as yours truly did, the computer prefers something with a little more bite. On loading the games I was a little dismayed to find that three titles would not load. Even after many attempts I still haven't seen *Quadrax*, but one failure can almost be overlooked. Of the other nine there are 4 arcade shoot-'em-ups, 2 maze types, 2 platform-level games and 1 semi-adventure called *Star Trader*.

None of the titles are particularly new but all are good solid games, no rubbish, and if bought separately each could command an 18.00 price tag and you wouldn't feel cheated. My personal favourite up to now must be Activision's *Beamrider*, a really good old fashioned joystick buster, and *Flak* by U.S. Gold. *Calligaris Gold* and *Star Trader* also are worth a mention. All the rest deserve a mention as well - this tape is just too good to be true.

Given better instructions, and if all games had loaded, this tape would have received five stars. But still, nobody should be without this compilation.

### Defence-16

★★★★  
Probe Software  
\$7.99  
C16 or Plus/16 - Keyboard only

GAMES IN THE STYLE OF DEFENDER have been very popular for other machines, though this is the first I have seen for the C16 - and it's a good one!

This is the ideal game for people with aggressive tendencies, because you get to sit quite simply to shoot everything in sight. Unfortunately the battle is far from one-sided, - the aliens you are fighting are smart, underhand creatures, not prone to such dirty tricks as creeping up on you from behind or forming in on the head from your engines. This means that as well as shooting you need to dodge, and this is made more difficult by the mountainous terrain over which you are flying. Not surprisingly, hitting a mountain is just as fatal as mid-air collisions with *beavers*, *landers* or *Zakki*.

The sound effects are very good and the graphics, though not outstanding, are reasonable. The game really loses out, however, by having no joystick option. No fewer than seven keys are used to control your craft, so after a while your fingers turn into sticking sticks!

Pressure, though, as the game is well-programmed and worth buying.

### Las Vegas

★★★  
Aiming  
\$6.95  
CBM 64, VIC 20 & C64

TO BE HONEST I DON'T SEE THE POINT of computerised fruit machines. It's just not the same as playing the real thing and you don't get the sense of actually gambling anything. Having said this *Aiming's* game is quite playable and there are three versions, one for each computer, so the one tape. Each includes a fast and reliable turbo-load.

The C64 version's graphics aren't amazing - the reels take up a small part of the left side of the screen, and the rest of the screen is covered in a large number feature grid which has loads of complicated features which flash if you get a certain combination.

The VIC version graphics are bigger, taking up nearly half of the screen, but it doesn't include all the C64's nice features, having just hold, nudge and gamble. Some of the fruits have numbers, and if enough of these appear on the win line you gain nudges or other 'features'. I found the instructions misleading and in some cases wrong.

*Las Vegas* claims to give you all the excitement of a casino. It doesn't but if you want a fruit machine it would be worth getting.



### Cauldron

★★★★  
Palace Software  
\$9.95  
C64/6 • joystick

THE CASSETTE INLAY OF *Cauldron* will convince most people that this outing, in which you pilot a witch on her broomstick, should be added to their collection. The inlay's graphics look good, and, just for a change, the screen graphics are, if anything, even better.

The game could have done with a few more instructions, though the publishers obviously do not wish to give too much away in this "adult-adventure", with various

screens requiring a touch of trial and error to discover just what artifacts should be sacrificed. During the first few plays, a lot of the time was spent finding out how to get about, let alone start on the quest.

The joystick guides a witch about an her broomstick over a meadow landscape of forest, lakes, volcanoes and mysterious doors. Spells can be hurled at naughty ghosts and vampires and other inhabitants of the netherworld. Collisions with these spirits drain your magic, but this can be replenished at the local magic stores (conveniently November 5th speakers). Various doors become apparent as you journey with the witch on her quest through this Halloween landscape and the object, as far

as I could surmise, is to land on the ground (a difficult task in itself) and collect keys with which to unlock the doors to subterranean haunts wherein loads, chests and other horrors could be found to increase the witch's power. *Cauldron* is superficially an original game, but on the few occasions when I did succeed in reaching the caverns of molten lava behind those locked doors there was more than a hint of platformer in the air.

Despite the lack of instructions the game is well produced and is not of the "play once and shove it" variety. Sounds very good but nothing special. High scores so far as could be ascertained or achieved were not catered for but graphically the game takes full advantage of the bit.

844

### Carry on laughing

★ ★  
Live Wire  
\$4.95  
Commodore 64

CARRY ON LAUGHING? I very nearly split my sides! But then perhaps I am getting just a bit too cynical in my old age although there is no hiding the fact that this is not exactly the



best piece of software to come from the Live Wire stable. Fear or famine I suppose, so roll on Christmas. Anyway on with the review.

It comes as no surprise that you are in control of Mr Live Wire himself. He gets around a bit doing Mr Live Wire and this time he is the caretaker at St. Heudecimal, an infamous school for elemental computer programmers. Apparently he's getting into a bit of a fix trying to tidy up all the classrooms starting with the dining room and moving on through the biology room, the chemistry lab and braving it all in the computer room. When it comes right down to it this is little more than a fairly basic platformer and lifts game with a number of objectives to achieve and obstacles to avoid.

With only three lives to reserve the going is fairly tough. But when the going is tough, the tough get going and doubtless you will succeed in turning the chaos liberally dotted around the screen into order. There, I know I could finish on a positive note.

844

### Major Blink

★ ★ ★ ★  
CRL  
£5.95  
C16

THIS GAME USES A PAINTER TYPE scenario - you must guide Major Blink about a mass of passages painting the area between the paths by moving around the area. As each area is painted,

you gain points. Inevitably life isn't that simple and two sets of riddles try to get you. Firstly, colour blind bears move down the screen revealing the painted areas. You can shoot these bears but, of course, they keep coming. Secondly, the maze is inhabited by roaming snakes which endeavour to catch the Major but which can be temporarily disabled by shooting them. The top portion of the screen is a safe zone and no bears will appear whilst you're in this area. Clear the

screen and move on to the next.

The game makes full use of the C16's colour capabilities and is bright and just very pretty. The design and animation of the figures are neat and effective. Both keyboard and joystick options are available but, for success, a joystick is necessary. The game is both testing, addictive and great fun to play. In view of the memory limitations of the machine, this is an effective game and worth a try.

A.B.

# Software Spotlight

### 3D-Scramble

★ ★  
Liveside Software  
£4.95  
C16 or Plus/16 - Joystick optional

HANDS UP ALL THOSE WHO WANT another version of Scramble. Come on there must be someone. What if I said it was in magnificent 3D perspective? That's slightly better - you're in luck because Liveside Software has just released 3D-Scramble for the 64.

3D-Scramble, as a re-hash of the old arcade favourite we all know and love, has you flying through the same old caverns, a city, flying saucers and a score of fireballs. At your defence are the mandatory lasers and to stay in the air you must land the enemy fuel dumps.

On powering up you are given the option of one or two player mode, you can select any one of ten skill levels and play from either keyboard or joystick - advice the latter, it's far easier. 3D graphics take a little getting used to; to me they looked lumpy and pretty crude. Even the fighter bomber you control is pretty chunky and responds too slowly to the joystick for my liking. In it's heyday, there



is good use of colour, but the really outstanding feature of this rather ordinary game is the music. A really strong rendition of 813 Squadron plays throughout (but can be turned-off). Surely the game was of the same standard as the music all would be well.

Overall this game was a bit of a let-down. There are variants of scramble available, albeit not in 3D, which play better. Not even the soundtrack can get this offering more than two stars - the music deserves a better game.

M.TAL

### Out on a Limb

★ ★ ★ ★  
Arding  
£6.95  
C16 or Plus/16 - Joystick optional

NO JACK SWAPPED HIS MOTHER'S COW for a bean seed and, far from being grateful, she threw it from the window in a rage!

The game starts with Jack leaping from branch to branch to climb the beanstalk, after which he hops through the clouds and enters the giant's castle. It all sounds very simple, but the beanstalk, the clouds and the castle are infested with weird creatures, whose touch is invariably fatal. There come in many guises, including magic ducks, killer jelly-babies and demon horses, and these are not easy to avoid. Once in the castle there are 23 rooms to explore, with the eventual aim of finding treasure: a golden egg, a harp and a bag of gold.

Basically this is a platform game, but in scores for its size and sheer quality! On completing one section of the game, the next loads - there are three parts in all, occupying well over 1Mk. No score is kept as the aim is to get as far as possible in the shortest time - the time elapsed is displayed throughout. The graphics are overdone, though inclined to flicker, and the sound effects are good.

A very interesting, challenging game - highly recommended!

PBB

Give my regards to Broad Street

\*\*\*  
 Arpeg Press Software Group  
 £7.95  
 CBM 64 and joystick

HAVE YOU EVER WANTED TO BE A TAXI driver in central London? If so a good knowledge of the area's transport system, together with a photographic memory and some experience of human nature would be invaluable. Coincidentally these are also the attributes you need if you are to play *Broad Street* with any chance of success.



You take the part of Paul McCartney in search of a missing album track, pieces of which are in possession of various of your friends. Unfortunately it is a Saturday and your friends are scattered all over London doing whatever they do at weekends. However being friends, you have a good idea of their interests and habits and as they travel exclusively on the underground you need only to be at the relevant station as they leave for them to give you their piece of the song.

To aid you, your car is equipped with a computer linked to the central transport system which informs you of their whereabouts. Using this information together with a road map of the area, you make an inspired guess as to their destination and tear across the city in pursuit - avoiding traffic waddlers and lunatic drivers - accompanied by a spirited rendering of *Band on the Run*. There are two pieces of the song, all of which must be found between 9:00 am and midnight.

The program is a refreshing variation on the track-type game with good use of 16-bit graphics, speed and colour. I found it very demanding and highly enjoyable.



#### World Series Baseball

\*\*\*  
 Imagine  
 £7.95  
 CBM 64 - 1 or 2 joysticks

BEING A GREAT CHARLIE BROWN FAN, I sat down enthusiastically to play this computer version of the American national sport. I soon discovered, though, that I am a player even Charlie Brown's team could beat!

Graphically this game is superb! You are presented with a picture of a baseball stadium as seen from behind home base, complete with fluttering flags and a crowd of spectators. A large screen at the back gives information and a close-up of the

action. All control is by joystick, with the joystick serving a variety of functions at different times. This is rather involved, but logical once you get the hang of it. All the features of the real game are included, even down to a troupe of cheerleaders who appear between innings!

I found the game excellent for two players, but control is so complicated that playing against the computer leads inevitably to humiliating defeat! There are other criticisms too - the ball is very difficult to hit, and the fielder who responds is not always the one you might expect.

On the whole, however, it is well programmed and I can recommend it, provided you can find two joysticks and a human opponent!

A bumper book section, this month, includes a look at one of the C16 books hitting the market.

**Title:**  
The Commodore C16/Plus 4  
Comparison  
**Author:**  
Brian Lloyd  
**Publisher:**  
Sunshine Books  
**Price:**  
£5.95

COMMODORE'S LONG-ESTABLISHED reputation for producing good documentation lives on, long after the quality has been substantially improved. Thus, many books have been produced with the advent of new machines. The C16 and Plus 4 offer two major advantages to the publisher and author. Firstly the operating systems are identical on the two machines, except for memory size and, in the case of the Plus 4, the built-in software. Secondly, there is a potentially large market, on the one hand for the absolute beginner, and on the other hand, for the businessman or businesswoman who wishes to start to make effective use of the machine.

The author has totally ignored the Plus 4's built-in software, which is an amazing omission, even for a book containing only 70 pages.

Noting that the author is highly knowledgeable about the Dragon computer, we become curious as to whether he knows as much as he should about Commodore machines. Regrettably it appears not.

For a start, I am not impressed with an approach which includes READ, DATA, and RETURN commands under the heading 'More Advanced Programming'. They are amongst the easiest commands to understand, and are frequently the group with which beginners become acquainted, as soon as they have overcome the excitement of printing out their name on the screen.

Similarly, the use of the word 'initialise' in the context of READING a disc is likely to cause confusion amongst Commodore users. To such users this expression has always meant reading the Directory and Block Allocation Map into the RAM of the disc drive. To have the meaning suddenly changed to cover the description of the contents of the disc is dangerous.

The remark on the back cover suggests that after reading the book, you

# REFERENCE



should be proficient in the more sophisticated programming techniques such as disc file handling. This overstates the case. Any disc drive likely to be used with this machine will have Relative Record Files available for random access: there is no mention of this in the book.

The Chapter called 'Structuring your Programs' contains no discussion on how to do that. It contains some information about commands creating program structures such as loops, but DO WHILE and DO UNTIL are not covered, whereas FOR NEXT is. The section in this chapter on LOADING and SAVING programs belongs elsewhere.

The Machine code chapter is only a run through the commands included in the built-in MONITOR.

The chapter on Peripherals glosses dangerously over matters of some importance. The use of the COLLECT command to deal with improperly closed files is covered, but you are not told how to identify such files (by the asterisk appearing on the directory). Similarly, it is suggested that the COPY and BACKUP commands are usable if you have more than one disc drive. This is true enough, but only if those two drives are accommodated in a single disc unit. The distinction is important, and is made clear in Commodore's own documentation!

Raised though it is, this book is written in a more clunky style than Commodore's own documentation, and is therefore considerably easier to understand. However, you would be better advised to wait for books written by more experienced Commodore hands, like Risto Niemi and Peter Connard.

**Title:**  
Commodore 64 Basics - A self-  
teaching guide.  
**Author:**  
Ann Harris  
**Publisher:**  
Wiley Press  
**Price:**  
\$15.95

IT'S ALL VERY NICE ANSWERING THE call to join the high-tech generation and buy a computer, but it's rather difficult to learn to program a computer well if you have absolutely no previous experience. Once you've learnt a language, it's almost trivial to learn a new language or move onto a new machine. It's for these reasons that I enjoy reading good quality teaching books, such as this one, which achieve what they claim.

In true American tradition, this book reinforces the information given by providing occasional questions for the reader to answer. This isn't really my cup of tea, but it does work.

The book sets out to teach you the use of BASIC and give a feel for graphics, sound and data handling. The approach to this problem is to tackle the material in small pieces. The preliminary section deals with the hardware and how to interconnect it, for owners of disc drives, the commands are described in a simple manner. To get you going, simple one line programs are introduced along with how to save and load your creations. The philosophy is simple to help you gain confidence by using the computer. Once



# LIBRARY



you realise that you cannot hurt the machine, it's surprising how easy it is to do.

Making progress beyond this point takes some work, so the concepts of flowcharts and algorithms are introduced. Subsequent programs in the book use flowcharts, demonstrating their worth, and the more advanced concepts such as decisions and looping, are discussed with examples of their use and value. The section on programming is completed with a listing for a simple database program using sequential files. While this is probably a good idea for the States where disc drives are common, it isn't for the UK. This aside, it is a useful example of how to write such a program. The remainder of the book discusses simple graphics, sprites and sound. While these subjects aren't covered in great depth, it's a tolerable effort.

On the whole this is a detailed and enjoyable book which reaches the subject of programming in a simple but effective manner.

**Title:**  
Introducing your Commodore 64  
**Author:**  
P. K. McBride  
**Publisher:**  
Longman  
**Price:** £3.95

**ACTION PACKED PROGRAMS, NEW Programming Skills**... such is the blurb on the cover of this book, from which one

might assume that here we have a new approach to BASIC; in actual fact this book is full of everything that has been published and indubious while the approach is directed towards those of limited intelligence. A lot of space is filled with cartoons, flashy designs and inane comments.

**Quote:** How do you make text? Work it out step by step and write it all down. This is your text-making program: unique. Get the message!

The contents of the book cover a variety of subjects including the invisible user defined graphics, sprites and sound; the **ADVANCED BASIC** section is rather retarded; not my cup of tea (ouch!).

The best that can be said is that all the programs are functional.

**L.M.**

**Title:**  
The Complete Commodore 64  
**Author:**  
Dennis Jarrett  
**Publisher:**  
Hutchinson Computer Publishing Company Limited,  
**Price:**  
£7.95

**THE CLAIM FOR THIS BOOK IS THAT it could be the only 64 book you'll ever need. I doubt it: this is true but as an overview of the Commodore 64 opens it is undeniably an excellent reference manual.**

The book is presented in a lively

manner with each chapter divided into smaller sections, thus making it not only a good, easy read but also a suitable candidate for browsing through in idle moments.

It opens with a level-headed appraisal of the 64 which, though obviously favourable, does not ignore its weaknesses such as rudimentary BASIC and non-standard ASCII. This is followed by a potted history of Commodore computers prior to the introduction of the 64 and has an excellent section on Commodore's tantalising projects after the 64 up to the introduction of the Plus/4 and C-16.

At this point the book launches into a clear, concise description of how to set up the machine, finding your way around the keyboard and making the first steps in programming. This last section includes lots of short routines to demonstrate the use of the BASIC reserved words within a program structure.

The sound and graphics functions appear in later part of this section but the explanations lose none of the crispness of the earlier sections dealing with the relatively easier commands.

The third major section deals with peripherals, after a minimal introduction to filing systems. Cassette recorders, disc drives, and printers are all dealt with in a fair amount of detail, giving a far clearer understanding of each unit than you get from their individual manuals.

Unfortunately, there is a serious omission in this section. The 1520 plotter/printer is dealt with very sketchily and the text unfortunately implies that the same commands can be used as for the Commodore dot matrix printers, simply by using the device number 15 instead of 4. This not only underestimates the capabilities of the 1520 but is also incorrect in most cases.

The section on business applications takes a long look at the types of software available with sound advice on choosing the correct package for your own circumstances.

A brief look at the facilities of the 54-64 portable closes this section and leads on to a miscellany of error message types, useful memory POBIs, a glossary and bibliography, finally ending with a summary of the available BASIC keywords and a useful memory map.

The Complete Commodore 64 is definitely a must for the relative newcomer to the machine but offers little more for the experienced user and it, as the cover claims, it could be the only 64 book you'll ever need then why bother with a bibliography. The bibliography is obviously a mere cursory glance at the kind of publication available for the 64 - after all, in the section on magazines, a glaring omission is that most essential magazine for 64 owners: *Your Commodore!*

## Get more from your Commodore 64

### The Commodore 64 Kernel and Hardware Revealed

Nick Hampshire

A knowledge of the Commodore 64 kernel software and the hardware with which it interacts is essential for all programmers wishing to make full use of the machine's capabilities. A thorough knowledge of the kernel software will give the programmer a wealth of ideas and methods for existing programming techniques.

See by Nick Hampshire

The Commodore 64  
Kernel Revealed

0-20-366687 £ 18.95

Advanced Commodore  
64 Graphics and Sound

0-20-366688 £ 18.95

Advanced Commodore  
64 Sound Revealed

0-20-366689 £ 18.95

Name:  Package Add £1.50 for the postage plus 50p for each additional item.

Company:  Contact my retailer for it?

Technical notes:

Department:

Customer name:

Address:

Please enclose  (Check enclose payment)

On:  Title:  Price:  £5.00

Please allow 28 days for delivery.

## COMMODORE 64 OWNERS

The Ultimate Reference Book



### Programming The Commodore 64 by Martin West

Comprehensive and readable learning and reference text on the 64. Takes you where commodity-oriented languages will not take you: into the machine's inner workings. Programs available for use on disk or on tape - some source or target.

Programming The Commodore 64: 4th Edition, 270 pages, 270 illustrations, 2.00 (pb), 0.75 (hbk), ISBN 0-201-36668-7, £18.95 (pb), £28.95 (hbk).  
 Programming The Commodore 64: 3rd Edition, 270 pages, 270 illustrations, 2.00 (pb), 0.75 (hbk), ISBN 0-201-36668-6, £18.95 (pb), £28.95 (hbk).  
 Programming The Commodore 64: 2nd Edition, 270 pages, 270 illustrations, 2.00 (pb), 0.75 (hbk), ISBN 0-201-36668-5, £18.95 (pb), £28.95 (hbk).  
 Programming The Commodore 64: 1st Edition, 270 pages, 270 illustrations, 2.00 (pb), 0.75 (hbk), ISBN 0-201-36668-4, £18.95 (pb), £28.95 (hbk).

Send **ORDER FORM** to: Blackwell Science, 108 Cowley Road, Oxford OX4 1JF, UK. Tel: 01865 206206. Fax: 01865 206230. Email: [order@blackwell-science.com](mailto:order@blackwell-science.com)

Quantity	Title	Price	Total
<input type="checkbox"/>	Programming the Commodore 64 - 4th Edition	£18.95	
<input type="checkbox"/>	Programming the Commodore 64 - 3rd Edition	£18.95	
<input type="checkbox"/>	Programming the Commodore 64 - 2nd Edition	£18.95	
<input type="checkbox"/>	Programming the Commodore 64 - 1st Edition	£18.95	
<input type="checkbox"/>	Programming the Commodore 64 - 4th Edition	£18.95	
		Post & packing charges	
		£1.50 each package	
		£1.50 each volume	
		<b>TOTAL ORDER TOTAL</b>	

Name:  Address:

TS 01 14

# FAST LOADERS Commodore TAPE TO DISK 64



## MEGA-DISK

Transfer your fast loading tapes to disk - and fast load them as well! MEGA-DISK comprises:

1. A suite of 26 routines which will transfer a wide variety of multiprogramming/multipass loaders including many VERY popular chart loaders. No user knowledge required.
2. A disk fast loading system equal in performance to any software competitor. Just add this chart program to each disk and most programs will load at 100KB/sec (the normal rate) - without having to load the utility separately.
3. A multi-system FAST disk formatter, and a disk to disk transfer utility for longer files of any length. Disk £11.00.

## DISKUS 1

The most efficient tape to disk transfer utility yet devised. For virtually all standard rate programs. Multiple, automatic and even headless. Files are all cataloged for fast transfer in automatic. No user knowledge required. Diskus 1 has special provision for programs which refuse to be cataloged or which can handle. Cassette £9.95. Disk £11.00.

## R.B.S. (RAPID BACKUP SYSTEM)

Convert your slow loading games to TURBO (2.0MB) Multitap and Turbo programs are handled with ease. Converted programs retained independently. No cables, no SVS calls, no user knowledge required. R.B.S. will convert most programs that are compatible utility. Cassette £7.95.

## HYPERSAVE-64

Programmer's fast loading utility. 81 additional basic commands. Error checking. Converted programs loaded independently. Automatic facility. Also allows a number of fast loading programs to be converted to Hypersave. Cassette £7.95.

## BACKUP-DELUXE

The most powerful tape backup utility available. Incorporates a sophisticated header reader. For all standard rate programs. Versatile and user friendly. Cassette £4.95.

## PRO-SITE

Library/office reference for single and multi-tape utilities. Menu driven. Joystick control. 100% machine code. Cassette £7.95.

DISCOUNTS: Diskus 1 + Megadisk + free package (total £26.95). Any two of R.B.S., Hypersave, Backup deluxe, Pro-site (total £28.95) or all four at £75.00. The BEST price package (every program in this ad) on disk at £29.95. Free booklet quite with every order.

Fast despatch. CheckP.O. or SAE to:

**DOSOFT**  
2 OAKMOOR AVENUE  
BLACKPOOL FY2 0EE

Overseas orders welcome. Please add 75p or £1.00 if outside Europe.



# VIZAWRITE 64

THE PERSONAL WORD  
PROCESSOR

For The Commodore 64 Computer



## Vizawrite 64 Word Processing System

Select Activity:-

- F1 - Edit Old Document
- F3 - Create New Document
- F5 - Directory
- F7 - Disk Commands
- F9 - End Of Session

■ Press Required Function Key -

script, or superscript, it is possible to specify the escape code and check to 'DISABLE' that particular function by designating that code to the Commodore key + a number. This is the only word processor I have seen with this specification.

### 40 column solved

Viza Software have overcome the problem of a 40 column display very effectively. It is possible to write type as normal in which case the whole screen scrolls to the left as text is inserted (which is fine off-printing) or press the Commodore key and W (for width); the text is then re-formatted to 40 columns. Thus, you can see everything you type at all times without the off-putting scroll. If you press the Commodore key and W again, the text is instantly returned to the original width. A post-formatted word processor is alright when churning out blocks of text but I find them hard to use when presentation is important. No doubt, many people will disagree!

### Spellbound

44 Spellbound is a spelling checker which is loaded from within Vizawrite. Once the spell check is over, the program returns to Vizawrite with two keypresses. There is a built-in dictionary which contains 30000

words and can learn many more. If you have specialist needs, the dictionary can be edited.

### Legally binding

Vizawrite is probably the most expensive of the most popular word processors, but you get what you pay for.

It is equally capable of both home and business use and I know of at least two solicitors' offices where it is their only word processor. With their specialised jargon, the spelling checker is ideal and the time it saves has paid for Vizawrite many times over.

I feel that, if you are going to buy a word processor for the first time, or wish to change your present system, you can't fail with Vizawrite. It's part of my electronic office.

### Black marks

One oddity present on Vizawrite is the way in which it uses a micro full stop (instead of a space). This is an odd quirk which appears to have no particular function. The micro full stop is too small to get confused with an ordinary full stop but I am at a loss as to why it is there.

My other reason is the start-up colours on the screen. The first thing I do when starting a document is to change the colour combinations to black screen and border with green text.

# VIZASTAR 64

THE INFORMATION PROCESSOR



■ Spreadsheet ■ Database ■ Graphs

For The Commodore 64 Computer





## Money-go-round

Sales ledgers, purchase ledgers, cash books and nominal ledgers deserve a business supplement to themselves. There are several available and the interfaces are such that it is difficult to recommend one in particular.

### Incapacitated

Most businesses have the same basic needs as far as ledgers are concerned although the methods used may differ greatly.

One problem many people have when they have been running programs like these for a while is the sudden realisation that they do not have sufficient account capacity. Before buying, make sure that you know how many accounts you have, approximately how many invoices the largest account may have and so on, to ensure that the person selling you the package understands your requirements.

### Field testing

A problem with reviewing this type of package is field testing. It is possible to enter sets of dummy data and find that everything looks OK but, when a program is being used fully and regularly, things can be quite different. I must, therefore, point out that my observations are based either on dummy data or a few weeks' use by side-trail use.

My star buy based on these points is the set of software from Anagram.

Essentially, this is a cashbook, sales ledger and purchase ledger. There are other modules such as stock control but these are not relevant in this context.

Anagram's software has been available for a wide range of Commodores for a long time so the format they have found has been well tried and tested. They are as easy to use as ledger can be and are professional packages.

### The question of integration

There is no integration but then total integration of modules would be expecting too much of the 64. However, the structuring of the programs is so good that little 'tweak work' is required.

The manuals are clear and concise but, if you don't know how to run a ledger, it may be worthwhile investing in a book such as Bookkeeping Made Simple.

The sales ledger has help screens in order to prompt you; these can be found for most parts of the program where you may encounter problems. Invoice printing is part of the sales ledger and

posting to the relevant account is done via a separate option. Cash sales are entered into a separate cash account.

The capacity of the software depends on the amount of information that is to be stored on each account. But, Anagram may still be able to handle 200 accounts where there is a maximum of 10 invoices per account or 700 accounts where there is a maximum of 20 invoices per account.

Anagram's sales ledger is very comprehensive and would not be out of place in any small business.

### Purchase ledger

This includes nominal analysis and is in the same format as the sales ledger, so ease of use is guaranteed. Capacity again depends on how many transactions per customer are needed but, as a guide, Anagram can take 100 supplier accounts and 50 nominal accounts with 4 outstanding invoices per account or 70 supplier

accounts with 50 nominal accounts and 10 outstanding invoices per account.

### Cashing in

The cash book is the easiest to get to grips with and may be quite enough for business where most trade is done in cash and cannot justify running a sales and purchase ledger. Its capacity is 50 analysis headings with approximately 2000 postings, of 100 analysis headings with 2000 postings. Once again, reports are complete and very well laid out.

### Extra, extra

Company Pack 123 from Impex is very good. Bookkeeping for the cash trader from Quick-Count is also very good as are the others mentioned below. I have intentionally omitted any packages that I found unreliable or too hard to use.

Anagram Systems 10a Queen Street Horsburgh West Sussex BN11 3AD	Tel: (0452) 59331
Purchase ledger	£75.00 inc VAT
Sales ledger	£75.00 inc VAT
Cash Book	£75.00 inc VAT
Impex Software Metro House Second Way Hambley Middlesex HA3 0TY	Tel: 01-908 0999
Company Pack 123 (Sales ledger, Purchase ledger, Invoicing, Stock control and Nominal ledger)	£112.79 inc VAT
Quick-Count 15 Nene Crescent London NN4 5EP	
Bookkeeping for Cash Trader	£89.79
Abacus Business Systems 21 Union Street Ramsbottom Lancashire	Tel: 079602 7771
Purchase/Sales ledger	£37.95

## The printed word

Choosing a printer for your Commodore computer can be difficult. Due to the printer port, some type of interface will be needed in order to connect a non-Commodore printer.

The Commodore MP9801 is the budget printer in the Commodore range but its facilities are rather limited, and the other printers in the range are not particularly easy to obtain.

The answer is to buy another make and the relevant interface. The most popular non-Commodore dot-matrix printer appears to be an Epson compatible Commodore type. These usually offer many facilities not available on the MP9801. Those choosing daisywheel printers are also going for the ergonomics type.


There are a wide range of interfaces to drive a printer. These can either be software based or, what I call, hard units. The software-based interfaces consist of a lead and driver software. The disadvantage with this arrangement is that you may find that the driver software conflicts in memory with the program with which you wish to use the printer. There are no such problems with hard units. My particular favourite is the TurboPrint G7 which was reviewed in the December issue of Your Commodore.

### Canon PW-108A

This is a near letter quality dot matrix printer. It is a little on the large side, weighing a hefty 8kg, its speed is a nifty 780ips in ordinary mode and 24ips in near letter quality mode. I have seen better NLQ printers but overall the print quality is very good, and far in a lot better than the Epson. It supports enlarged type, condensed, etc, proportional, 8/9 dot graphics and, with a good interface, these options are easy to select. Paper loading is easy except that, if you have pin-lead paper and the lever is set at friction, the paper folds up. There is a 2K printer buffer which is useful on small printers since it is sufficient to reduce the computer fairly quickly.



Juki Dailywheel



Canon PW-108A

Overall I found this fast, very quiet, and reliable and I would imagine it would be long lasting, even with high usage.

### MP-165

The Micro Peripherals MP-165 was another NLQ printer. Its specifications were fairly close to the Canon even down to Sinclair ZX80/111 type-switches. This would probably be a wise buy than a Canon. Not only is it cheaper but it also uses Epson FX ribbons which are usually available at even the most humble stationary shop - unlike Canon ribbons which I had

great problems in obtaining. It is not as quiet as the Canon but the level was acceptable. It's NLQ mode (judged fine on this) was very good, with the bonus that it could be turned on part way through text print. With a little practice I found it could highlight paragraphs by pressing the 'line' switch at the start of the paragraph and pressing it again at the end.

Like the Canon, this appeared to be a workhorse.

### The JUKI Dailywheel

This typewriter/printer is for those of you who are prepared to sacrifice speed for high quality printout. The Juki is so

slow in fact that I found I could type faster than it could print (... unusual but a great ego booster).

The Juki does have the advantage of being a typewriter as well but I would imagine this would be the choice of the impulsive, low volume user.

It has some nice touches such as delete mode: you can go back over a mistake, hit the old character, and overtype with the correct character. It also supported decimal tabs and centring of text. But the quality left a little to be desired and it did look like a budget machine.

The ribbon only lasted a few



MP-80

Epson P40

Northain Micros Ltd. Northain House Boulton Road Reading Series RC2 SLT TurboPrint/PT	Tel: 0734 751291  <b>865</b>
--	------------------------------------

Canon UK Ltd Canon House 2 Manor Road Wallington Surrey SM6 0BW Canon P30-300a	Tel: 09-779 3373  <b>899</b>
---	------------------------------------

Micro Peripherals Ltd. Inter Unit 3 Hamocks Wood Wade Road Basingstoke Hants RG24 0NE MP-163	Tel: 0236 471223  <b>899</b>
--	------------------------------------

John (Europe) GmbH c/o Alpha Instruments Ltd. 28 Burnt Mill Harlow Essex CM20 2HU MP1 2000	Tel: 0279 445521  <b>899</b>
---	------------------------------------

Epson (UK) Cleveland House 388 High Road Wembley Middlesex HA9 6UH Epson P-40	01-960 6892  <b>898</b>
--	-------------------------------

days and my attempts to obtain a new ribbon proved futile and so it sits here unused and unloved.

### The Epson

This is rather different to the other three printers mentioned here. It is a dot matrix printer with what I would call fairly standard Epson specifications, i.e., enlarged, condensed, emphasized, double strike, underline, italics and graphic modes. However, here is the difference: 280 mm/s! ■ 62 mm/s (c) ■ 90 mm/s.

For those of you (like me) that were born before 1960 that could be about as big as a London bus. In fact it is about 11 inches wide ■ 3 inches deep and 23 inches high.

Small, yes, but packed full of fun. It will print on ordinary paper or heat sensitive paper. It is fraction led and, if you have a portable, it is mains or nicad battery powered.

A full 80 column print-out might make you think that the end result was printed out on one of its bigger brothers, and for only £160 (appx) it's on the cheap side too. It is not particularly fast (80cps/max) but for the convenience of a mini printer, its speed is worth tolerating.

The print quality is very good. There is a variable density setting so you should get a reasonable printout on most paper although smooth is recommended. The type face is very obviously Epson but that is not a bad thing.

For anybody who finds space a problem this may well be the answer. None at all need it to get my 10-66 running on an Eps Ready P30.

### Summing up

This has been a very brief look at just four of the wide range of printers that can be hooked-up to the 64. Before you buy a printer, check the ribbon situation. If the lid breaks the printer will still work, if the case splits, the printer will still work, but if you cannot get a spare ribbon you are stuck!











Take advantage of a very special offer and dazzle your friends with your amazing artistic ability.

# CHARACTER DESIGNER

CONGRATULATIONS! YOU'VE WON the chance to add truly professional graphics to your programs. No, we're not going to provide our readers with their very own Tony Crowther clones but we believe we can offer the next best alternative - a character designer used by a major software house to create its own best-selling games.

Your Commodore, in conjunction with Home Computing Weekly, are offering Virgin Games' **Character Designer** at a price we're sure any of our readers can afford. For 99p, plus a few hours spent studying the documentation on the following pages, you could soon be emulating (or maybe even surpassing) the works of art screaming from the screens of games such as Falcon Patrol II, Fantasy and Virgin's latest Arcade Adventure, Gates of Dawn.

But, that's not all. With your Character Designer, you will receive a competition coupon which will allow you to enter the Your Commodore/Home Computing Weekly 'Design a screen' competition.

Once you've got to grips with your Character Designer, use it to design a screen. Send your work of art to Virgin Games before the closing date of July 31st, 1985. The winner will be the reader who, in the eyes of our panel of judges has produced the most professional and artistic screen with the assistance of their Character Designer. The panel of judges consists of Jeremy Cooke of Virgin Games and the editors of Your Commodore and Home Computing Weekly.

And, the prize! The first prize will be a day at Virgin Games and the thrill of seeing your graphics used in a Virgin game. The 40 runners up will each receive a copy of Virgin's Gates of Dawn. How could an aspiring programmer resist such an offer?

Don't delay! Fill in the coupon below and send it with your cheque for 99p, made payable to Virgin Games, to: Virgin Games Ltd, 3-4 Verban Yard, London W11.

THIS EXTREMELY POWERFUL PIECE OF professional software allows you to edit up to four individual character sets containing 256 characters each - a total of 1024 characters - in memory simultaneously. The use of raster interrupt techniques enables the entire character set to be redefined without affecting the main screen display.

With most character designers you resolve your alphabet to look like, say, Space Invaders the on-screen prompts will turn to Space Invaders too! Not so with Character Designer!

screen or to design a screen for use in a BASIC or machine code program.


## Loading

To load type: LOAD"1" (7,1) (press ENTER)

To run type: SYS 16384 (press ENTER)

This program requires a joystick plugged into port 2.

If the computer has just been switched on or you haven't loaded a character set, the bottom of the screen will contain garbage, both in the character set itself



Although designed for the professional user Character Designer is extremely user-friendly and suitable for anyone who's willing to spend a little time reading this documentation to familiarise themselves with the scope of commands. All commands are entered with a single keypad, or via the joystick, and a help screen is available displaying the options.

The program is written in 100% machine code and occupies only 1K of memory including the HELP screen. It also includes a screen designer enabling you to see the characters in combination and

and in the space above. The six lines above the set are all spaces (character 32). You can rid yourself of this oversight by redefining character 32 to be totally devoid of "set" pixels and thus a genuine empty space. Alternatively you could copy one of the Commodore sets, or load a previously saved set.

If at any time you return to BASIC by hitting RUN/STOP and RESTORE, the program can be restarted without loss of data using SYS 16384.

If you wish to have a small BASIC program in memory at the same time as Character Designer, after loading Character Designer type: POKE 32,15:POKE 36,5:HEM to lower the top of memory to 3648 then load your program and enter SYS 16384.

## Character sets

On the Commodore 64 all graphics are handled by the dedicated VIC II chip. One drawback of this chip is that it can only look at 16K of memory at a time. This 16K needs to contain all of the data for the

Name .....

Address .....

Postcode .....

Please send me ... Character Designer(s) at 99p each.  
to: VIRGIN GAMES LTD, 3-4 VERBAN YARD, LONDON W11



name, all editing commands are entered in this mode. The most important function is the ability to turn on or off individual data on the grid, which correspond to pixels of the character. The purple filled circles indicate "on" pixels while the green hollow circles indicate "off" pixels. The white circle is the cursor, controlled by the joystick. Pressing the fire button switches the pixel from off to on or vice versa. The actual character can be seen below the grid.

As well as being able to design the character directly, there are a large number of commands that can be input from the keyboard. These are described as follows.

### Editing commands

The commands are all initiated with a single key press and are detailed in the order they appear on the HELP screen.

**1 Left arrow and up arrow — move**  
These keys move the character on the grid horizontally and vertically respectively. Will. These are not the cursor keys but the keys to the left of the "I" key and to the right of the "M" key.

**2 Invert**  
Inverts the character on the grid; i.e. all "on" pixels off or vice versa.

**3 R — Rotate**  
Each press of "R" rotates the current character 90 degrees anticlockwise.

**4 Cursor keys**  
These word the character on the grid one pixel in the appropriate direction with full wrap-around.

**5 SHFT/COL**  
Clears the grid, making the current character a space.

**6 Home**  
Returns the cursor to the top left of the grid.

**7 C — Copy**  
This powerful command enables any character from any of the four sets to be copied to the current character. When "C" is pressed the mode changes to "COPY", the bottom cursor stops flashing, and the prompt "SET" appears. If the "I" key is pressed the designer cycles through the four sets (as described under LOCATE). When the desired set is located, or if you wish to copy from the set on show, simply move the joystick or press the button. The prompt will change to "CHAR" and the cursor will start flashing. The character to be copied can now be chosen with the joystick as described later in the section dealing with SELECT MODE, i.e. as soon as the button is pressed that character and its colour will be copied to the current character.

**8 X — exchange**  
This enables the current character to be swapped with another character from the same set. On pressing "X" the mode changes to "EXCHANGE". Simply select the character with which to swap the

current character by moving the joystick until the cursor covers it and then press the button or any key.

**9 CBM/LC — CBM L/C**  
Will copy the entire upper case Commodore set into the current set. The mode will change to "CBM L/C". If you do not wish to copy the set press "H" otherwise press any other key to complete the copy.

**10 CBM/V — CBM/V/C**  
As above but will copy the lower case Commodore set.

**11 L — Location**  
This is used to choose which character set to edit (sets four to seven). Pressing "L" moves you to the next set. If the current set is seven, the next will be four.

**12 S — Select**  
This puts the designer into SELECT mode.

**13 N — Next**  
Will advance to the next character. If the current character is 255, this will have no effect.

**14 P — Previous**  
Will go back to the previous character. If the current character is 0 this will have no effect.

current row. This is then repeated for the remaining seven rows.

**16 D — Data**  
This prints eight items of data in decimal alongside the character. This list will disappear when any key is pressed.

**17 F1 — Character colour**  
Advances the colour of the current character.

**18 F2 — Multi-colour 1**  
Advances multi-colour 1.

**19 F3 — Multi-colour 2**  
Advances multi-colour 2.

**20 F4 — Background**  
Advances background colour.


**21 SHFT/RTN — Border**  
Advances border colour.

**22 M — Multicolour ON/OFF**  
Turns multicolour mode on or off.

**23 E — Colour all**  
Will change every character colour to the colour of the current one.

**24 SHIF/A — Load**  
Loads a file. See Cassettes and Disc Operations.

**25 SHIF/S — Save file**  
Will save the current character set.



Screen shot of Character Designer

**16 SHIF/N — Number**  
This allows you to input a character as eight decimal numbers. When SHIF/N is pressed the mode will change to "NUMBER" and a prompt "N" will appear by the top row of the grid. A decimal number (0-255) can be typed in followed by RETURN. If a number greater than 255 is entered it will disappear leaving just the prompt; if there is no number following the prompt when RETURN is pressed it will have no effect on the

**26 SHIF/C — Save colour table**  
Will save colour table.

**27 SHIF/A — Save screen**  
Will save the designed screen.

**28 H — Help**  
Will display the HELP screen.

**29 Q — Quit**  
Will enter the Screen Designer, and where the instructions say "press any key" (e.g. to leave SELECT mode) if the key pressed is a valid editing command it will then be executed.

## Cassette and disc operation

These are the system messages as they appear on-screen:

**SAVE COLOURS** Type of save or load

**CASSETTE OR DISC** Type of device you are using

**FILENAME BRICKS** The name you give your file

then:

**PRESS RECORD AND PLAY ON TAPE**

**OK**

**SAVING BRICKS**

**PRESS ANY KEY**

When any load or save command is entered the screen will clear and the following will appear:

• The type of operation (LOAD, SAVE CHARS, SAVE COLOURS or SAVE SCREEN)

• Select device - press C or D to select cassette or disc, followed by RETURN to confirm your choice; Character Designer will remember the previous device used, so normally you will just need to press RETURN.

• A filename of up to 16 characters can be entered from the keyboard followed by RETURN. Delete may be used as normal but the cursor keys and INSERT will not work. The only occasion on which a null file name can be used is during a cassette load. When using a disc drive "FILENAME" can be used for a save and replace and screens can be used for loading.

If using cassette the border will change to light blue and the prompt "PRESS PLAY ON TAPE" or "PRESS RECORD & PLAY ON TAPE" will appear. The screen will then blank and your Commodore 64 will load or save in the normal manner.

• After the load or save is completed, pressing any key will return you to the designer in SELECT mode.

## Screen designer

To enter the Screen Designer section of Character Designer press "Q" in EDIT or SELECT mode. If no screen has been designed or loaded you will see a screen full of garbage. Press SHIFT-CLEAR to clear the screen.

At the top left of the screen a white cursor will be visible; this can be moved around with the joystick. Pressing FIRE will put the current character at the cursor position. The character can be changed either by returning to the character designer and SELECTing a different character, or by pressing "S" or "G" (see below).

**NE** Only characters from the same set may be used on-screen at any one time. The set used by the Screen Designer will be that currently chosen in character designer mode.

## Summary of screen designer commands


**SHIFT-CLEAR** Clear screen  
**HOME** Move cursor  
**SPACE** Put a space at cursor position

**FIRE BUTTON** Put current character at cursor position with colour from colour table

**G** get new character - if G is pressed the character under the cursor becomes the current one

**T** enter TEXT mode. The cursor will turn green and text can be entered from the keyboard. To exit TEXT mode press RETURN. NB: Text mode assumes that the alphabet is in the normal Commodore upper case position, i.e. A=1, Z=26

**Q** quit Screen Designer and return to Character Designer in SELECT mode



**D** Display current character at cursor position. When "D" is released the character will disappear  
**F1** change cursor colour from white to black or vice versa

**S** select a new character; this will only work if the cursor is on the bottom eight lines. These bottom eight lines will be replaced by the current character set. The cursor may be moved around as usual and pressing FIRE will select the character under the cursor. No other commands will work while the character set is displayed. The set will turn off automatically when the cursor is moved out of the bottom eight lines and the bottom of your screen will reappear unharmed.

## Hints and tips

This section is intended for the beginner but contains much information of use to the more advanced user.

## Creating multi-colour graphics

In its normal hi-resolution colour mode the Commodore 64 can only display two colours in each character square: the background colour and the character colour. Luckily it is possible to display four colours in one square at the cost of halving the horizontal resolution. Although this gives the graphics a slightly chunky look, much more colourful displays are possible.

Instead of a character being eight pixels wide, as in hi-res colour, a multi-colour character is only four pixels across, each pixel being twice the width of a hi-res pixel. This means that with Character Designer we are able to use two dots for each of the four horizontal pixels with the




Figure 1



Figure 2

colour chosen according to the chart below:

OFF OFF	Background colour
ON ON	Multi-colour one
ON OFF	Multi-colour two
ON ON	Character colour

You will notice that the chart says that when both bits are "on" the double pixel will be displayed in the character colour. This is not quite true. If the character colour is between 0 and 7 (black to yellow) the character will be displayed in hi-res. If the colour is between eight and 15 it will be displayed in multi-colour with the character colour appearing as character colour minus eight, e.g. if the character colour is 10 (light red) and multi-colour is on, any double pixels with both bits "on" will appear as colour 10 - 8 = 2 (red).

To demonstrate this by writing multi-colour one to light blue, multi-colour two to white and the character colour to red and switch multi-colour OFF. Then enter the following data into a spare character using NUMBER:

```
BS, 170, 0, 255, 65, 170, 0, 255
```

You should see a red character like Figure 1. Now use F1 to advance the colour to yellow. Press F1 three more times and the characters should look like Figure 2.

You will notice that we are restricted to using the first eight colours (the ones printed on the keys) when using multi-colour, but if we wish to have the characters actually appear in multi-colour we need to add eight to the desired colour code. No such restriction applies to the multicolours themselves where we can choose from all 16 colours. (See also Programmer's Reference Guide pp 115-118.)

## Using graphics in your own programs

If you wish to use a character set you have designed in your own program you will need to use a program similar to the one that follows:

```
1 X = 0
2 IF X = 1 THEN LOAD "CHARS", 1
3 REM YOUR PROGRAM
```

When run this program will firstly load the file called "CHARS", assuming of course that it is saved on tape after your program or you change tapes after your program has loaded. This will cause the 64 to continue running the program from the first line. (After a LOAD from within a program the 64 performs the equivalent of a GOTO (first line) retaining all variables.) After loading "CHARS" X will no longer be equal to one, so your program will run as normal. This will also work with several files as below:

```
1 X = 0
2 IF X = 1 THEN LOAD "CHARS", 1, 3
3 IF X = 2 THEN LOAD "COLOURS", 1, 1
4 IF X = 3 THEN LOAD "SCREEN", 1, 1
5 REM YOUR PROGRAM
```

You will need the programs saved to tape in the following order:

```
1 Your program 2 "Chars" 3 "Colours" 4 "Screen"
```

While developing a program you might like to have the files saved on separate tapes. In that case by putting some sort of prompt in line one:

```
1 S = 0 + 1: IF S=4 THEN PRINT
```

"CHANGE TAPE THEN PRESS ANYKEY".  
WAIT 198.1:POKE 198.0

NB: WAIT 198.1 will stop the program until you press a key and the POKE will clear the keyboard buffer.)

## Switching character sets

To choose which character set to use POKE 51071, X where X is one of the following values.

X	Set	Comments
29	2	Commodore Upper case (default)
22	3	Commodore Lower case
24	4	
26	5	
28	6	
30	7	

Note that if you move the screen from its normal position (1024 + 302) the value of X will need to be changed accordingly. See also Programmer's Reference Guide pp. 103-104.

## Turning multi-colour on and off

To turn multi-colour mode on POKE 51270, PEEK (51270) OR 16.  
To turn multi-colour mode off POKE 51270, PEEK (51270) AND 255



## POKEing the screen

Printing to the screen using strings of cursor characters is a rather tedious method and also suffers from a certain sluggishness. It is often better to POKE directly to the screen memory.

If we first assign the following variables:

```
X = column number (0 - 39)
Y = row number (0 - 24)
SCREEN = 1624 (this is the usual position but it can be altered)
COLOUR = 52296 (the start of colour memory)
```

the addresses to be POKE'd can be simply worked out with the following formulae:

```
PI = 40 * Y + X
POKE SCREEN + PI, (character number)
POKE COLOUR + PI, (colour code)
```

```
PO
1000 Y = 20:Y = 15
1010 PI = 40 * Y + X
1020 POKE SCREEN + PI, I
1030 POKE COLOUR + PI, J
```

will print a white "A" near the centre of the screen (provided that SCREEN and COLOUR have already been defined).

## Using the colour table

If in addition to defining SCREEN and COLOUR we define another variable

```
CTAB = 21504
```

and use CHAR to hold the character number, the following subroutine will print a character using the colour table coded with Character Designer.

```
100 PI = 40 * Y + X
110 POKE SCREEN + PI, CHAR
120 POKE COLOUR + PI, PEEL (CTAB + CHAR)
130 RETURN
```

## Background and border colours

To get the colours of the background, border and the multi-colours:

```
Border - POKE 53288,X
Background - POKE 53291,X
Multi-colour 1 - POKE 53352,X
Multi-colour 2 - POKE 53353,X
```

where X represents one of the following colours:

0 Black	8 Orange
1 White	9 Brown
2 Red	10 Light red
3 Cyan	11 Dark grey
4 Purple	12 Medium grey
5 Green	13 Light green
6 Blue	14 Light blue
7 Yellow	15 Light grey

## Downloading a screen

You may wish to use a screen you have designed using Character Designer in your own programs. To do this set up the background, border and multi-colours, choose the character set and turn multi-colour on or off as desired, then use one of the following subroutines to download the desired screen on to the real screen. NB. You must have loaded the screen, character set and colour table beforehand.

```
BASIC 1000 SCREEN = 1624:COLOUR =
52296:CTAB = 21504
1010 S1 = 24576:REM
DESIGNED SCREEN
1020 FOR I = 0 TO 999
1030 CH = PEEL(S1 + I)
1040 POKE SCREEN + I,CH
1050 POKE COLOUR + I,PEEL
(CTAB + CH)
1060 NEXT I
1070 RETURN
```

```
1000 POKE 00045:READA:
Code LoadPOKE45PEEL %A,NEOT
1010 DATA 168,216,133,196,
168,4,133,252
1020 DATA 169,96,131,254,169,
0,132,195
1030 DATA 162,125,132,251,
177,251,94,251
1040 DATA 170,269,84,145,
195,208,208
1050 DATA 240,230,196,238,
252,208,204,169
1060 DATA 234,207,100,208,
237,96
```

To download the screen type: SYS 49152 (001URM4)  
NB. This program will overwrite any text in pointers.

## Moving blocks of memory

There may be times when you wish to move a character set, screen or even a colour table to a different place in memory. The short program below will do this for you.

```
10 FOR I = 0 TO LL-1
20 POKE (DI + I,PEEL (SI + I))
30 NEXT I
```

Where LL is number of bytes to be moved as follows:

```
Character Set 2048
Screen 16000
Colourtable 256
```

DI = the address you want to move the block to

SI = the address you want to move from (see the Memory Map)

## Sprites

If you wish to use sprites in your program, remember to leave room for your sprite data. (The space occupied by a character set can hold the data for 32 sprites. Note also that the space occupied by the ROM image (bits two and three) can't be used for sprite data.

## Banking the VIC chip

As mentioned earlier, the VIC II chip can only look at 16K of memory at a time. It usually uses the first 16K of memory. This can cause problems as any character sets or sprites limit the amount of memory available to BASIC.

One solution to this is to move the VIC chip to a different location. The only 16K that is completely free is that from 16384 to 32768.

This is done using the following commands:

```
POKE 16376,PEEL(16376):OR 1
POKE 16378,PEEL(16378):AND 255:OR 3
```

Now all of the character sets, sprite data, and screen locations will need to have 16384 added to their addresses. The program in the section Moving Blocks of Memory can be used to move the character sets. (See also Programmer's Reference Guide pp 105-102.)

## The example sets

Included in the package are two example character sets. The first, ADVENT.SET is a "gothic" style alphabet together with some characters to make up a picture of the type in many graphic adventures. This leads into the designer at SET 5. The associated colour table and screen are called ADVENT.COL and ADVENT.SCR respectively. For this set multi-colour mode needs to be on and the multi-colours should be light grey and midgrey.

The second example, which leads at SET 6, is a double-sized alphabet that could be used in an educational program along with a picture of a caddy top. The files are called TIDDY.SET, TIDDY.COL and TIDDY.SCR. To see the picture properly, multi-colour mode has to be switched off. A rather challenging exercise might be to write a program to convert an ASCII string to these double height characters and PRINT or POKE them to the screen.

**Bibliography** There are many, many books on the market about the Commodore 64, especially concerning graphics. There is only one which is absolutely essential and has been referred to throughout this manual: Commodore 64 Reference Guide, published by Commodore.

Allen Webb doodles with  
Cheetah's sweet talker and  
RAT.

Sweet Talker  
\$34.95

IN COMPARISON WITH MANY OTHER products of its type, the Sweet Talker speech synthesizer comes in the form of a cartridge. The bonus with this product is that it is connected to the user port. This means that the cartridge slot is left available. Since the Sweet Talker does not interface with the operating system, it can be left in place most of the time. The audio output leaves via the audio/video connector.

This package uses the allophone approach to generating speech. This means that rather than having a fixed vocabulary of words, you are given the ability to create a huge range of sounds. This is achieved by splitting speech into sounds or allophones. These are combined, rather like syllables, to create words. The system adopted by Cheetah, however, is somewhat fiddly. Each allophone must be converted to a numerical code and this code used by a machine code routine to create the sound. This means that you must perform the tedious task of converting words into allophones and then converting the allophones to data. I have seen better approaches to dealing with this problem.

The clarity of the speech generated by Sweet Talker is good but has a rather mechanical timbre similar to that TV favourite Metal Mickey. The absence of intonation somewhat hinders the flexibility of the system, but the quality is above average. The package comes with a demonstration cassette.

Overall, this is a good product which is worthy of serious consideration.

# CHEETAH SPEAKS OUT



Cheetah gets RATed!


RAT (Remote Action Transmitter)  
\$28.95  
CMA

MOST OF US OATH JOYSTICKS AND appreciate the limitations of using a cable to connect it to the computer. The RAT is an alternative approach to joystick control. The system operates in a manner similar to remote control TV systems and comprises a transmitter which you hold and a receiver which plugs into the

joystick ports. When you press a control on the transmitter, an infrared signal is sent to the receiver. This is converted into a form which the computer can interpret. The appeal of this is that you can sit in your easy chair and play game invaders on your computer at the other end of the room.

The transmitter is not so much a joystick as a pressure sensitive pad. A disc with eight dimples provides the usual joystick type movement. The dimples are provided to give a tactile reference point so that you know which bit you're pressing. A single pressure pad provides a fire option.

The first obvious impression you get when using the RAT is that it's trickier to use than a joystick. I found it difficult to press a specified position quickly. This was particularly crucial on games such as Impossible Mission which require brevity. No doubt with a lot of practice it will be possible to achieve sufficient skill on the RAT, but many may find it daunting. Couple this aspect with its high price and you have a product which may have a limited market. This aside, it is a very well-made product which functions faultlessly.



A sweet-talking box



# DOG FIGHT

**Can you win the  
battle of the skies in  
this high flying game  
from F.G. Tout.**

AS THE ACS PILOT IN control of a spanking new fighter your aim is to loose it and destroy the flagging, archaic bi-planes of your enemy. You score 50000 for each plane you blast out of the sky.

There is a timer at the bottom of the screen. When this reaches the right hand side,

you will progress to the next level, picking up 1000 points bonus and an extra life.

The joystick must be placed in port 2. Normal joystick movements apply. Press space to return to the title page.

## Variables

V	= Video chip
X1, X2, X3	=Sound
T	= Timer
S	= Score
H	= High score
L1	= Lives
L2	= Level
Sp	= Speed
Z	= Timer
Co	= Colour

## Program Information

### Part 1

This is sprite and graphics data

### Part 2

This is all machine code

### Part 3

1	Set graphics pointer
20	Sound variables
40 - 90	Set sprite position and colours
110	Set variables
115 - 199	Main loop/routine
2000 - 2015	Print score board etc.
3000 - 3012	Crash routine
5000 - 5010	Increase levels
5000 - 5010	Game over
60000 - 60711	Title page
61000 - 61780	Title page music
62000 - 62070	Choose level
63000 - 63000	Instructions

















Nick McCallen's

machine code routine  
will automatically find  
and access the  
character memory and  
format of a VIC high  
resolution screen.

# HI-RES VIC

IN ORDER TO UNDERSTAND the operation of this routine, some understanding of the relationship between character memory and what appears on the screen is necessary. So, for the benefit of hi-res types here a brief explanation.

When the VIC is used in normal (text) mode, each screen location may display a character which is made up of eight rows of dots (pixels). Each pixel row is in fact one byte of the character memory, each of whose bits may be 'on' or 'off' to provide the dots on the screen which make up the character (see Figure 1). Therefore the character memory is made up blocks of eight bytes, each block forming one character. In text mode, these blocks are fixed.

In hi-res mode, a temporary character memory (C.M.) is created in RAM, with all its bits initially 'off' (i.e. '0' or blank). Using the techniques outlined below, each bit may be turned on or off by a plotting routine. In order to do this in a controlled manner, each screen location is linked or 'mapped' to a fixed block of bytes in the temporary character memory. Each block may be of eight or sixteen bytes, according to how the VIC is set up.

A common technique of bit-mapping is shown in Listing 1, and results in successive screen locations being mapped to successive C.M. byte-blocks, as illustrated by Figure 2. For the sake of illustration the screen is taken to start at 7680 (\$E000), with the C.M. at 4096 (\$1000).

As can be seen, this results in the C.M. bytes being displayed in successive blocks along the screen line. This is easy to achieve, but makes life awkward for a printer with a

variable dot matrix, as is the case with many printers run off Commodore computers. To make a printer of hi-res screens easier to obtain on most Commodore, Seiko and other cheapish dot matrix printers, a different bit mapping technique can be used.

In this alternative method, vertical columns of screen locations are mapped to successive C.M. blocks (see Figure 3 and Listing 2) so that slicing out blocks of seven pixel rows does not demand too much counter juggling. It also avoids the solution of another problem instead of individual bytes representing a horizontal pixel row, the printer expects a byte to represent a VERTICAL column of pixels (see Figure 4). The eighth bit in each printer byte is not actually part of the character block which appears on paper.

There are two other advantages in using this

alternative method. Firstly the arrangement of the C.M. is constant whether we use 8-bit or 16-bit character blocks - 8-bit permits use of full screen hi-res. Secondly, in the plotting routine, the Y value is plotted direct, as any increment along this axis corresponds to an identical increment in the C.M. byte number. This reduces the calculations required in the plotting routine, and slightly increases the speed of a very slow BASIC routine.

Now we have to tackle the problem of converting horizontal C.M. bytes to vertical bytes for the printer. This is where the dreaded machine code provides the easiest answer. Included in the 6582 instruction set are instructions which permit rotation of bytes to push the end bit out of a byte into a 'carry' bit. Another instruction can then be used to take the value of this carry and push into the end of another byte (see Figure 5). Using these

instructions we can strip one bit at a time off successive C.M. bytes and build them into a vertical byte as required by the printer. Now that we have looked out in machine code, we may as well write the whole routine in machine code: the normal screen dump is slow enough in BASIC, so goodness knows how long a hi-res dump would take!

## The Hilight routine

The routine has been written for maximum flexibility. Avoiding any absolute jumps within the routine means that it can be loaded into any suitably protected part of RAM by the loader provided. Variable locations for the different configurations possible with VIC are discussed later.

The operational part of the routine starts by finding the temporary character memory start address. The number of

```
10 REM: A TYPICAL BIT MAPPING TECHNIQUE
20 FOR C=0 TO 31:REM 31 NO. OF BYTES TO BE USED ON SCREEN
30 POKE 7680+C:REM 7680=SCREEN ORIGIN
40 NEXT C
```

READY.

Listing 1

```
10 REM: ALTERNATIVE METHOD OF BIT MAPPING SCREEN
20 REM: RD=REM COUNT (E.G. 0, 16, 32)
30 REM: CL=COLUMN COUNT (E.G. 22 COLS.)
40 REM: OS=OFFSET FROM BASE
50 REM: CB=CHARACTER BLOCK
60 SB=7680:REM: SCREEN BASE
70 FOR RD=0 TO 3:FOR CL=0 TO 21
80 OS=RD*22=CL:REM: CALCULATE SCREEN OFFSET
90 CB=CB+16=RD:REM: CALCULATE ASSOCIATED CHARACTER BLOCK NUMBER
100 POKE SB+OS:CB
110 NEXT CL
120 NEXT RD
```

READY.

Listing 2



CHARACTER TO BE PRINTED = CHR(I-N)  
 CHARACTER INFORMATION STARTS AT  
 C. N. BASE+(N\*8)

SCREEN LOCATION 7680      7681

C. N. BASE+(N*8)	—
C. N. BASE+(N*8)+1	—
C. N. BASE+(N*8)+2	—
C. N. BASE+(N*8)+3	—
C. N. BASE+(N*8)+4	—
C. N. BASE+(N*8)+5	—
C. N. BASE+(N*8)+6	—
C. N. BASE+(N*8)+7	—

8 BITS

Figure 1 Construction of 8 × 8 character on screen

SCRN. BASE	+1	+2	+3	....
7680	4896	4897	4898	4899
7782	4118	4119	4120	4121
7724	4140	4141	4142	4143

Figure 2 Bit mapping with screen

SCRN. BASE	+1	+2	+3	....
7680	4896	4176	4256	4336
7782	4897	4177	4257	4337
7724	4898	4178	4258	4338

Figure 3 Alternative method for bitpad

BIT NOS.	
BYTE 0	7 6 5 4 3 2 1 0
BYTE 1	7 6 5 4 3 2 1 0
BYTE 2	7 6 5 4 3 2 1 0
BYTE 3	7 6 5 4 3 2 1 0
BYTE 4	7 6 5 4 3 2 1 0
BYTE 5	7 6 5 4 3 2 1 0
BYTE 6	7 6 5 4 3 2 1 0
BYTE 7	7 6 5 4 3 2 1 0

C. N. BYTES

Figure 4 C.N. Bytes compared to printer bytes

BYTE 0 1 2 3 4 5 6 7	
BIT 0	0 0 0 0 0 0 0 0
BIT 1	1 1 1 1 1 1 1 1
BIT 2	2 2 2 2 2 2 2 2
BIT 3	3 3 3 3 3 3 3 3
BIT 4	4 4 4 4 4 4 4 4
BIT 5	5 5 5 5 5 5 5 5
BIT 6	6 6 6 6 6 6 6 6
BIT 7	7 7 7 7 7 7 7 7

PRINTER BYTES

PRINTER BYTE

0	0	0	0	0	0	0	0
---	---	---	---	---	---	---	---

CARRY

0
---

C.N. BYTE

1	1	1	1	1	1	1	1
---	---	---	---	---	---	---	---

0	0	0	0	0	0	0	0
---	---	---	---	---	---	---	---

1	1	1	1	1	1	1	0
---	---	---	---	---	---	---	---

0	0	0	0	0	0	0	1
---	---	---	---	---	---	---	---

1	1	1	1	1	1	1	0
---	---	---	---	---	---	---	---

PSL

RDL



Figure 5 Transfer of bit 7 from C.N. byte to bit 0 of printer byte

```

10 PRINT "ENTER START LOCATION": INPUT L
20 READ B,C,D,E,F,G
30 IF B+C+D+E+F+G THEN PRINT "DATA ERROR IN LINE"PEEK(63)+PEEK(64)+256: STOP
40 IFC0-1 THEN GOTO 50
50 PRINT "DATA CHECKED & ENTERED": PORT=8700000: NEXT PRINT "2" (NEW)
60 POKESL,A: POKESL+1,B: POKESL+2,C: POKESL+3,D: POKESL+4,E: POKESL+5,F
70 PRINT "LINE"PEEK(63)+PEEK(64)+256" OKAY"
80 SL=SL+6: GOTO 20
100 DATA 72,139,72,152,72,8, 514
110 DATA 167,4,179,169,255,32, 750
120 DATA 186,255,169,0,179,169, 940
130 DATA 32,169,255,32,192,255, 950
140 DATA 62,4,32,201,255,24, 670
150 DATA 73,5,144,41,15,201, 570
160 DATA 8,176,2,9,32,41, 260
170 DATA 29,18,18,179,255,134, 565
180 DATA 148,169,255,133,139,173, 1000
190 DATA 2,144,41,127,133,141, 500
200 DATA 173,3,144,24,41,127, 512
210 DATA 74,144,1,18,18,18, 240
220 DATA 18,133,142,133,143,169, 730
230 DATA 8,32,218,255,169,27, 781
240 DATA 32,218,255,169,16,32, 714
250 DATA 218,255,169,0,32,218, 876
260 DATA 255,169,146,32,218,255, 1067
270 DATA 24,165,143,201,7,144, 684
280 DATA 8,233,7,162,7,209, 623
290 DATA 3,178,169,0,133,143, 610
300 DATA 134,254,165,139,166,140, 330
310 DATA 164,141,133,251,134,252, 1675
320 DATA 132,253,162,0,288,193, 950
330 DATA 164,254,177,251,153,169, 1159
340 DATA 2,136,208,248,169,0, 771
350 DATA 133,255,169,0,166,254, 377
360 DATA 38,168,2,42,282,289, 644
370 DATA 249,9,128,32,218,255, 889
380 DATA 198,255,208,236,24,166, 1087
390 DATA 252,165,251,181,142,144, 1855
400 DATA 232,133,251,134,252, 1893
410 DATA 198,253,208,204,169,13, 1943
420 DATA 32,218,255,24,165,254, 348
430 DATA 101,139,133,139,144,2, 658
440 DATA 238,148,165,143,208,162, 1068
450 DATA 69,15,32,218,255,32, 713
460 DATA 231,255,48,104,168,104, 362
470 DATA 78,104,56,0,0,0, 370
480 DATA -1,0,0,0,0,0,-1

```

READY.



rows and columns used in the screen are also calculated, so the routine can be used with any screen format. The relevant control codes are sent to the printer at the start of each line, three groups of seven bytes are isolated, reformed into vertical bytes, and sent to the printer. Counters are used to ensure the correct number of bytes

for each block, line, and character. At the start of each line a check is made for the number of good rows required, as the last line on the screen may not contain the full screen. Opening and closing files and channels is taken care of with no file name, a file number of 4 and device number 4. Registers are saved

and restored at the respective ends of the routine.

The heart of the routine is the sections labelled BITSTRIP and STRIPIT. A group of seven bytes is read into a storage and work area. The last of these bytes is then subjected to an Arithmetic Shift Left, which results in the contents of bit 7 'falling off' into the carry as all


the other bits move left one place, and a zero is put into bit 0. The accumulator, previously set to zero, is then subjected to a Rotate Left operation, so that all its bits move left one place. But instead of a zero being forced into bit 0, the contents of the carry are placed there, while the old contents of bit 7 are placed into the carry.



```

,04710000HE#0476          : BRANCH TO COUNTSET
,04720000TRK              SHORTBLK: NO. ROWS THIS LINE
,04730000L3P#000         LAST LINE-NONE LEFT TO PRINT
,04740000STR#0F          COUNTSET: SET ROWS LEFT
,04750000STR#0F          : SET ROWS THIS LINE
,04760000STR#0E          : GET LINE START ADDRESS
,04770000L3P#000         :
,04780000L3P#000         : GET NO. COLUMNS IN LINE
,04790000L3P#000         : SET ADDRESS LO BYTE
,04800000L3P#000         : SET ADDRESS HI BYTE
,04810000L3P#000         : SET COLUMN COUNTER
,04820000L3P#000         : MAKE SURE NO BRANCH
,04830000L3P#000         STAGE   : STEP IN BRANCH FROM "NEXTLINE"
,04840000L3P#000         BLKSTART: SET INDEX TO NO. ROWS THIS LINE
,04850000L3P#000         BLKSTORE: GET ONE C.A. BYTE
,04860000L3P#000         : SAVE IN WORK AREA
,04870000L3P#000         : DECREMENT INDEX
,04880000L3P#000         : IF ANY LEFT GO BACK TO BLKSTORE
,04890000L3P#000         BITSTRIP: 8 BITS PER C.A. BYTE
,04900000L3P#000         : SET BIT COUNTER
,04910000L3P#000         : CLEAR ACCUMULATOR FOR NEW PRINTER BYTE
,04920000L3P#000         : SET INDEX TO NO. ROWS THIS LINE
,04930000L3P#000         STRIPIT  : STRIP NEXT BIT OFF THIS BYTE INTO CARRY
,04940000L3P#000         : ROTATE CARRY INTO ACCUMULATOR
,04950000L3P#000         : ADJUST INDEX FOR NEXT BYTE
,04960000L3P#000         : IF ANY LEFT THEN STRIPIT
,04970000L3P#000         BYTEND   : PRINTER BYTE ASSEMBLED - SET BIT 7
,04980000L3P#000         : OUTPUT TO PRINTER
,04990000L3P#000         : DECREMENT BIT COUNTER
,05000000L3P#000         : IF ANY LEFT THEN GO BACK FOR NEXT
,05010000L3P#000         BLOCKEND: PREPARE FOR NEXT BLOCK
,05020000L3P#000         : GET START ADDRESS OF CURRENT BLOCK
,05030000L3P#000         :
,05040000L3P#000         : RED NO. ROWS PER COLUMN
,05050000L3P#000         : TO FIND START ADDRESS OF NEXT BLOCK
,05060000L3P#000         :
,05070000L3P#000         : GET ADDRESS POINTERS
,05080000L3P#000         :
,05090000L3P#000         : DECREMENT COLUMN COUNTER
,05100000L3P#000         NEXTBLK  : IF ANY LEFT GO BACK TO BLKSTART
,05110000L3P#000         ENDLINE  : ALL DONE-SEND CARRIAGE RETURN
,05120000L3P#000         :
,05130000L3P#000         NEWLNHD  : CALCULATE START ADDRESS OF NEXT LINE
,05140000L3P#000         : GET NO. PIXEL ROWS THIS LINE
,05150000L3P#000         : RED TO LO BYTE OF CURRENT START ADDRESS
,05160000L3P#000         : SET LO BYTE OF NEW ADDRESS
,05170000L3P#000         :
,05180000L3P#000         : IF NECESSARY INCREMENT HI BYTE
,05190000L3P#000         : CHECK FOR ROWS LEFT
,05200000L3P#000         NEXTLINE : IF ANY LEFT BRKTHROUGH STAGE TO LINSTART
,05210000L3P#000         OUT      : NONE LEFT - RESTORE PRINTER TO TEXT MODE
,05220000L3P#000         :
,05230000L3P#000         : CLOSE FILES & CHANNELS
,05240000L3P#000         : RESTORE REGISTERS
,05250000L3P#000         :
,05260000L3P#000         :
,05270000L3P#000         :
,05280000L3P#000         :
,05290000L3P#000         :
,05300000L3P#000         :
,05310000L3P#000         :
,05320000L3P#000         :
,05330000L3P#000         :
,05340000L3P#000         :
,05350000L3P#000         :
,05360000L3P#000         :
,05370000L3P#000         :
,05380000L3P#000         :
,05390000L3P#000         :
,05400000L3P#000         :
,05410000L3P#000         :
,05420000L3P#000         :
,05430000L3P#000         :
,05440000L3P#000         :
,05450000L3P#000         :
,05460000L3P#000         :
,05470000L3P#000         :
,05480000L3P#000         :
,05490000L3P#000         :
,05500000L3P#000         :
,05510000L3P#000         :
,05520000L3P#000         :
,05530000L3P#000         :
,05540000L3P#000         :
,05550000L3P#000         :
,05560000L3P#000         :
,05570000L3P#000         :
,05580000L3P#000         :
,05590000L3P#000         :
,05600000L3P#000         :
,05610000L3P#000         :
,05620000L3P#000         :
,05630000L3P#000         :
,05640000L3P#000         :
,05650000L3P#000         :
,05660000L3P#000         :
,05670000L3P#000         :
,05680000L3P#000         :
,05690000L3P#000         :
,05700000L3P#000         :
,05710000L3P#000         :
,05720000L3P#000         :
,05730000L3P#000         :
,05740000L3P#000         :
,05750000L3P#000         :
,05760000L3P#000         :
,05770000L3P#000         :
,05780000L3P#000         :
,05790000L3P#000         :
,05800000L3P#000         :
,05810000L3P#000         :
,05820000L3P#000         :
,05830000L3P#000         :
,05840000L3P#000         :
,05850000L3P#000         :
,05860000L3P#000         :
,05870000L3P#000         :
,05880000L3P#000         :
,05890000L3P#000         :
,05900000L3P#000         :
,05910000L3P#000         :
,05920000L3P#000         :
,05930000L3P#000         :
,05940000L3P#000         :
,05950000L3P#000         :
,05960000L3P#000         :
,05970000L3P#000         :
,05980000L3P#000         :
,05990000L3P#000         :
,06000000L3P#000         :
,06010000L3P#000         :
,06020000L3P#000         :
,06030000L3P#000         :
,06040000L3P#000         :
,06050000L3P#000         :
,06060000L3P#000         :
,06070000L3P#000         :
,06080000L3P#000         :
,06090000L3P#000         :
,06100000L3P#000         :
,06110000L3P#000         :
,06120000L3P#000         :
,06130000L3P#000         :
,06140000L3P#000         :
,06150000L3P#000         :
,06160000L3P#000         :
,06170000L3P#000         :
,06180000L3P#000         :
,06190000L3P#000         :
,06200000L3P#000         :
,06210000L3P#000         :
,06220000L3P#000         :
,06230000L3P#000         :
,06240000L3P#000         :
,06250000L3P#000         :
,06260000L3P#000         :
,06270000L3P#000         :
,06280000L3P#000         :
,06290000L3P#000         :
,06300000L3P#000         :
,06310000L3P#000         :
,06320000L3P#000         :
,06330000L3P#000         :
,06340000L3P#000         :
,06350000L3P#000         :
,06360000L3P#000         :
,06370000L3P#000         :
,06380000L3P#000         :
,06390000L3P#000         :
,06400000L3P#000         :
,06410000L3P#000         :
,06420000L3P#000         :
,06430000L3P#000         :
,06440000L3P#000         :
,06450000L3P#000         :
,06460000L3P#000         :
,06470000L3P#000         :
,06480000L3P#000         :
,06490000L3P#000         :
,06500000L3P#000         :
,06510000L3P#000         :
,06520000L3P#000         :
,06530000L3P#000         :
,06540000L3P#000         :
,06550000L3P#000         :
,06560000L3P#000         :
,06570000L3P#000         :
,06580000L3P#000         :
,06590000L3P#000         :
,06600000L3P#000         :
,06610000L3P#000         :
,06620000L3P#000         :
,06630000L3P#000         :
,06640000L3P#000         :
,06650000L3P#000         :
,06660000L3P#000         :
,06670000L3P#000         :
,06680000L3P#000         :
,06690000L3P#000         :
,06700000L3P#000         :
,06710000L3P#000         :
,06720000L3P#000         :
,06730000L3P#000         :
,06740000L3P#000         :
,06750000L3P#000         :
,06760000L3P#000         :
,06770000L3P#000         :
,06780000L3P#000         :
,06790000L3P#000         :
,06800000L3P#000         :
,06810000L3P#000         :
,06820000L3P#000         :
,06830000L3P#000         :
,06840000L3P#000         :
,06850000L3P#000         :
,06860000L3P#000         :
,06870000L3P#000         :
,06880000L3P#000         :
,06890000L3P#000         :
,06900000L3P#000         :
,06910000L3P#000         :
,06920000L3P#000         :
,06930000L3P#000         :
,06940000L3P#000         :
,06950000L3P#000         :
,06960000L3P#000         :
,06970000L3P#000         :
,06980000L3P#000         :
,06990000L3P#000         :
,07000000L3P#000         :
,07010000L3P#000         :
,07020000L3P#000         :
,07030000L3P#000         :
,07040000L3P#000         :
,07050000L3P#000         :
,07060000L3P#000         :
,07070000L3P#000         :
,07080000L3P#000         :
,07090000L3P#000         :
,07100000L3P#000         :
,07110000L3P#000         :
,07120000L3P#000         :
,07130000L3P#000         :
,07140000L3P#000         :
,07150000L3P#000         :
,07160000L3P#000         :
,07170000L3P#000         :
,07180000L3P#000         :
,07190000L3P#000         :
,07200000L3P#000         :
,07210000L3P#000         :
,07220000L3P#000         :
,07230000L3P#000         :
,07240000L3P#000         :
,07250000L3P#000         :
,07260000L3P#000         :
,07270000L3P#000         :
,07280000L3P#000         :
,07290000L3P#000         :
,07300000L3P#000         :
,07310000L3P#000         :
,07320000L3P#000         :
,07330000L3P#000         :
,07340000L3P#000         :
,07350000L3P#000         :
,07360000L3P#000         :
,07370000L3P#000         :
,07380000L3P#000         :
,07390000L3P#000         :
,07400000L3P#000         :
,07410000L3P#000         :
,07420000L3P#000         :
,07430000L3P#000         :
,07440000L3P#000         :
,07450000L3P#000         :
,07460000L3P#000         :
,07470000L3P#000         :
,07480000L3P#000         :
,07490000L3P#000         :
,07500000L3P#000         :
,07510000L3P#000         :
,07520000L3P#000         :
,07530000L3P#000         :
,07540000L3P#000         :
,07550000L3P#000         :
,07560000L3P#000         :
,07570000L3P#000         :
,07580000L3P#000         :
,07590000L3P#000         :
,07600000L3P#000         :
,07610000L3P#000         :
,07620000L3P#000         :
,07630000L3P#000         :
,07640000L3P#000         :
,07650000L3P#000         :
,07660000L3P#000         :
,07670000L3P#000         :
,07680000L3P#000         :
,07690000L3P#000         :
,07700000L3P#000         :
,07710000L3P#000         :
,07720000L3P#000         :
,07730000L3P#000         :
,07740000L3P#000         :
,07750000L3P#000         :
,07760000L3P#000         :
,07770000L3P#000         :
,07780000L3P#000         :
,07790000L3P#000         :
,07800000L3P#000         :
,07810000L3P#000         :
,07820000L3P#000         :
,07830000L3P#000         :
,07840000L3P#000         :
,07850000L3P#000         :
,07860000L3P#000         :
,07870000L3P#000         :
,07880000L3P#000         :
,07890000L3P#000         :
,07900000L3P#000         :
,07910000L3P#000         :
,07920000L3P#000         :
,07930000L3P#000         :
,07940000L3P#000         :
,07950000L3P#000         :
,07960000L3P#000         :
,07970000L3P#000         :
,07980000L3P#000         :
,07990000L3P#000         :
,08000000L3P#000         :
,08010000L3P#000         :
,08020000L3P#000         :
,08030000L3P#000         :
,08040000L3P#000         :
,08050000L3P#000         :
,08060000L3P#000         :
,08070000L3P#000         :
,08080000L3P#000         :
,08090000L3P#000         :
,08100000L3P#000         :
,08110000L3P#000         :
,08120000L3P#000         :
,08130000L3P#000         :
,08140000L3P#000         :
,08150000L3P#000         :
,08160000L3P#000         :
,08170000L3P#000         :
,08180000L3P#000         :
,08190000L3P#000         :
,08200000L3P#000         :
,08210000L3P#000         :
,08220000L3P#000         :
,08230000L3P#000         :
,08240000L3P#000         :
,08250000L3P#000         :
,08260000L3P#000         :
,08270000L3P#000         :
,08280000L3P#000         :
,08290000L3P#000         :
,08300000L3P#000         :
,08310000L3P#000         :
,08320000L3P#000         :
,08330000L3P#000         :
,08340000L3P#000         :
,08350000L3P#000         :
,08360000L3P#000         :
,08370000L3P#000         :
,08380000L3P#000         :
,08390000L3P#000         :
,08400000L3P#000         :
,08410000L3P#000         :
,08420000L3P#000         :
,08430000L3P#000         :
,08440000L3P#000         :
,08450000L3P#000         :
,08460000L3P#000         :
,08470000L3P#000         :
,08480000L3P#000         :
,08490000L3P#000         :
,08500000L3P#000         :
,08510000L3P#000         :
,08520000L3P#000         :
,08530000L3P#000         :
,08540000L3P#000         :
,08550000L3P#000         :
,08560000L3P#000         :
,08570000L3P#000         :
,08580000L3P#000         :
,08590000L3P#000         :
,08600000L3P#000         :
,08610000L3P#000         :
,08620000L3P#000         :
,08630000L3P#000         :
,08640000L3P#000         :
,08650000L3P#000         :
,08660000L3P#000         :
,08670000L3P#000         :
,08680000L3P#000         :
,08690000L3P#000         :
,08700000L3P#000         :
,08710000L3P#000         :
,08720000L3P#000         :
,08730000L3P#000         :
,08740000L3P#000         :
,08750000L3P#000         :
,08760000L3P#000         :
,08770000L3P#000         :
,08780000L3P#000         :
,08790000L3P#000         :
,08800000L3P#000         :
,08810000L3P#000         :
,08820000L3P#000         :
,08830000L3P#000         :
,08840000L3P#000         :
,08850000L3P#000         :
,08860000L3P#000         :
,08870000L3P#000         :
,08880000L3P#000         :
,08890000L3P#000         :
,08900000L3P#000         :
,08910000L3P#000         :
,08920000L3P#000         :
,08930000L3P#000         :
,08940000L3P#000         :
,08950000L3P#000         :
,08960000L3P#000         :
,08970000L3P#000         :
,08980000L3P#000         :
,08990000L3P#000         :
,09000000L3P#000         :
,09010000L3P#000         :
,09020000L3P#000         :
,09030000L3P#000         :
,09040000L3P#000         :
,09050000L3P#000         :
,09060000L3P#000         :
,09070000L3P#000         :
,09080000L3P#000         :
,09090000L3P#000         :
,09100000L3P#000         :
,09110000L3P#000         :
,09120000L3P#000         :
,09130000L3P#000         :
,09140000L3P#000         :
,09150000L3P#000         :
,09160000L3P#000         :
,09170000L3P#000         :
,09180000L3P#000         :
,09190000L3P#000         :
,09200000L3P#000         :
,09210000L3P#000         :
,09220000L3P#000         :
,09230000L3P#000         :
,09240000L3P#000         :
,09250000L3P#000         :
,09260000L3P#000         :
,09270000L3P#000         :
,09280000L3P#000         :
,09290000L3P#000         :
,09300000L3P#000         :
,09310000L3P#000         :
,09320000L3P#000         :
,09330000L3P#000         :
,09340000L3P#000         :
,09350000L3P#000         :
,09360000L3P#000         :
,09370000L3P#000         :
,09380000L3P#000         :
,09390000L3P#000         :
,09400000L3P#000         :
,09410000L3P#000         :
,09420000L3P#000         :
,09430000L3P#000         :
,09440000L3P#000         :
,09450000L3P#000         :
,09460000L3P#000         :
,09470000L3P#000         :
,09480000L3P#000         :
,09490000L3P#000         :
,09500000L3P#000         :
,09510000L3P#000         :
,09520000L3P#000         :
,09530000L3P#000         :
,09540000L3P#000         :
,09550000L3P#000         :
,09560000L3P#000         :
,09570000L3P#000         :
,09580000L3P#000         :
,09590000L3P#000         :
,09600000L3P#000         :
,09610000L3P#000         :
,09620000L3P#000         :
,09630000L3P#000         :
,09640000L3P#000         :
,09650000L3P#000         :
,09660000L3P#000         :
,09670000L3P#000         :
,09680000L3P#000         :
,09690000L3P#000         :
,09700000L3P#000         :
,09710000L3P#000         :
,09720000L3P#000         :
,09730000L3P#000         :
,09740000L3P#000         :
,09750000L3P#000         :
,09760000L3P#000         :
,09770000L3P#000         :
,09780000L3P#000         :
,09790000L3P#000         :
,09800000L3P#000         :
,09810000L3P#000         :
,09820000L3P#000         :
,09830000L3P#000         :
,09840000L3P#000         :
,09850000L3P#000         :
,09860000L3P#000         :
,09870000L3P#000         :
,09880000L3P#000         :
,09890000L3P#000         :
,09900000L3P#000         :
,09910000L3P#000         :
,09920000L3P#000         :
,09930000L3P#000         :
,09940000L3P#000         :
,09950000L3P#000         :
,09960000L3P#000         :
,09970000L3P#000         :
,09980000L3P#000         :
,09990000L3P#000         :
,10000000L3P#000        :

```



printing it to zero.

This illustrates the difference between MATH and SCALARS operations. Each byte in the storage area has its bit 7 stripped off in this way until the accumulator contains all the-bit 7's, i.e., a central byte. This byte is sent to the printer, and the process repeats for bits 6,5, and so on until all the seven bytes have been completely stripped. The next block is then read into the work area, and the process starts again.

Each byte sent to the printer sets a column of needles in the print head. Bit 6 sets the top needle, bit 7 sets the next one down, and so on down to bit 0 (it is not printed, but must be set to logical 0 AND 000). Loading the accumulator with zero at the start of each byte assembly simply prevents any stray values appearing in the printer.

### Counter locations used

#### Reference

\$00 C.M. Address 10  
 \$0C C.M. Address 11  
 \$02No. screen columns  
 \$0E Total no. pixel rows on screen  
 \$0F No. pixel rows left to print

#### Working

\$18 C.M. Address 10  
 \$1C C.M. Address 11  
 \$1D Column counter  
 \$1E Pixel rows in current line  
 \$1F \$0 counter for shifting




These counters are all in zero page. \$08-\$0F are in the END function work areas and \$18-\$1F are free locations.

The assembly language listing explains the detailed operation step by step, but one instruction requires further explanation (\$NF \$040) at \$0-000 is an instruction to allow a branch back to line start, which could be out of range for a direct branch from \$0400. The alternative is an absolute jump, which would restrict the positional flexibility of the routine.

### Hires 1

This is a fully documented program using double-height characters; bit mapping in such a way as to permit use of the Hi-Print routine. This program will run happily in a Vic with 16 or more expansion.

The screen format is 22 columns of 18 rows, giving 230



```

5 REM
10 :
20 REM FULL SCREEN HIGH RESOLUTION USING DOUBLE HEIGHT CHARACTERS
30 :
40 PRINT "O" REM CLEAR SCREEN
50 :
60 REM INITIALISE
70 :
80 PEEKS=8888:PEEK(38884)OR 128:REM COLOUR BIT TO 28888
90 PEEK 38888:PEEK(38888)OR 128:REM CHNL.REM. RT 4888:SCREEN BIT 7688
100 PEEK 38887:AND REM 18 8888:8888 CHARACTERS
110 PEEK 38879:8 REM SCREEN & BORDER BLACK
120 :
130 REM SET-UP SCREEN
140 :
150 REM ROW-ROW COUNT (18 ROWS)
160 REM CL-COLUMN COUNT (32 COLS.)
170 REM CH-CH+DEL FROM PAGE
180 REM CH-CHARACTERS BLOCK
190 REM P-POWER REM SCREEN SIZE
200 PEEK 448:88 REM TELL OF 8-BYTES WIDE SCREEN IS
210 CH=3768+44:PEEK(38888)AND 128: REM START OF COLOUR MEMORY
220 CH=8888:REM CHNL.REM.START
230 FOR ROW=0 TO 9:FOR CL=0 TO 31
240 CH=ROW*32+CL:REM CALCULATE SCREEN OFFSET
250 CH=CL*18+80:REM CALCULATE ASSOCIATED CHARACTER BLOCK NUMBER
260 PEEK CH=88:88
270 PEEK CH=88:7 REM SET PIXEL COLOUR.
280 NEXT CL
290 NEXT ROW
300 :
310 REM CLEAR CHARACTER MEMORY
320 :
330 FOR I=0 TO 3268:REM SIZE OF C.R.(16*2048)
340 PEEK CH+I,0
350 NEXT I
360 REM
370 REM
380 REM: USER PROGRAM
390 :
400 REM SAMPLE PROGRAM "TRACE TRAILS"
410 :
420 B=128
430 FOR T=0 TO 10:B=B*5
440 FOR X=0 TO 175
450 J=INT(880-RND)OF JOB THEN X+175:GO TO 490
460 X=INT(J)
470 Y=INT(B)
480 GOSUB 5680:REM CHECK PLOT
490 NEXT X:NEXT T
500 SET B:IF B#""THEN 380
510 SYS 3824:REM HPRINT
520 END
5300 :
5400 REM: CHECK VALUES IN RANGE
5500 :
5600 IF FOR THEN B=0
5700 IF X+175 THEN X+175
5800 IF FOR THEN =0
5900 IF Y+100 THEN Y+100
6000 :
6100 REM: PLOT
6200 :
6300 CH=CL*18+80:REM WHICH COLUMN
6400 REM Y VALUE = ROW NUMBER
6500 B=CH+CH*DEL:REM WHICH CHARACTER BYTE
6600 B1=8 AND 7:REM WHICH BIT
6700 PEEK B1:PEEK(38) OR PEEK(B1):REM TURN ON SINGLE PIXEL
6800 RETURN
6900 :
7070 REM PREPARE POWERS OF TWO ARRAY
7100 :
7210 REM PEEK(T): REM DECLARE POWERS OF TWO ARRAY
7300 FOR B=0 TO 7
7400 PEEK(T+2*175+B) REM EACH BIT HAS CORRESPONDING POWER OF TWO
7500 NEXT B
7600 RETURN

```

READY.

Line 1

screen bytes. As it uses double height characters, a character memory of 1600 (128 \* 16) bytes is required. This when added to 588 bytes for screen memory uses up more space than desirable in the unexpanded VIC, so there would not be any room for a program! Therefore, a minimum of 3K expansion is essential. With just 3K expansion the pointers to top of memory should be set to Page 16, to protect the character memory, which starts at 4096, with the screen start at 7680. But, if the Hi-Print routine is to be used, it is kept between Pages 15 & 16, so set top of memory to Page 15 with:

```
POKE 3875:POKE 3275:CH
```

before loading anything. Hi-Print can then be located starting at 5840.

If using more than 3K expansion (i.e. more than 8K4 above screen), it is necessary to raise the bottom of memory to Page 32 before loading anything, in order to leave room for the C.R. and screen below the program. This is done with

```
POKE 4612:POKE 8760:NEW
```

The NEW is needed to reset all BASIC pointers to the new configuration. In this situation the Hi-Print routine can very conveniently be loaded anywhere between 1024 and 4096, in the program's printed, SYS 1024 calls the routine loaded at the bottom of this area. This address can easily be changed by altering the target address in the accompanying loader program.

Neither this program nor the one for the unexpanded VIC are anything spectacular; they are merely demonstrations of technique. They are however sequenced so that bit-mapping and clearing the screen can be observed.

## Hires 2

This is a highly condensed and slightly modified version of Hires 1, written to run on the basic VIC. The screen format is reduced to 18 rows \* 22 columns and uses 8 \* characters. Values used in initialization and



framing are obviously different, but the techniques are the same.

Character memory is located at 5120 up, leaving just 5k for the program and HiPrint routine. As the character memory requires 10\*128 = 1280 bytes, the c.m. ends at 6400, leaving a large enough gap between it and the screen start at 7680 for the HiPrint routine – as long as we are careful not to use any of these locations, accidentally when pointing onto the c.m.

A good starting address for the routine in this case would be at the beginning of Page 26 (i.e. 7520). In fact this would permit a few more lines to be used for the hi-res screen.

If using the accompanying loader, it is necessary to set the top of memory pointer to Page 25 by

```
POKE 5629 : POKE 5229 : CB
```

The loader is then used to locate the routine, and then

the pointers must be reset to Page 26 by the same method.

In both programs, the X range is 0 to 255x (256x columns), while the Y (vertical) range is from 0 to 200x (lines) in Program 2, and 0 to 255x (lines) in Program 1.




### Basic loader

The loader requests a start location for the HiPrint routine. It then performs a checksum for each set of six data values, confirming each line. If an error is detected, the program stops and the offending line number is displayed. After running successfully the program HiPrint itself, leaving the routine table placed in the desired position.

Suggested Start Addresses:

Uncompressed VIC	7424	81C00
VIC + 3K	8048	87C00
VIC + more than 3K	10124	90400

These addresses are used in the SYS call to activate the HiPrint routine.



```

66 PRINT "3" : POKE36860,253 : POKE36867,26 : POKE36879,0
100 SB=7680 : CH=38400 : CH=5120
200 FORRO=0TO9 : FOR CL=0TO5 : OS=RO+22+CL : CB=CL*18+RO
300 POKEOS+OS, CB : POKEOR+OS, 7 : NEXTCL : NEXTRO
330 FOR I=0 TO 1760 : POKECH+I,0 : NEXT
400 B=00 : PORT=17050 : B=B-5 : FORK=0TO175 : J=B*2,000+K*4 : IF J CB THEN K=175 : GOTO430
440 B=SOR(J) : Y=79-K : DOSUB5000
450 NEXTK : NEXT
500 GETHR : IPRB="" : THEN500
510 SYS7424 : END
5000 IFX CB THEN K=0
5040 IFX 175 THEN K=175
5050 IFX CB THEN K=0
5060 IF Y 79 THEN H=79
5100 C=INT(K/8) : B=CH+Y+(C*88) : B1=ORND7 : POKEBY : C2(K-81) : ORPEEK(BY) : RETURN

```

READY.

Steve D

In this month's project, Garry Marshall shows you how to create a program using animated effects.

# PROGRAMMING PROJECTS

PROGRAMS THAT DEPEND on mobile graphics for their fascination and attraction range from games to the better educational programs. Moving graphics are a key feature of all the games of the Space Invaders type that have developed through Pacman to today's sophisticated products. The most notable instance in education where the allure of animation has been used to good effect is Logo. A Logo micro-world full of moving shapes is a perfect test-bed for learning about the laws of motion, gravity and many other topics.

## The solution

The list can maintain up to eight sprites, and we want each to move around on the screen in its own way. By writing a subroutine for moving each sprite we can write a main program that calls each subroutine in turn. Then the program can continually cycle round the eight subroutines to keep the eight sprites moving. Remembering that the sprites are numbered from 0 to 7, this will give us the heart of our program as in Listing 1.

Here, the loop variable, K, ranges through the sprite numbers. The new line calls the subroutine starting at line 100 where K is 0 to move sprite 0, the subroutine starting at line 1000 where K is 1 to move sprite 1, and so on. When all eight sprites have been moved, line 270 sends the computer back to the beginning of the loop to do it all again.

There is a neater way of doing this. If we copy the line numbers at the start of the subroutines for moving sprites 0 to 7 in increments of 7 of an array named say, M, we can enter listing 1.

Unfortunately, this doesn't work (on my 6400) despite

```

240 FOR K=0 TO 7
250 ON K+1 GOSUB 500, 1000, 1500, 2000, 2500, 3000, 3500,
4000
260 NEXT K
270 GOTO 240

```

Listing 1

```

240 FOR K=1 TO 7
250 GOSUB M(K)
260 NEXT K
270 GOTO 240

```

## Listing 2

assumes from the manual and any number of handbooks that it should.

Having started, in the middle of the program, we must now work our way backwards. We shall begin by going towards the beginning of the program to create the sprites and put them in their

```

10 DIM M(7), C(7), R(7)
20 FOR K=0 TO 7
30 M(K)=K+7
40 READ C(K), R(K)
50 NEXT K
60 DATA 60, 60, 140, 40
70 DATA 220, 60, 220, 140
80 DATA 220, 220, 140, 220
90 DATA 60, 220, 60, 140

```

Listing 3

```

100 PRINT " "
120 FOR K=0 TO 60 STEP 3
130 POKE 932+K, 1: POKE 932+K+1, 1: POKE 932+K+2, 0
140 IF K=18 THEN POKE 932+K, 255: POKE 932+K+1, 255: POKE
932+K+2, 255
150 IF K=39 THEN POKE 932+K, 255: POKE 932+K+1, 255: POKE
932+K+2, 255
160 NEXT K

```

Listing 4



initial positions. Then we can complete the program by writing the subroutines for moving the sprites.

The eight sprites will each have their own colour and, when they are first displayed, a position. Each position can be fixed by giving a column and a row. To represent the colours and positions we can use three parallel arrays, as shown in figure 1. The arrays H, C and R will hold, respectively, the hex, initial column and initial rows for the sprites. The hex, column and row for sprite 0 will be held in element 0 of the relevant array.

To give the sprites their initial positions shown in figure 2, we start the program with Listing 3.

After this, we make the program clear the screen and, leaving a gap in the line numbering to fill later with initialisation for the subroutines, we start a sprite description to be shared by all the sprites. We have described the mechanics of sprite descriptions in an earlier project, and using the same description for a hash-shaped sprite that we used before gives us listing 4.

Now, with the sprite description stored, we can associate it with all eight sprites by making the eight locations starting at the one with address 200 point to it. We give the sprites their colours by copying the colour codes from the array H to the block starting at 3200 and, similarly, give them their initial positions by transferring the column and row numbers from the arrays C and R to the block from 3320 to 3326. This is done by Listing 5.

```
170 FOR J=0 TO 7
180 POKE 3040+J, 10
190 POKE 30270+J, 0111
200 POKE 33200+20+J, 0111
210 POKE 33240+20+J, 0111
220 NEXT J
```

**Listing 5**

Even now, the sprites won't appear, because we must turn them on. This can be done for all the sprites with:

```
230 POKE 33290, 255
```

Running the part of the program consisting of lines 10



Figure 1. The parallel arrays used to initialise the sprites.

```
100 Y0=10: X0=0: T=0: A=0
1000 Y=PEEK(33250)
1010 Y=Y+Y0
1020 POKE 33251, Y
1030 IF Y>220 OR Y<0 THEN Y0=-Y0
1040 RETURN
```

**Listing 6**

```
2000 X=PEEK(33254)
2010 X=X+X0
2020 POKE 33254, X
2030 IF X>220 OR X<0 THEN X0=-X0
2040 RETURN
```

**Listing 7**

```
4000 T=T+T/20
4010 IF T=200 THEN T=0
4020 X7=(40-80+COS(T)): Y7=(40+80+SIN(T))
4030 POKE 33262, X7: POKE 33263, Y7
4040 RETURN
```

**Listing 8**

```
3000 A=PI/25
4010 IF A=2*PI THEN A=0
4020 X0=(40+40*SIN(A)-A): Y0=(40-80+COS(A)-A)
4030 POKE 33280, X0: POKE 33281, Y0
4040 RETURN
```

**Listing 9**

to 230 will show the eight coloured sprites in their initial positions. If you include lines 240 to 270, though, you will get an error message, for we haven't got round to writing the subroutines which they call yet. If you want to test the whole thing up to line 270, you can include 'dummy' subroutines that do absolutely nothing except establish that the structure of the program is alright by adding a series of lines such as:

```
300 GETLINE
300 GETLINE
and so on up to
4000 RETURN
```

Now we have better replace these empty subroutines with routines that will actually move the sprites. We shall not write all eight, but just those for the odd-numbered sprites to make them move along the paths that are indicated on figure 2.

Sprite number 1 is to move up and down along a vertical path, bouncing off imaginary barriers at each end. This means that it stays in the same column all the time, so we need not change that.

Its row must keep changing, though. If we store the amount by which it changes under Y5 and initialise Y5 in line 110, along with other variables for the other subroutines, then the subroutine must take the row position at sprite 1 from location 33151, add the contents of Y5 to it, and put the new value back. This will automatically move the sprite to the new position.

The only other thing that we need to do is to test whether the sprite has reached the 'wall' at one end or the other and, if it has, to change the sign of the number stored in Y5 to make the sprite bounce back. Since the subroutine for sprite 1 starts at line 1000, this gives us listing 9.

The subroutine for sprite 3 follows the same lines, see listing 7.

The path for sprite 7 is a circle centred at (140,140) with radius 80. This means that for any value of an angle T the point (140+80\*cos(T), 140+80\*sin(T)) is on this circle, and as the value of T increases the corresponding point moves

anti-clockwise around the circle. Also, T=0 will give the initial position of sprite 7, i.e., with T initialized to 0 in line 110, we can move sprite 7 round its circular path with listing 8.

Although the path of sprite 5 is an elliptical one, the sprite can be seen along its result the same way by listing 9.

It is left to you to write subroutines to move the even-numbered sprites. The listing of the program as far as we have developed it is given in Program 1.

### Moving on

At this stage, we can take developments a little further by carving off the even-numbered sprites, since there is as yet no way to move them, and use the 4's sprite collision detection to turn them on again. This will illustrate how the collision detection works, and in so doing will provide the basis on which some spectacular effects can be built. For instance, it can be elaborated so that when two sprites collide one of them is wiped out or, perhaps, a new one is born.

At the start of the program, we can use another array, Q, parallel to the arrays for the hue, colour and size, to record which sprites are initially on and which off. In element 8, records that sprite 8 is on by containing a 1 and that it is off by holding 0. The array can be declared, initialised to show that only the odd-numbered sprites are on, and then used to turn just three sprites on with the statements and insertions in listing 10.

We can then use the array Q to ensure that the program only bothers to try to move sprites that are on by adding the following line to the control movement, monitoring section of the program.

```
245 IF Q(X)=0 THEN 260
```

Here, the sprite collisions are recorded in location 53270. What happens, for example, is that when sprites 1 and 3 collide, bits 5 and 5 in this location are set. It is also important to remember that the act of PEEKing at this

```

20 DIM H(7), C(7), R(7)
25 FOR K=0 TO 7
30 H(K)=0+0
40 R(K)=C(K), R(K)
50 NEXT K
60 SPT# 40,00,140,60
70 SPT# 220,60,220,140
80 SPT# 220,220,140,220
90 SPT# 40,220,60,140
100 POK# T
110 V=10: W=5: T=0: R=0
120 FOR K=0 TO 60 STEP 3
130 POK# 532+K, 1: POK# 532+W+1, 1: POK# 532+V+0, 0
140 IF K=18 THEN POK# 532+L, 220: POK# 532+W+1, 220: POK# 532+V+0, 220
150 IF K=30 THEN POK# 532+L, 220: POK# 532+W+1, 220: POK# 532+V+0, 220
160 NEXT K
170 FOR J=0 TO 7
180 POK# 532+J, 1
190 POK# 532+J, H(J)
200 POK# 532+J+240, C(J)
210 POK# 532+J+240, R(J)
220 NEXT J
230 POK# 532+8, 220
240 FOR K=0 TO 7
250 ON K+1 GOTO 260, 1000, 1540, 2000, 2500, 3000, 3500, 4000
260 NEXT K
270 GOTO 240
280 RETURN
1000 W=PEEK(53251)
1010 W=W/2
1020 POK# 53251, W
1030 IF V<220 OR W<60 THEN V=V-10
1040 RETURN
1500 RETURN
2000 X=PEEK(53254)
2010 X=X+50
2020 POK# 53254, X
2030 IF X<220 OR X<60 THEN X=X-10
2040 RETURN
2500 RETURN
3000 R=V+V/25
3010 IF R<200 THEN R=R
3020 K=140+400*(R-1): V=140+600*(R-1)
3030 POK# 53250, K: POK# 53250, V
3040 RETURN
3500 RETURN
4000 T=T+1/50
4010 IF T<200 THEN T=T
4020 X=140+600*(T-1): Y=140+600*(T-1)
4030 POK# 53260, X: POK# 53260, Y
4040 RETURN

```

```
254 Z1=PEEK(53270)
```

```
256 IF Z1<0 AND Z1<>2 THEN GO SUB 5000
```

```
258 Z=Z1
```

Listing 12

```

10 DIM H(7), C(7), R(7), Q(7)
15 P=0
45 Q(K)=K-2+INT(R/2)
46 IF Q(K)<0 THEN P=P+2^K
230 POKE 50249, P

```

Listing 10

```

3000 S=0
3010 FOR L=0 TO P
3020 IF S=L THEN S=L+S
3030 NEXT L
3040 IF S=0 THEN RETURN
3050 GOSUB 3055: POKE 50249, PEEK(50249) OR 2^L
3060 RETURN

```

Listing 11

location clear is, since all we want to do at the moment is to use any collision to trigger the turning on of another sprite, we could add the line:

```

235 IF PEEK(50276)=0 THEN
GOSUB 3000

```

This will test and clear the location that records the collision after each individual sprite movement, calling a subroutine to turn on another sprite if a collision has just occurred. All the subroutine has to do is to scan the array Q to find a sprite that is off, and then update Q and turn the sprite on. This can be done by Listing 11.

Actually, the way that the subroutine is triggered is not entirely satisfactory. This is because once two sprites meet they can stay in contact for some time. Although the collision is recorded when

they first meet, the act of PEEKing the collision register clears it, and if the sprites are still in contact the next time around, the collision is recorded again. For this reason, the meeting of one pair of sprites can be recorded several times as a collision and, correspondingly, will turn on several sprites. This is not exactly what we wanted. To avoid it, we must replace line 235, using a more stringent test. In effect, we must say "Has a collision occurred, and is it a different collision from the last one?". We can do this by adding:

```

235 S=PEEK(50276)

```

to clear the collision register is the first place. Then we should replace line 235 with Listing 12. The complete program is listed in Program 2.




Figure 1. Initial positions and paths for the sprites.



# Nick Faldo's Open

Price: £9.99

Runs on both Spectrum 48K  
and CRM64.

Accurate full-screening map of  
the Royal St. George's Golf  
Course chosen for the Open  
Championship 1985.

Free booklet featuring  
maps and history of  
the course with a hole  
by hole guide by...



An Amiga/Order software  
Argus Press Software Ltd.  
Liberty House, 172 Regent Street,  
London W1K 7JH

Orderline: 01-4749666 quoting  
Action Bookings number



Argus Press  
Software Group

MIND  
GAMES

Price:  
£9.99

Why not purchase a coupon in TODAY's and find out what else these programs have to offer?

Please rush me details of  
**WORD RESULT / CALC RESULT**

NAME \_\_\_\_\_

COMPANY \_\_\_\_\_

ADDRESS \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

CALC RESULT & WORD RESULT SETS - VAT  
@ 44% (EU) NET FOR 2007/1

Sent by **HANDIC SOFTWARE LIMITED**  
5, Albert Road, Croftlands, Berkshire RG1 1TL.  
Tel: 01494 738880

# HANDIC INTEGRATED SOFTWARE FOR YOUR PC



**TOTAL INTEGRATION** Word Result and Calc Result have been created for the IBM and compatibles with true integration – giving you the freedom to use each program either separately or together.

#### **WORD RESULT features:-**

- Ten European languages with true hyphenation
- Mail-merge
- The text on the screen as it will appear on paper (left, right or centre justified)
- Easy to use commands and help screens
- Automatic saving of your document whenever you stop typing

#### **CALC RESULT features:-**

- 64 x 254 x 32 pages
- Automatic locking of formulas
- Full colour draw to cell level
- Individual column widths
- Pie and bar charts, saved and printed
- Consolidates all your work with ease

*Get Results*

**handic**  
software Ltd.



A.P. and D.J. Stephenson

Tackle the problem of using machine code to sort string arrays into order.

**SORTING STRINGS IS MORE DIFFICULT** than sorting numbers because of the manner in which the BASIC interpreter stores strings. But, it is no good writing, or even attempting to write, a machine code string sort until the storage mechanism is thoroughly understood.

### String descriptors

Strings are controlled by string descriptors which consist of three bytes as shown in Figure 18.1. The first byte holds the string length and refers to the number of bytes occupied by the string which, of course, is the same as using the number of characters in the string. This shows why the number of characters BASIC allows in one string is restricted to 255. The highest number possible in any byte, including the string length byte, is 255. The other two bytes in the string descriptor give the string address (in the form of low-byte, high-byte) where the strings are stored. They are merely address pointers, not the strings themselves. The actual string, consisting of the equivalent ASCII codes, is stored in sequential memory locations, starting at the address given by the address pointer in the string descriptor.



Figure 18.1 Keeping strings under control

# MASTERING MACHINE CODE

Thus, in the part of a sort routine where two strings have to be swapped (because they happen to be in the wrong order), we swap over the descriptors rather than the strings themselves. When sorting, then, it is only necessary to ensure that the string descriptors are in order. The strings themselves can be left in exactly the same haphazard order they were in before the sort process began. This will clearly reduce the execution time of the sort. In effect, we are tricking the BASIC interpreter by rearranging its string array access table (a collection of string descriptors).

### How string arrays are stored

A string array is a collection of separate strings, sheltering under a common name. We would therefore expect the format for handling string arrays to be more complicated than single strings because it must cater, not only for the array name, but also for the number of dimensions in the array together with the array size. However, string arrays are handled in a similar way to integer arrays, see Figure 18.2.

Bytes 1 and 2  
These are reserved for the array name. In order for the interpreter to

discern string arrays from integer or floating point arrays, the first byte is the ASCII code of the first character of the array name. (You will remember from last month's discussion, that the first byte in the integer array format is the ASCII code + \$80.) The second byte is either the second character of the array name + \$40 or, if there isn't one, just \$40. As an example, BB would have \$40 (the ASCII code for B) in the first byte and \$80 alone in the second byte. On the other hand, if the array name was BC1, the second byte would be the sum of the ASCII code for (B+C) and the constant \$80, making a total of \$C1.

Bytes 3 and 4

These are address pointers to the next array arranged in the order low byte, high byte.

Byte 5

The number of dimensions in the array, obviously limited to 255.

Bytes 6 and 7

The array size, in high-byte, low byte order for a change. The three-byte string information blocks then follow on after the heading information.




Figure 18.2 Handling string arrays

```

10 BUBBLE SORT
20 :OF A STRING ARRAY
30 NUMBER = #FB
40 COUNT = #FD
50 ONE = #57
60 TWO = #59
70 FLAG = #FF
80 STRING1 = #58
90 STRING2 = #5D
100 LENGTH1 = #5F
110 LENGTH2 = #60
120 ==#C000
130 SEC
140 LDA NUMBER
150 SEC #1
160 STA NUMBER
170 BCB LOOP1
180 DEC NUMBER+1
190 LOOP1
200 CLC
210 LDA #3F
220 ANC #80A
230 STA TWO
240 LDA #30
250 ADC #0
260 STA TWO+1
270 LDA #0
280 STA FLAG
290 STA COUNT
300 STA COUNT+1
310 LOOP2
320 LDA TWO+1
330 STA ONE+1
340 LDA TWO
350 STA ONE
360 CLC
370 ADC #3
380 STA TWO
390 BCC SKIP
400 INC TWO+1
410 LDY #0
420 LDA (ONE),Y
430 STA LENGTH1
440 LDA (TWO),Y
450 STA LENGTH2
460 INY
470 LDA (ONE),Y
480 STA STRING1
490 LDA (TWO),Y
500 STA STRING2
510 INY

```

```

500 LDA (ONE),Y
510 STA STRING1+1
520 LDA (TWO),Y
530 STA STRING2+1
540 LDY #0
550 LOOP3
560 LDA (STRING2),Y
570 CMP (STRING1),Y
580 BCC SWOP
590 BNE NOSWOP
600 INY
610 COPY LENGTH1
620 BCB NOSWOP
630 COPY LENGTH2
640 BCB SWOP
650 BNE LOOP3
660 BNE LOOP1
670 LDY #2
680 STY FLAG
690 LOOP4
700 LDA (ONE),Y
710 TAX
720 LDA (TWO),Y
730 STA (ONE),Y
740 TXA
750 STA (TWO),Y
760 DEY
770 BPL LOOP4
780 NOSWOP
790 INC COUNT
800 BNE SKIP2
810 INC COUNT+1
820 LDA COUNT
830 CMP NUMBER
840 BNE LOOP2
850 LDA COUNT+1
860 CMP NUMBER+1
870 BNE LOOP2
880 LDA FLAG
890 BEQ FLAGCLEAR
900 LDA NUMBER
910 SEC
920 SEC #1
930 STA NUMBER
940 BCB SKIP3
950 DEC NUMBER+1
960 LDA NUMBER
970 BNE STAGE
980 STA STAGE
990 RTS

```

READY.

Program 10.1 Bubble sort in test machine code

```

10 REM TESTING THE MACHINE CODE
20 REM STRING SORTING ROUTINE
30 PRINTCHR$(147):INPUT"ENTER NUMBER OF
STRING$:"
40 REM FILL AND DISPLAY ARRAY
50 DIM A$(10)
60 FOR N=1 TO 10
70 A$(N)="
80 A$(N)=RND(1)+1
90 FOR J=1 TO A$(N)
100 R$(J)=RND(1)
110 I$(J)=CHR$(R$(J)+65)
120 B$(N)=A$(N)
130 NEXT
140 A$(N)=B$(N)
150 PRINT A$(N)
160 NEXT
170 PRINT:PRINT
180 PRINT"SORTING"
190 PRINT:PRINT
200 REM PREPARE CALL PARAMETER
210 H$(0)=81/256
220 L$(0)=81-(81*256)
230 REM PASS PARAMETER
240 POKE 251,L$(0)
250 POKE 252,H$(0)
260 T1$="000000"
270 REM CALL MACHINE CODE ROUTINE
280 SYS 49132
290 T2=T1/60+0.5
300 REM DISPLAY SORTED STRING ARRAY
310 FOR N=1 TO 10
320 PRINT A$(N)
330 NEXT
340 PRINT
350 PRINT 10*STRING$(SORTED 14*71*SECONDS)
READY.

```

Program 10.4 Hex dump of Program 10.1

```

-
- 0000 38 AD FB 8F 01 85 FB 90
- 0008 02 C6 FC 18 AD 3F 6F 04
- 0010 85 5F A5 30 6F 00 85 5A
- 0018 A9 00 85 FF 85 FD 85 FE
- 0020 A3 5A 85 5A 85 5F 85 57
- 0028 18 6F 03 85 5F 10 02 E6
- 0030 5A 40 00 81 57 85 5F 81
- 0038 5F 85 60 08 81 57 85 58
- 0040 81 5F 85 50 08 81 57 85
- 0048 5C 81 5F 85 5E A0 00 81
- 0050 58 01 58 90 0F 00 1E 08
- 0058 C4 5F FD 1F C4 60 FD 04
- 0060 00 8D 00 A7 A0 02 84 FF
- 0068 81 57 AA 81 5F 91 57 84
- 0070 91 5F 88 10 F3 E6 FD 00
- 0078 02 E6 FE A5 FD C5 FB 50
- 0080 FF A5 FE C5 FC 00 9F A5
- 0088 FF FD 15 A5 F8 38 8F 01
- 0090 85 FB 90 04 C6 FC A5 FB
- 0098 00 C8 A5 FC 00 C4 60 0E
- ?

```

## Understanding the source code

A flow diagram of the rather complex string comparison section of Program 10.1, is shown in Figure 10.1. Use it in conjunction with the following line by line treatment of the mechanics.

Lines 30 to 110 assign labels to all used locations. All locations used for storage are in page zero.

Lines 120 to 180 subtract 1 from the two-byte quantity stored in NUMBER and NUMBER+1.

Lines 190 to 230 collect the array space start address which is always stored in locations \$27 and \$30. An offset of \$04 is added in order to point to the first element of the array. This also skips the array zero element which may contain an array heading and thus will not normally be included in the sort. The result is placed temporarily in address pointer TWO (two bytes).

Lines 240 to 280 initialize the swap flag, FLAG (1 byte) and the loop counter, COUNT (two bytes) to zero.

Lines 300 to 330 copy the contents of pointer TWO to pointer ONE (two bytes each).

Lines 340 to 380 increment pointer TWO by adding 1, because it must point to the next string information block three locations away.

Lines 390 to 450 use indirect addressing to fetch the length of the first string from the string information block. This data is stored in pointer ONE.

Armed with this information on the scope of string arrays, we can now turn to the study of Program 10.1.

## Bubble sort string array

The homely, and sometimes despised, algorithm known as the bubble sort is again used. In BASIC it is hardly sluggish but in machine code it is quite acceptable and has the advantage of using little memory. Comparison with the integer version, Program 9.1, given in last month's issue, shows that they both have a good deal in common. Not every one will have an assembler for entering Program 10.1 directly because it is in source code as the equivalent machine code bytes. (The object code assignments in the form of a hex dump shown as Program 10.1A.

To enter the machine code bytes, they can be FORK'd individually, starting with the first byte at address 49132. However,

remember that the Commodore 64 does not recognize hex bytes which means that you would have the boring task of converting them all to decimal first - and without making one single error! Fear not. Type in Program 10.1 which accepts data written in hex.

Once you have entered the code, you won't know whether you have entered everything correctly or, indeed, whether the program works at all. This is where Program 10.2 comes in handy. Assuming the machine code bytes are already in a block of memory starting at decimal address 49132, this program will call on the machine code and try everything out for you including the time the machine takes to execute the sort. You don't have to provide test strings because the program generates them randomly. Try it out with only a few strings to start with then double the number while noting how execution time increases rather steeply each time.

Program 18.1 Poking a hex dump into memory

```

10 REM POKING A HEX DUMP INTO MEMORY
20 REM STARTING AT ADDRESS %C0000
30 INPUT "HOW MANY BYTES IN HEX DUMP?":ND
40 B=48192
50 FOR L=0 TO ND-1
60 READ D#
70 POC=ASC(D#)*48
80 SOC=ASC(ORIGTRCDE,1)+48
90 IF POC>B THEN POC=POC-T
100 IF SOC>B THEN SOC=SOC-T
110 BTIC=USRPOC+SOC
120 POKE B+L,BTIC
130 NEXT
140 DATA #B,00,00,FB,FB,00,00,FC
150 DATA #B,48,00,0A,F1,00,FB,FB
160 DATA #B,01,00,FB,00,00,0A,FC
170 DATA #B,FB,00,0C,00,FC,00,0B
180 DATA 00

```

lines 40 to 48 do the same for the second string. The data is stored in pointer TWG.

Lines 49 to 53 obtain the start addresses of the string pair, again using indirect addressing. The addresses are stored in the page zero locations STRPTR1 and STRPTR2 (two bytes each).

Line 54 clears the I register which doubles as the string character counter. Lines 55 to 58 compare the ASCII codes of the string character pairs. The entire string description is swapped over if they are in ascending order. Otherwise, they are left alone.

Line 59 increments the string character counter.

Lines 60 to 63 compare the length of the first string LENGTH1 to the character counter. If they are equal, no swap is required.

Lines 64 to 67 compare the second string length LENGTH2 to the character counter and, if equal, a swap is made. Line 68 forces a branch back to LOOP1 only for comparing the ASCII codes of the next pair of string characters. This cycle continues while neither of the above comparisons has resulted in a swap or a no swap branch.

Line 69 is an out-of-range branch patch. It is due to the limit on displacement imposed by relative addressing which would have been exceeded in line 98. This method is an alternative to using an absolute JMP which would cause problems if the object code were to be relocated.

Line 69 stores 1 in the Y register. This acts as a byte counter and also as an index register for indirect indexed addressing. Line 67 sets the swap flag. Any nonzero value stored in the location labelled FLAG indicates that a swap has taken place.

Lines 68 to 730 swap the 3-byte string descriptors, one byte at a time, using the X

index register as a temporary intermediate storage location.

The remaining lines 740 to 970 are similar to lines 500 to 740 of the integer sort array given last month.

### Using the routine

It is important to remember that, in use, the string array to be sorted must be the first DIMENSIONED in BASIC. This is because the start address of the array to be sorted, is calculated from the start of the array space stored by the Commodore-64 in locations \$2E (low byte) and \$2F (high byte). If the above is not adhered to the sort routine will simply not work.

The final code is present in memory from %C000 (%F12 decimal) onwards.

In order to use it all we need supply is the number of array elements to be included in the sort. For example, say that the total number of strings stored in the array is placed in the variable N%. The following two lines of BASIC will split that number into a high byte and low byte component ready for POKing into locations \$48 and \$4C (129 and 252 decimal).

```

%0=H%#N%#256
%1=L%#N%#(H%#256)

```

The values are POKed with the following two lines:

```

%0 POKE %1,HL%
%1 POKE %2,HL%

```

Finally, the routine is called from BASIC by: %3=CALL

Table 18.1 is a general guide to the sorting speed to be obtained for various random length strings. The table reveals that it takes approximately four times as long to sort double the number of strings.

Figure 18.1 Flow diagram of string comparison




Table 18.1

No. of random strings: Typical sort time	%
100	1 sec
200	4 sec
400	8 sec
600	13 sec
800	23 sec
1000	35 sec

There are, of course, more efficient algorithms but few use less memory. For those interested in even faster methods using the 'diminishing increment sort' algorithm see our books 'Advanced machine code programming for the Commodore 64' or 'Filing systems and databases for the Commodore 64' published by Granada/Collins.



Lothlorien

CD-ROM

# THE BULGE

**BATTLE FOR ANTWERP**  
For Spectrum 48K and Commodore 64



- **Accurate strategic simulation.**
- **Real-time combat with full scrolling graphics.**



Liberty House,  
222 Regent Street,  
London W1R 0DB  
Telephone 01-479 9000

**LOTHLORIEN**



good for a synth the size of your fingernail) making it capable of deep rumblings and very high tweedling, higher even than a piccolo can reach. Experiment with different pitches, even immediate ones to those I've given you, to produce scales and tunes like more like Eastern music.

### Special effects

A very important facility in the performance of a synth sound is that of glide (sometimes called portamento, goodness knows why). This means when you play note the next note glides smoothly up to correct pitch rather than steps up to it. Let me demonstrate: The program renders a gliding note from C in the 4th octave to C in the 5th octave.

Address	128	64	32	16	8	4	2	1
54276							ring	
54283	Noise	pulse	saw	tri	test	ring	mod	sync
54298								

Table 2

It is done by incrementing the pitch by very small amounts, so the steps aren't audible. To hear the steps, just put in a delay:

```
TS FOR #1 RD 100 NEXT
```

... and now you can hear the stepping quite clearly. Glide is used to great effect in computer music, adding a touch of humanity (flexibility) to otherwise digital (stepped) sounds.

### Now some difficult bits

Hidden deep within the heart of each oscillator on the SID lie a few very sophisticated controls. See Table 2.

Synchronisation, or sync, effects can give you some wonderful synth tones. One oscillator's waveform is modulated with another, the fundamental frequencies of the first being made to conform to the second's. This gives you some very rich harmonic blends, and although the pitch stays the same the harmonic content alters, giving you an enormous range of some 'colours'. Sync for Osc 1 resides in address 54276 and to activate it you POKE 54276,1.

Ring modulation, or ring mod, is perhaps best known for being the effect on a Dalek's voice; fortunately it's used in synthesis and music tend to be a little less disturbing! Ring mod is primarily used in the creation of realistic bell or gong tones: a ring modulator takes two frequencies and outputs a compound of the sum of the two frequencies (pitch), and the difference between them. The result is a waveform whose harmonics are not related (they are normally), producing highly detailed metallic tones

qualities. A simple input/output might be like this:

```
Frequency 1 = 902.58Hz
Frequency 2 = 164.89Hz
```

```
Yield = 164.89 + 902.58 = 1067.46Hz
         = 902.58 - 164.89 = 737.59Hz
```

In order to use ring mod on Osc 1 you must select both triangle and ring mod; ring mod modulates the triangle wave of Osc 1 with the output of Osc 2. Really the best way for you to learn all about ring mod is to mess about with it, so try: POKE 54276,1;16;0;100

Give it a whirl and see what you can come up with.

Mostly, ring modulated waveforms contain all manner of unwanted harmonics which degrade the sound

quality. To clean them up you need to filter the sound.

### Filter tips

With regulation in my heart, it is my solemn duty to lead you by the nose into yet another table, this time the registers:

	128	64	32	16	8	4	2	1
54285	-	-	-	-	-	FC1	FC1	FCB
54284	FC10	FC9	FC8	FC7	FC6	FC5	FC4	FC3
54285	8153	817	3033					
54285	8153	8852	8853	8150	EXT	OSC3	OSC2	OSC1
54276	3C7F	HP	8P	LP	VOL3	VOL2	VOL1	VOL0

Table 3

governing the filter. See Table 3.

The registers hold as follows:

Filter cut-off: 54285 and 54294

Register 54285's last five bits (right to left, the dashes aren't used), the remainder plus 54294 are the filter-cut-off values, and as with previous registers, you can use them alone or added together (to get FC10 + FC9 = 129+32 = 168). These bits don't control the cut-off point or the frequency of the filter; they act as a reference point and the effect they cause is due entirely to the type of filter selected. (See Filter Type/Volume).

### Resonance/Filter: 54295

Resonance affects the frequencies around the cut-off point, emphasising them and making them brighter. The first three bits (right to left) of this register govern which Oscillators go through the filter. The fourth bit is very interesting. This is the external input to the filter,

whereby you can use the filter in the SID's synth to filter an external instrument's output! Interesting though it is, it really shouldn't be used without expert advice; you can blow up the chip if you're not careful!

### Filter type/volume: 54296

The first four bits govern the overall volume of the system in a scale of sixteen values, from 0 (not a sausage) to 15 (blasting your speakers off). The next three bits select filter type: hi-pass, lo-pass and band pass. Hi-pass lets high frequencies through, lo-pass lets low frequencies through and band pass lets frequencies at and either side of the cut-off point through and stops those further away. (There is actually another type of filter available if you add hi and band pass together - band reject) or notch. This is the exact reverse of band pass, letting through all frequencies save the ones at the selected cut-off.) The last bit in this register is Osc 3-Off. Oscillator 3 can be very useful as a modulator for the other two, and in this case the output from 3 might be undesirable (noisy rubbish), so this gives us the option to toggle its output off.

The replication of the SID's filter is the one thing which sets the 64 head and shoulders above other micros, synthesizers. It gives you power over an enormous range of beautiful sonic

textures and tone colours, which brings me to our last section, with some tips on imitative synthesis.

### Is it real, or is it synthesised?

Imitative synthesis is the art (or in some cases science) of imitating natural sounds or conventional instruments. This is a controversial topic, as synths can imitate any instrument, with intelligent programming, and you by telling that to the Musicians Union they'd smash your face in! Synthesizers, and Computer keyboards generally, are seen to be doing for the number of working musicians what the advent of computers did to the number of working accountants. Personally, I don't think musicians have anything to worry about; nothing sounds as good as a real instrument played well by a real person.

And, just in case, I'll include some hints and tips on how to imitate all your favourite instruments.

# Disc Drive?

## DOMESTIC DRIVE BUSINESS DRIVE

Realise the full potential of your disc drive with Triangle.

A powerful, fast and totally integrated suite of programs — WORD PROCESSOR, DATA BASE and SPREADSHEET.

Keep accounts, set-up household and business cash flow projections, store mailing lists.

All for only

**£19.95**  
R.P.P.

- Three totally integrated programs
- Write and edit text easily
- Store your records, lists and inventories
- Answer your financial "What If's"
- Exchange data between programs
- Tutorial and on-screen "Help" windows
- 100% machine-code for fast response
- Comprehensive manual that's easy to follow



## CREATIVE DRIVE

Stretch your mind and your disc drive with Activity Centre.

An integrated, stimulating and wide-ranging toolkit. Write, draw, animate drawings even compose music.

Widen your creative skills, write and illustrate reports for school or at work. Whether you're 7 or 70 years, you'll find Activity Centre great fun.

The price? It's a breakthrough at

**£14.95**  
R.P.P.

- Write and illustrate text
- Paint and animate your pictures
- Compose your own music
- Save and copy images
- Large picture library memory
- Music feature library memory
- Easy to use manual
- 100% Integrated



**ARGUS PRESS SOFTWARE LIMITED**  
Library House, 221, Roper Street,  
London W1B 1TB. Telephone 01 499-9886



Mike Hart explores one of the most frequently demanded programming routines: the ability to flash a message on the screen or to flash the whole, or part of the screen, on or off.

THE MOST COMMON USE of flashing is that of prompting the operator to take some action by flashing a message several times on the screen.

In the little program called BASIC-FLASH, notice that A1 is initialised to a message in line 30 and a delay constant defined in line 30.

The main FLASH subroutine (1000-1050) prints the message, activates a delay loop, obliterates the message and activates a similar delay loop. So as long as a pressed, the whole subroutine is re-entered until any key press generates a RETURN. The crucial line is probably line 1020 which is merely a cursor up (CHR\$(56)) followed by a blank line and terminated by another cursor up. This technique, or variation built around it, will work on any Commodore machine.

Commodore 64 owners might like to try the following 'line liver' which provides a quick and handy 'screen-shake'.

```
FOR J=0 TO 255:POKE 53270:
NEXT J
```

The following technique is usually used to flash the screen. First of all, get the character from the screen and then EXCLUSIVE-OR it with 60/Decidimal - this 'flips' bit 7 from a 1 to a 0 or vice versa that giving 'normal' or 'inverted' graphics. Then put the new character back into the same position. In earlier versions of the Commodore's, the colour must also be flipped back to the screen.

Either the whole screen, or for particular sections of it, can be reversed. With 1000-1002:

# RELIABLE ROUTINES

to the screen and the colour memory map, this would take an eternity in BASIC.

The machine code routine, REVERSE-FLASHER, overcomes the long wait if the subroutine is called once only, then a certain portion of the screen is reversed; if a delay loop is built in and the process repeated several times, you can get the flashing effect you desire.

Your first task in REVERSE-FLASHER is to decide where to locate the code - I have placed it in the custom built-out of force of habit but it can go into safe location, SC000-49153 is a good place if not occupied by anything else and if you make variable 1N (LOCATION) in line 10 the starting point of your code.

Next, three parameters are

provided: INK (the character colour); PAPER (the background colour) and the number of lines (starting from the top of the screen). The device is set up so that INK is black, PAPER is grey 3 and the number of lines is set to 10. To flash the whole screen the number of lines would be 25.

The routine saves the current character colour and background colour and then restores them after the flash. The 'new' flashing effect is obtained if the initial paper colour is maintained throughout: this is because, if you change the PAPER colour, the

whole screen is changed to that colour while the first n lines will flash. The delay loop may be shortened or lengthened or even cut out altogether. The length of the whole flash can also be controlled in a similar fashion by altering the end value of the J loop in line 30.

It is best to experiment with this routine until you find an effect which suits you best.

Finally, a machine-code disassembler is provided, for those readers who like to study such things to see how they work and also improve them if necessary.

Happy Flashing!

## Program Listing

```

1 REM *** REVERSE..FLASHER ***
2 :
3 REM **   HIRE HART   **
4 :
5 REM SYSTEM:SYSLOC:IN: INK,PAPER,LINES
6 :
10 LPRINT:INK=BPAPER=12:J,LINES=10
15 :
20 FOR J=0 TO 25:READ H
30 T=H:(POKE LMAJ,NEXT H
40 READ CH:IF CH#T THEN G
50 PRINT:DATA (ADDRESS)=END
60 PRINT:PRINT:G..
65 :
70 REM *** SEND ONLY ***
75 :
80 FOR J=1 TO 20:SYSLOC:INK,PAPER,LINES
90 FOR DL=1 TO 25:PRINT:PRINT:J
95 :
100 DATA 123,20,200,123,203,173,134,2
110 DATA 123,204,20,205,103,140,20,200
120 DATA 20,241,103,128,70,200,20,102
130 DATA 0,127,0,200,127,0,217,107
140 DATA 0,200,107,0,200,200,201
150 DATA 104,170,100,0,100,201,100,4
160 DATA 120,202,100,20,177,201,73,100
170 DATA 140,201,104,10,247,200,240,13
180 DATA 04,100,40,101,201,100,200,104
190 DATA 000,000,000,170,000,100,000,141
110 DATA 20,200,100,204,141,204,2,200
111 DATA 2077
READY.

```

```

READY.
**
PC 00 01 02 03 04 05 06 07
***** 00 01 02 03 04 05 06
0000 00 01 04 123 2000 J
0000 00 02 20 074 40 J
0000 00 03 00 100 0000
0000 00 04 00 100 0000
0000 00 05 07 100 0000
0000 00 06 07 070 0000 J
0000 00 07 07 070 0000 J
0000 00 08 00 070 0000 J
0000 00 09 00 070 0000 J
0000 00 10 000
0000 00 11 000 0000
0000 00 12 000 0000
0000 00 13 000 0000
0000 00 14 000 0000
0000 00 15 000 0000
0000 00 16 000 0000
0000 00 17 000 0000
0000 00 18 000 0000
0000 00 19 000 0000
0000 00 20 000 0000
0000 00 21 000 0000
0000 00 22 000 0000
0000 00 23 000 0000
0000 00 24 000 0000
0000 00 25 000 0000
0000 00 26 000 0000
0000 00 27 000 0000
0000 00 28 000 0000
0000 00 29 000 0000
0000 00 30 000 0000
0000 00 31 000 0000
0000 00 32 000 0000
0000 00 33 000 0000
0000 00 34 000 0000
0000 00 35 000 0000
0000 00 36 000 0000
0000 00 37 000 0000
0000 00 38 000 0000
0000 00 39 000 0000
0000 00 40 000 0000
0000 00 41 000 0000
0000 00 42 000 0000
0000 00 43 000 0000
0000 00 44 000 0000
0000 00 45 000 0000
0000 00 46 000 0000
0000 00 47 000 0000
0000 00 48 000 0000
0000 00 49 000 0000
0000 00 50 000 0000
0000 00 51 000 0000
0000 00 52 000 0000
0000 00 53 000 0000
0000 00 54 000 0000
0000 00 55 000 0000
0000 00 56 000 0000
0000 00 57 000 0000
0000 00 58 000 0000
0000 00 59 000 0000
0000 00 60 000 0000
0000 00 61 000 0000
0000 00 62 000 0000
0000 00 63 000 0000
0000 00 64 000 0000
0000 00 65 000 0000
0000 00 66 000 0000
0000 00 67 000 0000
0000 00 68 000 0000
0000 00 69 000 0000
0000 00 70 000 0000
0000 00 71 000 0000
0000 00 72 000 0000
0000 00 73 000 0000
0000 00 74 000 0000
0000 00 75 000 0000
0000 00 76 000 0000
0000 00 77 000 0000
0000 00 78 000 0000
0000 00 79 000 0000
0000 00 80 000 0000
0000 00 81 000 0000
0000 00 82 000 0000
0000 00 83 000 0000
0000 00 84 000 0000
0000 00 85 000 0000
0000 00 86 000 0000
0000 00 87 000 0000
0000 00 88 000 0000
0000 00 89 000 0000
0000 00 90 000 0000
0000 00 91 000 0000
0000 00 92 000 0000
0000 00 93 000 0000
0000 00 94 000 0000
0000 00 95 000 0000
0000 00 96 000 0000
0000 00 97 000 0000
0000 00 98 000 0000
0000 00 99 000 0000
0000 00 100 000 0000
0000 00 101 000 0000
0000 00 102 000 0000
0000 00 103 000 0000
0000 00 104 000 0000
0000 00 105 000 0000
0000 00 106 000 0000
0000 00 107 000 0000
0000 00 108 000 0000
0000 00 109 000 0000
0000 00 110 000 0000
0000 00 111 000 0000
0000 00 112 000 0000
0000 00 113 000 0000
0000 00 114 000 0000
0000 00 115 000 0000
0000 00 116 000 0000
0000 00 117 000 0000
0000 00 118 000 0000
0000 00 119 000 0000
0000 00 120 000 0000
0000 00 121 000 0000
0000 00 122 000 0000
0000 00 123 000 0000
0000 00 124 000 0000
0000 00 125 000 0000
0000 00 126 000 0000
0000 00 127 000 0000
0000 00 128 000 0000
0000 00 129 000 0000
0000 00 130 000 0000
0000 00 131 000 0000
0000 00 132 000 0000
0000 00 133 000 0000
0000 00 134 000 0000
0000 00 135 000 0000
0000 00 136 000 0000
0000 00 137 000 0000
0000 00 138 000 0000
0000 00 139 000 0000
0000 00 140 000 0000
0000 00 141 000 0000
0000 00 142 000 0000
0000 00 143 000 0000
0000 00 144 000 0000
0000 00 145 000 0000
0000 00 146 000 0000
0000 00 147 000 0000
0000 00 148 000 0000
0000 00 149 000 0000
0000 00 150 000 0000
0000 00 151 000 0000
0000 00 152 000 0000
0000 00 153 000 0000
0000 00 154 000 0000
0000 00 155 000 0000
0000 00 156 000 0000
0000 00 157 000 0000
0000 00 158 000 0000
0000 00 159 000 0000
0000 00 160 000 0000
0000 00 161 000 0000
0000 00 162 000 0000
0000 00 163 000 0000
0000 00 164 000 0000
0000 00 165 000 0000
0000 00 166 000 0000
0000 00 167 000 0000
0000 00 168 000 0000
0000 00 169 000 0000
0000 00 170 000 0000
0000 00 171 000 0000
0000 00 172 000 0000
0000 00 173 000 0000
0000 00 174 000 0000
0000 00 175 000 0000
0000 00 176 000 0000
0000 00 177 000 0000
0000 00 178 000 0000
0000 00 179 000 0000
0000 00 180 000 0000
0000 00 181 000 0000
0000 00 182 000 0000
0000 00 183 000 0000
0000 00 184 000 0000
0000 00 185 000 0000
0000 00 186 000 0000
0000 00 187 000 0000
0000 00 188 000 0000
0000 00 189 000 0000
0000 00 190 000 0000
0000 00 191 000 0000
0000 00 192 000 0000
0000 00 193 000 0000
0000 00 194 000 0000
0000 00 195 000 0000
0000 00 196 000 0000
0000 00 197 000 0000
0000 00 198 000 0000
0000 00 199 000 0000
0000 00 200 000 0000
0000 00 201 000 0000
0000 00 202 000 0000
0000 00 203 000 0000
0000 00 204 000 0000
0000 00 205 000 0000
0000 00 206 000 0000
0000 00 207 000 0000
0000 00 208 000 0000
0000 00 209 000 0000
0000 00 210 000 0000
0000 00 211 000 0000
0000 00 212 000 0000
0000 00 213 000 0000
0000 00 214 000 0000
0000 00 215 000 0000
0000 00 216 000 0000
0000 00 217 000 0000
0000 00 218 000 0000
0000 00 219 000 0000
0000 00 220 000 0000
0000 00 221 000 0000
0000 00 222 000 0000
0000 00 223 000 0000
0000 00 224 000 0000
0000 00 225 000 0000
0000 00 226 000 0000
0000 00 227 000 0000
0000 00 228 000 0000
0000 00 229 000 0000
0000 00 230 000 0000
0000 00 231 000 0000
0000 00 232 000 0000
0000 00 233 000 0000
0000 00 234 000 0000
0000 00 235 000 0000
0000 00 236 000 0000
0000 00 237 000 0000
0000 00 238 000 0000
0000 00 239 000 0000
0000 00 240 000 0000
0000 00 241 000 0000
0000 00 242 000 0000
0000 00 243 000 0000
0000 00 244 000 0000
0000 00 245 000 0000
0000 00 246 000 0000
0000 00 247 000 0000
0000 00 248 000 0000
0000 00 249 000 0000
0000 00 250 000 0000
0000 00 251 000 0000
0000 00 252 000 0000
0000 00 253 000 0000
0000 00 254 000 0000
0000 00 255 000 0000
0000 00 256 000 0000
0000 00 257 000 0000
0000 00 258 000 0000
0000 00 259 000 0000
0000 00 260 000 0000
0000 00 261 000 0000
0000 00 262 000 0000
0000 00 263 000 0000
0000 00 264 000 0000
0000 00 265 000 0000
0000 00 266 000 0000
0000 00 267 000 0000
0000 00 268 000 0000
0000 00 269 000 0000
0000 00 270 000 0000
0000 00 271 000 0000
0000 00 272 000 0000
0000 00 273 000 0000
0000 00 274 000 0000
0000 00 275 000 0000
0000 00 276 000 0000
0000 00 277 000 0000
0000 00 278 000 0000
0000 00 279 000 0000
0000 00 280 000 0000
0000 00 281 000 0000
0000 00 282 000 0000
0000 00 283 000 0000
0000 00 284 000 0000
0000 00 285 000 0000
0000 00 286 000 0000
0000 00 287 000 0000
0000 00 288 000 0000
0000 00 289 000 0000
0000 00 290 000 0000
0000 00 291 000 0000
0000 00 292 000 0000
0000 00 293 000 0000
0000 00 294 000 0000
0000 00 295 000 0000
0000 00 296 000 0000
0000 00 297 000 0000
0000 00 298 000 0000
0000 00 299 000 0000
0000 00 300 000 0000
0000 00 301 000 0000
0000 00 302 000 0000
0000 00 303 000 0000
0000 00 304 000 0000
0000 00 305 000 0000
0000 00 306 000 0000
0000 00 307 000 0000
0000 00 308 000 0000
0000 00 309 000 0000
0000 00 310 000 0000
0000 00 311 000 0000
0000 00 312 000 0000
0000 00 313 000 0000
0000 00 314 000 0000
0000 00 315 000 0000
0000 00 316 000 0000
0000 00 317 000 0000
0000 00 318 000 0000
0000 00 319 000 0000
0000 00 320 000 0000
0000 00 321 000 0000
0000 00 322 000 0000
0000 00 323 000 0000
0000 00 324 000 0000
0000 00 325 000 0000
0000 00 326 000 0000
0000 00 327 000 0000
0000 00 328 000 0000
0000 00 329 000 0000
0000 00 330 000 0000
0000 00 331 000 0000
0000 00 332 000 0000
0000 00 333 000 0000
0000 00 334 000 0000
0000 00 335 000 0000
0000 00 336 000 0000
0000 00 337 000 0000
0000 00 338 000 0000
0000 00 339 000 0000
0000 00 340 000 0000
0000 00 341 000 0000
0000 00 342 000 0000
0000 00 343 000 0000
0000 00 344 000 0000
0000 00 345 000 0000
0000 00 346 000 0000
0000 00 347 000 0000
0000 00 348 000 0000
0000 00 349 000 0000
0000 00 350 000 0000
0000 00 351 000 0000
0000 00 352 000 0000
0000 00 353 000 0000
0000 00 354 000 0000
0000 00 355 000 0000
0000 00 356 000 0000
0000 00 357 000 0000
0000 00 358 000 0000
0000 00 359 000 0000
0000 00 360 000 0000
0000 00 361 000 0000
0000 00 362 000 0000
0000 00 363 000 0000
0000 00 364 000 0000
0000 00 365 000 0000
0000 00 366 000 0000
0000 00 367 000 0000
0000 00 368 000 0000
0000 00 369 000 0000
0000 00 370 000 0000
0000 00 371 000 0000
0000 00 372 000 0000
0000 00 373 000 0000
0000 00 374 000 0000
0000 00 375 000 0000
0000 00 376 000 0000
0000 00 377 000 0000
0000 00 378 000 0000
0000 00 379 000 0000
0000 00 380 000 0000
0000 00 381 000 0000
0000 00 382 000 0000
0000 00 383 000 0000
0000 00 384 000 0000
0000 00 385 000 0000
0000 00 386 000 0000
0000 00 387 000 0000
0000 00 388 000 0000
0000 00 389 000 0000
0000 00 390 000 0000
0000 00 391 000 0000
0000 00 392 000 0000
0000 00 393 000 0000
0000 00 394 000 0000
0000 00 395 000 0000
0000 00 396 000 0000
0000 00 397 000 0000
0000 00 398 000 0000
0000 00 399 000 0000
0000 00 400 000 0000
0000 00 401 000 0000
0000 00 402 000 0000
0000 00 403 000 0000
0000 00 404 000 0000
0000 00 405 000 0000
0000 00 406 000 0000
0000 00 407 000 0000
0000 00 408 000 0000
0000 00 409 000 0000
0000 00 410 000 0000
0000 00 411 000 0000
0000 00 412 000 0000
0000 00 413 000 0000
0000 00 414 000 0000
0000 00 415 000 0000
0000 00 416 000 0000
0000 00 417 000 0000
0000 00 418 000 0000
0000 00 419 000 0000
0000 00 420 000 0000
0000 00 421 000 0000
0000 00 422 000 0000
0000 00 423 000 0000
0000 00 424 000 0000
0000 00 425 000 0000
0000 00 426 000 0000
0000 00 427 000 0000
0000 00 428 000 0000
0000 00 429 000 0000
0000 00 430 000 0000
0000 00 431 000 0000
0000 00 432 000 0000
0000 00 433 000 0000
0000 00 434 000 0000
0000 00 435 000 0000
0000 00 436 000 0000
0000 00 437 000 0000
0000 00 438 000 0000
0000 00 439 000 0000
0000 00 440 000 0000
0000 00 441 000 0000
0000 00 442 000 0000
0000 00 443 000 0000
0000 00 444 000 0000
0000 00 445 000 0000
0000 00 446 000 0000
0000 00 447 000 0000
0000 00 448 000 0000
0000 00 449 000 0000
0000 00 450 000 0000
0000 00 451 000 0000
0000 00 452 000 0000
0000 00 453 000 0000
0000 00 454 000 0000
0000 00 455 000 0000
0000 00 456 000 0000
0000 00 457 000 0000
0000 00 458 000 0000
0000 00 459 000 0000
0000 00 460 000 0000
0000 00 461 000 0000
0000 00 462 000 0000
0000 00 463 000 0000
0000 00 464 000 0000
0000 00 465 000 0000
0000 00 466 000 0000
0000 00 467 000 0000
0000 00 468 000 0000
0000 00 469 000 0000
0000 00 470 000 0000
0000 00 471 000 0000
0000 00 472 000 0000
0000 00 473 000 0000
0000 00 474 000 0000
0000 00 475 000 0000
0000 00 476 000 0000
0000 00 477 000 0000
0000 00 478 000 0000
0000 00 479 000 0000
0000 00 480 000 0000
0000 00 481 000 0000
0000 00 482 000 0000
0000 00 483 000 0000
0000 00 484 000 0000
0000 00 485 000 0000
0000 00 486 000 0000
0000 00 487
```



# JUMP JET

**CBM 64**  
**CASSETTE** £9.95  
**DISK** £11.95



Every pilot has the dream of flying one of these unique and versatile fighting machines. Here is your chance to do what few pilots have the privilege to try.

Depending on your skill, confidence and courage, you have the choice of remaining near the landing pad, learning to hover and land, or venturing higher to practice your approaches.

When you think you have mastered these, then accelerate the Jump Jet into an attack fighter. Use the radar and range finder to seek and destroy the enemy, by launching heat-seeking air-to-air missiles. Beware! His radar and missile systems are as good as yours. Relentless pursuit is ill-advised; you must maintain a fuel level that will enable you to relocate and return to the aircraft carrier, ensuring the skills you have learned to achieve a successful landing.

You are now ready to proceed to the next skill level to face additional hazards, such as unpredictable wind and treacherous cross winds.

Be warned, this program is not a toy or game. You will need to co-ordinate your hands, eyes and mind to successfully complete each mission. Do not hope to achieve in a short time that which took the author three years to learn as a Jump Jet pilot, and over a year to record on this computer program.

Written by  
Vaughan Dow  
Jump Jet Pilot



## ANIROG

# Choosing the right computer is a good start — but can you find the right software?



At SUPERSOFT we're very conscious of the fact that people who spend several hundred pounds on computer equipment are looking to do rather more than play *Space Invaders*.

Financial planning is a rather grand name for something you've been doing all your life — making ends meet! Perhaps if Mr. Microbot had used **BUSICALC** he would have been able to balance the books a little better.

For home, club or small business use **BUSICALC 3** should pay for itself in no time at all; for larger companies we recommend **BUSICALC 2**, one of the few really valuable programs that you can learn to use in a day. Although your Commodore 64 is a powerful musical instrument you need to be a pretty good programmer to understand how it all works. Unless, of course, you buy **MUSIC MASTER**!

To use **MUSIC MASTER** requires no prior musical knowledge, though in the hands of an experienced musician it will prove an invaluable tool. You don't need to know the first thing about programming either! **MUSIC MASTER** is the musical equivalent of a word processor, remembering the notes you play and allowing you to replay and edit them as you wish.

**INTERACTOR PILOT** is a space flight simulator. Nowadays simulators are widely used to train pilots and astronauts because — to be frank — it's a lot cheaper (and safer) than the real thing!

Imagine, if you will, life in the 23rd century: space travel is commonplace, and on the outskirts of the galaxy the first war between civilizations is being fought. A shortage of trained pilots has prompted the federation to develop a computer simulation that allows new recruits to gain experience without paying for their mistakes with their lives. With the aid of your Commodore 64 you too can learn to pilot the Interactor 64 Craft. But be warned — this is no game!

Other SUPERSOFT products include the **MICRO ASSEMBLER** cartridge, the only assembler that's ideal for beginners yet powerful enough for the professional (most of our competitors use it!). The **VICTRAIL** cartridge adds dozens of commands to Basic including toolkit aids and disk commands; or an disk there's **MASTER 64**, a really comprehensive package for the home programmer.

Of course, we do also publish games programs, and with titles like **STIX**, **QUINN** and **KABB-KAZ!** in our range we are one of the market leaders. But we most enjoy coming up with the sort of programs that are going to be in use for months and years, not hours and days — the sort of programs that make you glad that you bought a computer — and glad that you bought SUPERSOFT!

You won't find SUPERSOFT products in the shelves of your local supermarket. But most specialist shops stock titles from our extensive range (and are prepared to obtain other programs to order). However you can also buy direct by sending a cheque/pre-paid order or post their, by calling at our offices, or over the telephone using your ACCESS card.

**SUPERSOFT**

SUPERSOFT, Winchester House, Canning Road,  
Winchester, Warrimoo, Middlesex HA3 7UJ  
Telephone: 01-841 1588